

DAFTAR PUSTAKA

1. Chandra B. Kontrol penyakit menular pada manusia. Jakarta: EGC; 2013. p. 1.
2. Sinaga H, Runtuboi DYP, Zebua LI. Bakteri penyebab infeksi nosokomial pada alat kesehatan dan udara di ruang unit gawat darurat RSUD Abepura, Kota Jayapura. J Biologi Papua. 2014; 6: 75-9.
3. Mulyanti S, Putri MH. Pengendalian infeksi silang di klinik gigi. Jakarta: EGC; 2012. p. 1-69.
4. Suleh MM, Wowor VNS, Mintjelungan CN. Pencegahan dan pengendalian infeksi silang pada tindakan ekstraksi gigi di rumah sakit gigi dan mulut PSPDG FK UNSRAT. J e-GiGi. 2015; 3: 587-94.
5. Pedersen GW. Buku ajar praktis bedah mulut. Jakarta: EGC; 1998: 1-4.
6. Monarca S, Grottolo M, Renzi D, Paganelli C, Sapelli P, Zerbini I, et al. Evaluation of environmental bacterial contamination and procedures to control cross infection in a sample of italian dental surgeries. Occup Environ Med. 2000; 57: 721-26.
7. Al-Rabeah A, Mohamed AG. Infection control in the private dental sector in riyadh. Annals of Saudi Medicine. 2002; 22: 13-7.
8. Wibowo T, Parisihni K, Haryanto D. Proteksi dokter gigi sebagai pemutus rantai infeksi silang. J PDGI. 2009; 58: 6-9.

9. Undang-undang republik indonesia nomor 23 tahun 1992 tentang kesehatan dan undang-undang republik indonesia nomor 29 tahun 2004 tentang praktik kedokteran. Jakarta: Visimedia; 2007. p. 3.
10. Pedersen GW. Buku ajar praktis bedah mulut. Jakarta: EGC; 1996. p. 2-3
11. Meliawaty F. Efisiensi sterilisasi alat bedah mulut melalui inovasi oven dengan ozon dan infrared. JKM. 2012; 11: 147-67.
12. Departemen Kesehatan RI. Pedoman instalasi pusat sterilisasi di rumah sakit. Jakarta: DEPKES RI; 2009. p. 5.
13. Samanarayake, LP. Essential microbiology for dentistry, Ed 2. Philadelphia: Saunders Company; 2002. p. 262-64.
14. Rahardja F, Widura, Suryadarma DA. Uji sterilitas instrumen bedah terhadap bakteri aerob penyebab infeksi di Rumah Sakit Immanuel Bandung. JKM. 2004; 3: 70-83.
15. Cheng VCC, Wong SCY, Sridhar S, Chan JFW, Ming ML, Lau SKP, et al. Management of an incident of failed sterilization of surgical instruments in a dental clinic in Hong Kong. J of the Formosan Medical Association. 2013; 122: 666-75.
16. Marin NP, Castanon GAM, Alonso NVZ, Solis CEM, Mendez FT, Arguelles OC. Biologic monitoring and causes of failure in cycles of sterilization in dental care offices in Mexico. American J of Infection Control. 2015; 43: 1092-095.

17. Kementrian Republik Indonesia. Standar pencegahan dan pengendalian infeksi pelayanan kesehatan gigi dan mulut di fasilitas pelayanan kesehatan. Jakarta: Kementrian RI; 2012. p. 9-10.
18. Rutala WA, Weber DJ. Disinfection and sterilization in health care facilities: an overview and current issues. 2016. p. 609-37.
19. Harty FJ, Ogston R. Kamus kedokteran gigi. Jakarta: EGC; 1995. p. 167.
20. Widoyono. Penyakit tropis. Jakarta: Erlangga; 2008. p. 3.
21. Centers for Disease Control and Prevention. Principles of epidemiology in public health practice: an introduction to applied epidemiology and biostatistics, Ed 3. Atlanta: Department of health and human services; 2006.p. 52.
22. Miller CH, Palenik CJ. Infection control and management of hazardous materials for the dental team, Ed 4. Canada: Mosby; 2010. p. 26; 140-51.
23. Lugito DHM. Kontrol infeksi dan keselamatan kerja dalam praktek kedokteran gigi. J PDGI. 2013; 62: 24-30.
24. Hu- Friedy. Alat Bedah Mulut Minor Kritis, [cited 4 Maret 2017]. Available from: <http://www.hu-friedy.com/products/surgical.html>.
25. Septiari BB. Infeksi nosokomial. Yogyakarta: Nuha Medika; 2012. p. 89.
26. Solon JG, Killeen S. Decontamination and sterilization. J mpsur. 2015; 08: 006.

27. Tietjen L, Bossemeyer D, McIntosh N. Panduan pencegahan infeksi untuk fasilitas pelayanan kesehatan dengan sumber daya terbatas. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo; 2004. p. 10-3.
28. EZ Clave Full Automatic Laboratory Autoclave Sterilizer Lab. [cited 8 februari 2017]. Available from: <http://www.isterilizer.com/en/ezclave-n10e-full-automatic-laboratory-autoclave-sterilizer-lab>.
29. Drummond DC, Skidmore AG. Sterilization and disinfection in the physician's office. J Can Med Assoc. 1991; 8: 145.
30. Rogers WJ. Steam and dry heat sterilization of biomaterials and medical devices. Cambridge: Woodhead Publishing Limited; 2012. p. 20-55.
31. Rogers WJ. The effects of sterilization on medical materials and welded devices. Cambridge: Woodhead Publishing Limited; 2013. p. 79-130.
32. Indo elitech. Sterilisator Elitech ZTP 80 A. [cited 8 februari 2017]. Available from: <http://electromedis.indo-elitech.com/Sterilisator/ZTP-80A-Upgrade/flypage.html>.
33. Sterilisator Chemiclave. [cited 8 februari 2017]. Available from: [http://www.cascade-dental.net/images/Sterilizers/ChemiClave%206000%20Chemical%20Sterilizer-%20\\$800.jpg](http://www.cascade-dental.net/images/Sterilizers/ChemiClave%206000%20Chemical%20Sterilizer-%20$800.jpg).
34. Rutala WA, Weber DJ. Guideline for disinfection and sterilization in health care facilities: an overview and current issues. 2008; 75.

35. Jawetz, Melnick, Adelberg. Mikrobiologi kedokteran, Ed 25. Jakarta: EGC; 2012: 42-3, 72-4, 173.
36. Nothern Hygiene Laboratories Ltd. Swab testing as a service for region's food procedurs. East Yorkshire: Nothern Hygiene Laboratories Ltd of Driffield; 1990: 1.
37. Mualim, Jubaidi, Ali H. Metode sterilisasi pada alat makan dalam menurunkan kandungan bakteriologi di Rumah Sakit M.Yunus Kota Bengkulu tahun 2012. Prosiding Seminar Nasional dan Gelar Riset Inteksan. 2013: 60-9.
38. Syafira AA, Noer M, Syafrawati. Identify and test the resistance of bacteria on dental unit surfaces in dental clinic of Dentistry Faculty Andalas University Padang. UIP Health Med. 2016; 1: 77-82.
39. Murray PR, Baron EJ, Jorgensen JH, Pfaller MA, Yolken RH. Manual of clinical microbiology, Ed 8. Washington DC: American Society for Microbiology; 2003: 56.
40. Irianto K. Menguak dunia mikroorganisme, Ed 1. Bandung: CV. Yrama Widya; 2006; 60-1.
41. Kismiyati, Subekti S, Yusuf RWN, Kusdarwati R. Isolation and identification gram negative bacteria at lessions of gold fish (*Carassius auratus*) by infestation ectoparasite *Argulus* sp. J Ilmiah Perikanan dan Kelautan. 2009; 1: 129-34.
42. Boyd RF, Hoerl BG. Laboratory manual to accompany basic medical microbiology, Ed 2. Boston: Litte, Brown and Company; 1981. p. 21-2.

43. Nwankwo IU, Onwuako CE, Appeh OG, Ifeanyi CV. Isolation and identification of microorganism associated with surgical equipment used within the theater of daughters of Mary Mercy Hospital Ahiaeke in Umuahia, Abia State. J Innovative Health Care Research. 2016; 4: 10-6.
44. Haposan E, Suwarman, Redjeki IS. Gambaran pola kuman pada bilah laringoskop di ruang operasi Rumah Sakit Dr. Hasan Sadikin Bandung. JAP. 2016; 4: 162-9.
45. Prayogi NA, Aprliana E, Rukmono P. Pertumbuhan mikroorganisme pada pasi di unit perinatologi Rumah Sakit Abdul Moeloek Bandar Lampung. Medical Journal of Lampung University. 2013: 105-12.
46. Maghlouth AA, Yousef YA, Bagieh NA. Qualitative and quantitative analysis of bacterial aerosols. J Contemporary Dental Practice. 2004; 5: 1-8.
47. Oliveira AC, Maluta RP, Stella AE, Rigobelo EC, Marin JM, Avila FA. Isolation of *Pseudomonas aeruginosa* strains from dental office environtment and unit in Barretos, State of Sao Paulo, Brazil, and analysis of their susceptibility to antimicrobial drugs. Brazilian Journal of Microbiology. 2008; 39: 579-84.
48. Wong V, Levi K, Baddal B, Turton J, Boswell TC. Spread of *Pseudomonas fluorescens* due to contaminated drinking water in a bone marrow transplant unit. J Clinical Microbiology. 2011; 49: 2093-096.

49. Constantiniu S, Romaniuc A, Iancu LS, Filimon R, Tarasi I. Cultural and biochemical characteristics of *Acinetobacter spp.* strains isolated from hospital units. J Preventive Medicine. 2004; 12: 35-42.
50. Anonim. Keputusan Menteri Kesehatan Republik Indonesia Nomor: 1204/Menkes/SK/X/2004 Tentang Persyaratan Kesehatan Lingkungan Rumah Sakit. Jakarta: Departemen Kesehatan Republik Indonesia Direktorat Jenderal Pemberantasan Penyakit Menular dan Penyehatan Lingkungan; 2004. p. 6.
51. Palawe BV, Kountul C, Waworuntu O. Identifikasi bakteri aerob di udara ruang operasi instalasi bedah sentral (IBS) RSUP ROF DR. R. D. Kandou Manado. J e-Biomedik. 2015; 3: 827-33.

