

## DAFTAR PUSTAKA

- Alfyanita A (2015). Hubungan tingkat kemandirian dalam melakukan aktivitas kehidupan sehari-hari (AKS) dengan status gizi pada usia lanjut di panti sosial tresna werdha sabai nan aluih sicincin. Padang. Fakultas Kedokteran Universitas Andalas. Skripsi.
- Akinwande OA, Adegbesan OA, Babalola JF, Atowoju AA, Mbada CE (2015). Hand grip strength in elderly patients with chronic illnesses: A case control study. *Journal of health science*5(5):81-88. <http://article.sapub.org/10.5923.j.health.20150505.01.html>- Diakses pada September 2016.
- Amarya S, Singh K, Sabharwal M (2015). Changes during aging and their association with malnutrition. *journal of clinical gerontology & geriatrics*, 6 (3): 78-84 <http://www.sciencedirect.com/science/article/pii/S2210833515000672> Diakses pada Agustus 2016
- Ashfield TA, Syddall HE, Martin HJ, Dennison EM, Cooper C, Aihie Sayer A (2010). Grip strength and cardiovascular drug use in older people: findings from the Hertfordshire Cohort Study. *age and ageing*39: 185–191.<http://ageing.oxfordjournals.org/content/39/2/185.full.pdf+html> Diakses pada September 2016.
- Ashton L, Myers S (2003). Serial grip strength testing- its role in assessment of wrist and hand disability. *the internet journal of surgery*Volume 5 Number 2. <http://ispub.com/IJS/5/2/5127> Diakses pada November 2016.
- Badan Pusat Statistik Provinsi Sumatera Barat (2014). Statistik daerah provinsi Sumatera Barat tahun 2014.
- Bohannon RW, Magasi SR, Bubela DJ, Wang YC, Gershon RC (2012). Grip and knee extension muscle strength reflect a common construct among adults. *muscle nerve*, 46(4):555–558.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3448119/> Diakses pada September 2016.
- Bohannon RW, Peolsson A, Westrop NM, Desrosiers J, Lehman JB (2006). Reference value for adult grip strength measured with a jamar dynamometer a descriptive meta-analysis. *physiotherapy*, 92 (1):11-15. <http://www.sciencedirect.com/science/article/pii/S0031940605000878> Diakses pada September 2016
- Chen LK, Liu LK, Woo J, Assantachai P, Auyeung TW, Bahyah KS, Chou MY et al (2014).Sarcopenia in Asia: consensus report of the Asian Working Group for Sarcopenia. *jam med dir assoc*, 15 (2):95-101. <https://www.ncbi.nlm.nih.gov/pubmed/24461239> Diakses pada September 2016.

- Cheung CL, Nguyen USDT, Au E, TanKC.B, Kung AW.C (2012). Association of handgrip strength with chronic diseases and multimorbidity. *AGE* 35:929–941.  
[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3636411/pdf/11357\\_2012Article\\_9385.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3636411/pdf/11357_2012Article_9385.pdf) Diakses pada September 2016.
- De La Montana J, Migues M (2011). Suitability of the short form mini nutritional assessment in free-living elderly people in the Northwest of Spain. *J Nutr Health Aging*, 15(3):187-91.  
<https://www.ncbi.nlm.nih.gov/pubmed/21369665> Diakses pada Agustus 2016.
- Demontiero O, Vidal C, Duque G (2012). Aging and bone loss: new insights for the clinician. *ther adv musculoskelet dis*, 4(2): 61–76.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3383520/> Diakses pada Agustus 2016.
- Demura S, Aoki H, Sugiura H (2011). Gender differences in hand grip power in the elderly. *Arch Gerontol Geriatr*. 53(1):76-8.  
<http://dspace.lib.kanazawa-u.ac.jp/dspace/bitstream/2297/28332/1/ED-PR-AOKI-H-76.pdf> Diakses pada Mei 2017.
- Departemen Kesehatan (2010). Kompisisi tubuh lansia. Departemen Kesehatan Republik Indonesia  
<http://gizi.depkes.go.id/wp-content/uploads/2010/07/komposisi-tubuh-lansia.pdf>
- Dodds RM, Syddall HE, Cooper R, Kuh D, Cooper C, Sayer AA (2016). Global variation in grip strength: a systematic review and meta-analysis of normative data. *Age and Ageing*, 45: 209–216.  
<http://ageing.oxfordjournals.org/content/early/2016/01/19/ageing.afv192.full.pdf+html> Diakses pada November 2016.
- Ellen S (2009). Uji keandalan mini nutritional assessment untuk menilai status nutrisi pada usia lanjut. Program Studi Ilmu Penyakit Dalam Fakultas Kedokteran, Universitas Indonesia. Tesis.
- English KL, Jones DP (2010). Protecting muscle mass and function in older adults during bed rest. *Curr Opin Clin Nutr Metab Care* 13(1): 34–39.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3276215/> Diakses pada September 2016
- Fatmah (2010). Gizi Usia Lanjut. Jakarta: Erlangga. Hlm
- Flood A, Chung A, Parker H, Kearns V, O’Sullivan TA (2014). The use of handgrip strength as a predictor nutrition in hospital patients. *clinical nutrition*, 33:106-14.  
[http://www.clinicalnutritionjournal.com/article/S0261-5614\(13\)00081-2/pdf](http://www.clinicalnutritionjournal.com/article/S0261-5614(13)00081-2/pdf) Diakses pada September 2016.

- Gaiki V, Wagh V. (2014). Reliability of mini nutritional assessment scale in rural setup of a tertiary health care hospital in central India. Ann Public Health Res 1(1):1004.  
<https://www.jscimedcentral.com/PublicHealth/publichealth-1-1004.pdf>  
Diakses pada Agustus 2016.
- Gibney JM, Barrie MM, John MK, Lemore A (2008). Gizi kesehatan masyarakat. Jakarta: Penerbit Buku Kedokteran EGC.
- Gill PKS, Sandhu R, Dimple, Dhillon SK, Arora AK. (2016). Handgrip strength in patients with type 2 diabetes mellitus. Pak J Physiol 12(2):19–21.  
<http://www.pps.org.pk/PJP/122/Parminder.pdf> Diakses pada Septemeber 2016.
- Greenberg SA (2012). The geriatric depression scale (GDS). New York. The Hartford Institute for Geriatric Nursing, New York University.
- Guigoz Y (2009). The MNA in research and practice: from birth to present. Dalam Scientific Symposium Proceedings XIX IAGG World Congress of Gerontology and Geriatric. Paris. p. 2.
- Hickson M (2006). Malnutrition and ageing. Postgrad Med J.82(963): 2–8.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2563720/> Diakses pada Mei 2017.
- Hidayat G, Kurnianda J, Pramanta IDP (2011). Anemia risk factor of handgrip strength decreasedon elderly in Yogyakarta province's panti werdha. Acta Interna - The Journal of Internal Medicine. 1 (1).  
<http://i-lib.ugm.ac.id/jurnal/detail.php?dataId=12650> Diakses pada April 2017.
- Jang JY, Kim J (2015). Association between handgrip strength and cognitive impairment in elderly Koreans: a population-based cross-sectional study. J. Phys.Ther.Sci,27:3911–3915.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4713818/pdf/jpts-27-3911.pdf> Diakses pada September 2016.
- Janssen I, Heymsfield SB, Wang Z, Ross R (2000). Skeletal muscle mass and distribution in 468 men and women aged 18–88 yr. J Appl Physiol 89: 81–88
- Jarnagin WR. Belghiti J, Buchler MW, Chapman WC, D'Angelica MI, De Mateo RP et al (2012).Blumgart's Surgery of the Liver, Pancreas and BiliaryTract. Saunder an imprint of Elsevier Inc.
- Jentoft AJR, Baeyens JP, Bauer JM, Boirie Y, Cederholm T, Landi F et al (2010). Sarcopenia: European consensus on definitionand diagnosis. Age and Ageing. 39:412–423.  
<http://ageing.oxfordjournals.org/content/39/4/412.full.pdf+html> Diakses pada September 2016.

Jones J (2015). An exploratory study to determine the relationship between levels of habitual activity and nutritional status, functional status, dietary intake and fatigue in older adults. Thesis. Study Program Faculty of Philosophy Queen Margaret University.

Kadi F (2008). Cellular and molecular mechanisms responsible for the action of testosterone on human skeletal muscle. A basis for illegal performance enhancement. *Br J Pharmacol* 154(3): 522–528. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2439525/> Diakses pada Mei 2017.

Kemenkes (Kementerian Kesehatan) (2012). Buku pedoman pelayanan gizi usia lanjut. Jakarta. Direktorat Jendral Bina Gizi dan Kesehatan Ibu dan Anak. Hlm. 1- 28.

Kemenkes (Kementerian Kesehatan) (2013). Gambaran kesehatan usia lanjut di Indonesia. Buletin jendela data dan informasi kesehatan. Jakarta. Pusat Data dan Informasi Kemenkes RI. Hlm. 1-18.

Kemenkes (Kementerian Kesehatan) (2016). Situasi lanjut usia (lansia) di Indonesia. InfoDATIN. Jakarta. Pusat data dan informasi Kementerian Kesehatan RI. Hlm 1-12.

Kiesswetter E, Pohlhausen S, Uhlig K, Diekmann R, Lesser S, Heseker H, et al (2013). Malnutrition is related to functional impairment in older adults receiving home care. *J Nutr Health Aging*. Apr;17(4):345-50. <https://www.ncbi.nlm.nih.gov/pubmed/23538657> . Diakses pada Juni 2017.

Kolegium Psikiatri Indonesia (2008). Program pendidikan dokter spesialis psikiatri. Modul psikiatri geriatric. Jakarta: Kolegium Psikiatri Indonesia.

Lam NM, Goh HT, Kamaruzzaman SB, Chin AV, Poi PJH, Tan MP (2016). Normative data for hand grip strength and key pinch strength, stratified by age and gender for a multiethnic Asian population. *Singapore Med J* 2016; 57(10): 578-584. <http://www.smj.org.sg/sites/default/files/SMJ-57-578.pdf> Diakses pada Desember 2016.

Lancet (2013). Frailty in older people. 381(9868): 752–762. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4098658/pdf/emss-59306.pdf> Diakses pada September 2016.

Lancu I, Omer A (2006). The mini mental state examination: an up to date review. Tel Aviv: Psychiatry Department, Beer Yaakov Hospital, Sackler Faculty of Medicine, Tel Aviv University 145(9):687-90, 701. <https://www.ncbi.nlm.nih.gov/pubmed/17078433> Diakses September 2016.

Langow SS (2014). Struktur dan fungsi otot. Dalam Setiati S, Alwi ISudoyo AW, Simadibrata M, Setiyohadi B, Syam AF) Buku ajar ilmu penyakit dalam. Edisi ke-6. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia. Hlm; 3523-8.

- Lauretani F, Russo CR, Bandinelli S, Bartali B, Cavazzini C, Lorio AD, et al (2003). Age-associated changes in skeletal muscles and their effect on mobility: an operational diagnosis of sarcopenia. *J Appl Physiol*, 95(5): 1851-60. <https://www.ncbi.nlm.nih.gov/pubmed/14555665> Diakses pada September 2016.
- Lee JE, Kim KW, Paik NJ, Jang HC, Chang CB, Baek GH et al (2012). Evaluation of factors influencing grip strength in elderly koreans. *J Bone Metab*, 19(2): 103–10. <https://www.ncbi.nlm.nih.gov/pubmed/24524040> Diakses pada Agustus 2016
- Lenardt MH, Carneiro NHK, Bettiolli SE, Binotto MA, Ribeiro DKNM, Teixeira FFR (2016). Factors associated with decreased hand grip strength in the elderly. *Escola Anna Nery*, 20(4). [http://www.scielo.br/pdf/ean/v20n4/en\\_1414-8145-ean-20-04-20160082.pdf](http://www.scielo.br/pdf/ean/v20n4/en_1414-8145-ean-20-04-20160082.pdf) Diakses pada September 2016.
- Leong DP, Teo KK, Rangarajan S, Kutty VR, Lanas F, Hui C, Quanyong X, Zhenzhen Q et al. (2016). Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urbanrural epidemiologic (PURE) study. *Journal of Cachexia, Sarcopenia and Muscle* (7):535–546. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4833755/> Diakses pada September 2016.
- Looker AC,Wang CY (2015). Prevalence of Reduced Muscle Strength in Older U.S. Adults: United States, 2011–2012. CDC/NCHS, National Health and Nutrition Examination Survey 2011–2012.NCHS Data Brief No. 179. <http://www.cdc.gov/nchs/data/databriefs/db179.pdf> Diakses pada Agustus 2016.
- Marliani FS (2012). Hubungan tingkat pendidikan, status ekonomi dan asupan protein dengan status gizi lansia di pulau kalimantan (riskesdas 2010). Jakarta : Program Studi Ilmu Gizi, Universitas Esa Unggul. Skripsi.
- Martin-Ponce E, Hernandes-Betancor I, Gonzales-Reimers E, Hernandes Luis R, Martinez-Reira A, Santolaria F (2014). Prognostic value of physical function test;hand grip strength and six minute walking test in elderly hospitalized patient. *Scientific Report* 4:1-6.
- Maryam RS, Ekasari MF, Rosidawati, Jubaedi A, Batubara I (2011). Mengenal usia lanjut dan perawatannya. Jakarta: Salemba Medika.
- McLean RR, Mangano KM, Hannan MT, Kiel DP,Sahni S (2010). Dietary protein intake is protective against loss of grip strength among older adults in the Framingham offspring cohort. *Gerontol A Biol Sci Med Sci* Vol. 71, No. 3, 356–361. <https://academic.oup.com/biomedgerontology/.../glv184.pdf>
- Mescher AL (2010). Histologi dasar janquera. Jakarta: Penerbit Buku Kedokteran EGC, Hlm : 245-291.

- Mital R (2011). Motor function of the pharynx, esophagus, and its sphincters. Morgan and Claypool Life Science.
- Morley JE (2011). Geriatric Medicine, An Issue of Medical Clinics of North America. Medical Clinic Of North America 95(3) :
- Moy FM, Chang EWH, Kee KW (2011). Predictors of handgrip strength among the free living elderly in rural Pahang, Malaysia. Iranian J Publ Health, Vol. 40, No.4, 2011, pp. 44-53.
- Moy FM, Darus A, Hairi NN (2015). Predictors of handgrip strength among adults of a rural community in Malaysia. Asia-Pasific Journal of Public Health. 27 (2) ; 176-84.
- Natalia D (2016). Korelasi status nutrisi dengan kekuatan genggaman tangan dan status fungsional pada pasien geriatri. Padang. Program Studi Pendidikan Profesi Dokter Spesialis Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas. Tesis.
- Neuman SA, Miller MD, Daniels LA, Ahern M, Crotty M (2007). Mini nutritional assessment in geriatric rehabilitation : inter-rater reliability and relationship to body composition and nutritional biochemistry. Nutrition and Dietetics; 64:179-85.
- Norman K, Stobäus N, Smoliner C, Zocher D, Scheufele R, Valentini L, et al (2010). Determinants of hand grip strength, knee extension strength and functional status in cancer patients. Clin Nutr, 29(5):586-91. <https://www.ncbi.nlm.nih.gov/pubmed/20299136> Diakses pada September 2016.
- Notoatmodjo S (2010). Metodologi Penelitian Kesehatan. Jakarta : Rineka Cipta
- Oehlschlaeger MHK, Pastore CA, Cavalli AS, Gonzales MC (2014). Nutritional status, muscle mass and strength of elderly in southern Brazil. Nutr Hosp. 31:363-370. <https://www.ncbi.nlm.nih.gov/pubmed/25561131> Diakses pada Agustus 2016.
- Pieterse S, Manandhar M, Ismail S (2002). The association between nutritional status and handgrip strength in older Rwandan refugees. European Journal of Clinical Nutrition. 56:933-39.
- Pilgrim A, Robinson S, Sayer AA, Robert H (2015). An overview of appetite decline in older people. Nurs Older People 27(5): 29–35. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4589891/> Diakses pada September 2016.
- Pergemi (2012). Konsensus pengelolaan nutrisi pada usia lanjut. Jakarta: Pengurus Besar Perhimpunan Gerontologi Medik Indonesia (PB Pergemi).

- Queiros BM, Coqueiro RS, Sehettino L, Pereira R, Fernandes MH, Barbosa AR (2014). Nutritional status and handgrip strength in elderly in elderly living at low human development index community. Medicina 47 (1);36-42.
- Robbins TW (2011).Cognition: the ultimate brain function. Neuropsychopharmacology, 36 (1): 1–2.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3055511/>
- Robert HC (2012). The epidemiology of grip strength of older people in a range of healthcare settings. Thesis for the degree of Doctor of Philosophy. Faculty of medicine University of Southampton.
- Robert HC, Denison HJ, Marin HJ, Patel HP, Syddal H, Cooper C, Sayer AA (2011). A review of measurement of grip strength in clinical and epidemiological studies: toward to standardised approach. Age and Aging, 40:423-9. <http://ageing.oxfordjournals.org/content/40/4/423.full.pdf+html> Diakses pada Agustus 2016.
- Robert HC, Syddall HE, Spares J, Ritchie J, Butchart J, Kerr A et al (2014). Grip strength and its determinants among older people in different healthcare settings. Age and Aging. 43:241–246. <http://ageing.oxfordjournals.org/content/43/2/241.full.pdf+html> Diakses pada
- Rohaedi S, Putri ST, Karimah AD (2016). Tingkat kemandirian lansia dalam activities daily living PSTW senja rawi. Jurnal Pendidikan Keperawatan Indonesia 2(1) : 16 -21. [ejournal.upi.edu/index.php/JPKI/article/download/2848/1883](http://ejournal.upi.edu/index.php/JPKI/article/download/2848/1883)
- Sari NK. Gangguan nutrisi pada suia lanjut. Dalam (Setiati S, Alwi ISudoyo AW, Simadibrata M, Setiyohadi B, Syam AF) Buku ajar ilmu penyakit dalam. Edisi ke-6. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia; hlm 441-447.
- Sastroasmoro S, Ismael S (2011). Dasar-dasar metodologi penelitian klinis. Edisi ke 4. Jakarta: Sagung Seto.
- Syahri A, Siswanto A, Pramantara IDP (2014). Correlation between depressive symptom score and geriatric handgrip strength at nursing home province of Yogyakarta. Acta Interna The Journal of Internal Medicine Vol 4, No 1. <https://journal.ugm.ac.id/jain/article/view/5324>
- Saxon SV, Etten MJ, Perkins EA.(2015). Physical change and aging, SixthEdition: A Guide for the Helping Professions. Springer Publishing Company.
- Sbraccia P, Nisoli E, Vettor R (2012). Clinical management of overweight and obesity. Springer International Publishing. P. 149- 168.
- Setiani WD. (2012). Hubungan antara riwayat penyakit, asupan protein, dan faktor-faktor laindengan status gizi peserta posyandu lansia di kecamatan

- grogol petamburan jakarta barat tahun 2011. Jakarta: Program Studi Ilmu Kesehatan Masyarakat, Universitas Indonesia. Skripsi.
- Setiati S, Istanti R, Andayani R, Kuswardhani Tuti RA, Aryana Suka IGP, Putu ID et al (2010). Cut-off anthropometry measurement and nutritional status among elderly outpatient in Indonesia: meta- centre study. *Acta Med Indones-Indones* J Intern Med ; 42 (4): 224-30. <https://www.ncbi.nlm.nih.gov/pubmed/21063044> Diakses pada Agustus 2016.
- Setiati S, Dwimartutie N (2014). Sarkopenia. Dalam: (Setiati S, Alwi ISudoyo AW, Simadibrata M, Setiyohadi B, Syam AF) Buku ajar ilmu penyakit dalam. Edisi ke-6. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia; Hlm: 3717-24.
- Setiati S, Laksmi PW. Gangguan keseimbangan, jatuh, dan fraktur. Dalam (Setiati S, Alwi ISudoyo AW, Simadibrata M, Setiyohadi B, Syam AF) Buku ajar ilmu penyakit dalam. Edisi ke-6. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia; Hlm 3747-57.
- Simanjuntak E (2010). Status gizi lanjut usia di daerah pedesaan, kecamatan porsea, kabupaten samosir, provinsi sumatera utara tahun 2010. Jakarta: Program Studi Ilmu Kesehatan Masyarakat, Universitas Indonesia. Skripsi.
- St-Onge MP, Gallagher D (2010). Body composition changes with aging: The cause or the result of alterations in metabolic rate and macronutrient oxidation?. *Nutrition*. 26 (2): 152–155. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2880224/> Diakses pada
- Sugiyono (2007). Metode Penelitian Kuantitatif Kualitatif dan R&D. Bandung: Alfabeta.
- Sullivan D, Larry EJ (2009). Nutrition and aging. Dalam (Halter J, Ouslander JG, Tinetti ME, Studenki S, High KP, Asthana S) Hazzard's Geriatric Medicine and Gerontology. Ed. 6, New York : Mc Graw Hill. p. 439 - 457.
- Taha Z, Sulaiman R (2011). A Biomechanical Study of Grip and Pinch Strength among Malaysian Elderly Population. *Pertanika J. Sci. & Technol.* 19 (2): 293 – 305. [http://www.pertanika.upm.edu.my/Pertanika%20PAPERS/JST%20Vol.%2019%20\(2\)%20Jul.%202011/%2313%20Pg%20293-305.pdf](http://www.pertanika.upm.edu.my/Pertanika%20PAPERS/JST%20Vol.%2019%20(2)%20Jul.%202011/%2313%20Pg%20293-305.pdf) Diakses pada September 2016.
- Thawaneswaaran, Novitri, Yuni Susanti Pratiwi (2015).Profile of handgrip strength, anthropometry, nutritional status and activities of daily living among geriatrics at karitas nursing home Bandung. *Althea Medical Journal*. 2(1). <http://journal.fk.unpad.ac.id/index.php/amj/article/viewFile/423/455>

Tiong WW, Yap P, Huat Koh GC, Phoon Fong N, Luo N 2013. Prevalence and risk factors of depression in the elderly nursing home residents in Singapore. *Aging Ment Health.* 2013;17(6):724-31. <https://www.ncbi.nlm.nih.gov/pubmed/23461826>

Ukegbu B, Maselko J, Malhotra R, Perera B, Østbye T (2014). Correlates of hand grip strength and activities of daily living in elderly Sri Lankans. *J Am Geriatr Soc.* 62(9): 1800–1801. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4176816/> Diakses pada

Volkert D, Saegritz C, Gueldenzoph H, Sieber CC, Stehle P (2010). Undiagnosed malnutrition and nutrition-related problems in geriatric patients. *J Nutr Health Aging* 14(5):387-92.<https://www.ncbi.nlm.nih.gov/pubmed/20424807> Diakses pada Agustus 2016.

Wagner PR, Ascencio S, Wibelinger LM (2014). Hand grip strength in the elderly with upper limbs pain. *Rev Dor. São Paulo,* 15(3):182-5. <http://www.scielo.br/pdf/rdor/v15n3/1806-0013-rdor-15-03-0182.pdf>

Wallace JL (2009). Malnutrition and enteral/parenteral alimentation. Dalam (Halter J, Ouslander JG, Tinetti ME, Stundeski S, High KP, Asthana S) Hazzard's geriatric medicine and gerontology. Ed 6, New York: Mc Graw Hill. p. 469-481.

Zulakeah S, Widowati D (2009). Hubungan status gizi (Mini Nutritional Assessment) dengan tingkat kemandirian (Indeks Katz) penderita di divisi geriatri rumah sakit dokter kariadi Semarang. *Jurnal Kesehatan.* 2(2): 131-136.