

Daftar Pustaka

1. Nuhoglu C, Nuhoglu Y, Bankaoglu M, Ceran O. A retrospective analysis of adenoidal size in children with allergic rhinitis and nonallergic idiopathic rhinitis. *Asian Pac J Allergy Immunol* 2010;28:136-40.
2. Brozek JL, Bousquet J, Baena-Cagni CE, Bonini S, Canonica GW, Casale TB, et al. Allergic Rhinitis and its Impact on Asthma (ARIA) 2010 Revision. *ARIA Guidelines* 2010; 63(86):1-153.
3. Ameli F, Brocchetti F, Tosca MA, Schiavetti, Cipriandi G. Tonsil volume and allergic rhinitis in children. *Allergy Rhinol* 2014;5(3). 137-42.
4. Min YG. The Pathophysiology, Diagnosis and Treatment of Allergic Rhinitis. *Allergy Asthma Immunol Res* 2010;2(2).65-76.
5. Pawankar R, Baena-Cagnani CE, Bousquet J, Canonica GW, Cruz AA, Kaliner MA, et al. State of world allergy report 2008: allergy and chronic respiratory diseases. *World Allergy Organ J.* 2008;1(6):4–17.
6. Fauzi, Sudiro M, Lestari BW. Prevalence of Allergic Rhinitis based on World Health Organization (ARIA-WHO) questionnaire among Batch 2010 Students of the Faculty of Medicine Universitas Padjadjaran. *Althea Medical Journal.* 2015;2(4):620-5.
7. KleinJan A. Allergic Rhinitis is a Local Disease; the Role of Local IgE Production, Basophils and Mast Cells [dissertation]. Rotterdam (MO): Rotterdam Univ; 2002.
8. Varney VA, Jacobson MR, Sudderick RM. Immunohistology of the nasal mucosa following allergen- induced rhinitis: Identification of activated T lymphocytes, eosinophils and neutrophils. *Am Rev Respir Dis* 1992; 146: 170-6.
9. Chanda R, Aggarwal AK, Kohli GS, Jaswal TS, Gupta KB. Comparative study of nasal smear and biopsy in patients of allergic rhinitis. *Indian J Allergy Asthma Immunol* 2002; 16(1): 27-31.
10. Rodrigues AT, Neto EC, Kalil J, Castro FM, Galvao CE. Local IgE in patients with allergic rhinitis. *World Allergy Organization Journal* 2015;8(1):105-9.

11. KleinJan A, Godthelp T, Van Toornenbergen AW, Fokkens WJ. Allergen binding to specific IgE in the nasal mucosa of allergic patients. *J Allergy Clin. Immunol* 1997;99:515.
12. Durham SR, Gould HJ, Thienes CP, Jacobson MR, Masuyama K, Rak S, et al. Expression of e germ-line gene transcripts and mRNA for the heavy chain of IgE in nasal B cells and the effects of topical corticosteroid. *Eur. J. Immunol.* 1997;27:2899.
13. Brakhas SA, Atia MR, Aziz YJ, Al-Sharqi SA. Study of Total IgE Levels and Eosinophil Count According to Age and Gender in Patients with Allergic Rhinitis. *World Journal of Pharmaceutical Research* 2015;4(1):295-303.
14. Venkateswarlu V, Mohan KM. A Comparative Study of Nasal Smear Eosinophilia VS Absolute Eosinophilic Count in Patient with Allergic Rhinitis. *MRIMS JOHS* 2015;3(1):36-38.
15. Mejia R, Nutman TB. Evaluation and differential diagnosis of marked, persistent eosinophilia. *Semin Hematol* 2012;49(2):149–159.
16. Tran TN, Khatry DB, Ke X, Ward CK, Gossage D. High blood eosinophil count is associated with more frequent asthma attacks in asthma patients. *Annals of allergy, Asthma & Immunology* 2014;1: 19-24.
17. Bakhshaei M, Fereidouini M, Farzadnia M, Varasteh AR. The Nasal Smear for Eosinophils, Its Value, and Its Relation to Nasal Mucosal Eosinophilia in Allergic Rhinitis. *Iranian Journal of Otorhinolaryngology* 2010;22(60):73-78.
18. Gobach M, Hermans J, Kaptein A, Ridderikhoff J, Mulder J. Nasal smear eosinophilia for the diagnosis of allergic rhinitis and eosinophilic non-allergic rhinitis. *Scand J Primary Health Care* 1996; 14: 116-47.
19. Chawes BLK, Kreiner-Møller E, Bisgaard H. Objective assessments of allergic and nonallergic rhinitis in young children. *Allergy* 2009;64:1547–53.
20. Anil HT, Gauri M. Correlation of Symptomatology with Peripheral and Nasal Smear Eosinophilia in Allergic Rhinitis Patients Treated with Oral Antihistamine and Steroid Nasal Spray. *IJSR* 2015;4(11):229-30.
21. Chen ST, Sun HL, Lu KH, Lue KH, Chou MC. Correlation of immunoglobulin E, eosinophil cationic protein, and eosinophil count with the

- severity of childhood perennial allergic rhinitis. *Journal of Microbiology, Immunology and Infection* 2006;39:212-8.
22. Hadley JA. Immunology of Allergic Upper Respiratory Disorders. Dalam: Krouse JH, Chadwick SJ, Gordon BR, Derebery MD, editor (penyunting). *Allergy and Immunology; An Otolaryngic Approach*. Edisi ke-1. Philadelphia: Lippincott Williams & Wilkins; 2002. p.19-34.
23. Small P, Kim H. Allergic rhinitis: Review. *Allergy, Asthma & Clinical Immunology* 2011;7(1):1-8.
24. Macfarlane AJ, Kon M, Smith SJ, Zeibecoglou K, Khan LN, Barata LT, et al.. Basophils, eosinophils and mast cells in atopic and nonatopic asthma and in late-phase allergic reactions in the lung and skin. *J Allergy Clin Immunol* 2000;105:99.
25. Nathan RA. The burden of allergic rhinitis. *Allergy Asthma Proc* 2007;28:3-9
26. De Schryver E, Devuyst L, Derycke L, Dullaers M, Van Zele T, Bachert C, et al. Local Immunoglobulin E in the Nasal Mucosa: Clinical Implications. *Allergy Asthma Immunol Res*. 2015;7(4):321-331.
27. Gould HJ, Sutton BJ. IgE in Allergy and Asthma Today. *Nat Rev Immunol* 2008;8:205-17.
28. Siracusa MC, Kim BS, Spergel JM, Artis D. Basophils and Allergic Inflammation. *J Allergy Clin Immunol* 2013;132:789-801.
29. Cameron L, Christodoulopoulos P, Lavigne F, Nakamura Y, Eidelman D, McEuen A, et al. Evidence for Local Eosinophil Differentiation within Allergic Nasal Mucosa: Inhibition with Soluble IL-5 Receptor. *J Immunol* 2000;164:1538-45.
30. Deo SS, Mistry KJ, Kakade AM, Niphadkar PV. Relationship of Total IgE, Specific IgE, Skin Test Reactivity and Eosinophils in Indian Patients with Allergy. *JIACM* 2010; 11(4): 265-71.
31. Benyon RC, Robinson C, Church MK. Differential release of histamine and eicosanoids from human skin mast cells activated by IgE-dependent and non-immunological stimuli. *Br J Pharmacol* 1989; 97: 898.
32. Emanuel I. In Vitro Testing For Allergies. Dalam: Krouse JH, Chadwick SJ, Gordon BR, Derebery MD, editor (penyunting). *Allergy and Immunology; An*

- Otolaryngic Approach. Edisi ke-1. Philadelphia: Lippincott Williams & Wilkins; 2002. p.124-30.
33. Sampson HD, Ho DG. Relationship Between Food-Specific IgE Concentration and The Risk of Positive Food Challenges in Children and Adolescents. *J Allergy Clin Immunol* 1997;100:444-51.
 34. Chanda R, Aggarwal AK, Kohli GS, Jaswal TS, Gupta KB. Comparative study of nasal smear and biopsy in patients of allergic rhinitis. *Indian J Allergy Asthma Immunol* 2002;16(1): 27-31.
 35. Sasai K, Furukawa S, Muto T. Early Detection of Specific IgE Antibody Against House Dust Mite in Children at Risk of Allergic Disease. *J Pediatr* 1996;128:834-40.
 36. De Bruyne S, Van Mulders E. Measurement of local IgE in allergic rhinitis and chronic rhinosinusitis with and without nasal polyposis [dissertation]. Gent (MO): Gent Univ; 2014.
 37. Watelet JB, Gevaert P, Holtappels G, Van Cauwenberge P, Bachert C. Collection of nasal secretions for immunological analysis. *European Archives of Oto-Rhino-Laryngology* 2004;261(5):242–6.
 38. Lim MC, Taylor RM, Naclerio RM. The histology of allergic rhinitis and its comparison to cellular changes in nasal lavage. *Am J Resp Crit Care Med* 1995; 151: 136-44.
 39. Shetty SS, Rai S, Somayaji G, Zameel A. Nasal Smear Eosinophil CountVs AEC of Patients diagnosed with Allergic Rhinitis Attending a Tertiary Care Hospital & the Effect of Treatment with a Topical Steroid Nasal Spray on the Same. *IOSR-JDMS* 2014;13(1):70-72.
 40. Kumar N, Bylappa K, Ramesh AC, Reddy S. A study of eosinophil count in nasal and blood smear in allergic respiratory diseases in a rural setup. *Internet Journal of Medical Update* 2012;7(1):40-46.
 41. Lim MC, Taylor RM, Naclerio RM. The histology of allergic rhinitis and its comparison to cellular changes in nasal lavage. *Am J Resp Crit Care Med* 1995; 151: 136-44.

42. Lee CH, Jang JH, Lee HJ, Kim IT, Chu MJ, Kim CD, et al. Clinical Characteristics of Allergic Rhinitis and Its Impact on Asthma Guidelines. CEO 2008;1(4):196-200.
43. Miller RE, Paradise JL, Friday GA, Fireman P, Voith D. The nasal smear for eosinophils. Its value in children with seasonal allergic rhinitis. Am J Dis Child 1982; 136(11): 1009-11.
44. Mygrind N, Weeks B, Dirksin A, Johnson NJ. Perennial rhinitis: An analysis of skin testing, serum IgE and blood and smear eosinophilia in 201 patients. Clin Otolaryngol 1978; 3: 189-96.
45. Shetty SS, Rai S, Somayaji G, Zameel A. Nasal Smear Eosinophil CountVs AEC of Patients diagnosed with Allergic Rhinitis Attending a Tertiary Care Hospital & the Effect of Treatment with a Topical Steroid Nasal Spray on the Same. IOSR-JDMS 2014;13(1):70-72.
46. Dahlan S. Besar Sampel dan Cara Pengambilan Sampel. Edisi Ke-2. Jakarta:Salembo Medika;2009.
47. Asha'ari ZA, Yusof S, Ismail R, Che Hussin CM. Clinical features of allergic rhinitis and skin prick test analysis based on the ARIA classification: a preliminary study in Malaysia. Ann Acad Med Singapore. 2010;39(8):619–24.
48. Sabry EY. Prevalence of allergic diseases in a sample of Taif citizens assessed by an original Arabic questionnaire (phase I) A pioneer study in Saudi Arabia. Allergol Immunopathol (Madr). 2011;39(2):96– 105.
49. Çobanoğlu HB, Işık AU, Topbaş M, Ural A. Prevalence of Allergic Rhinitis in Children in the Trabzon Province of the Black Sea Region of Turkey. Turk Arch Otorhinolaryngol 2016; 54: 21-8.
50. Kelly C, Gangur V. Sex Disparity in Food Allergy: Evidence from the PubMed Database. Journal of Allergy 2009;10:1-7.
51. Cazzoletti L, Ferrari M, Olivieri M, Verlato G, Antonicelli L, Bono R, et al. The gender, age and risk factor distribution differs in self-reported allergic and non-allergic rhinitis: a cross-sectional population-based study. Allergy Asthma Clin Immunol 2015;11(36):1-9.

52. Mediatty A, Neuber K. Total and specific serum IgE decreases with age in patients with allergic rhinitis, asthma and insect allergy but not in patients with atopic dermatitis. *Immunity & Ageing* 2005;2(9):1-6.
53. Vaidya KA, Pai S, Nagaraj TJ, Sukesh. A Study on Utility of Nasal Smear Examination in Diagnosing Allergic Rhinitis and its Histopathological Correlation in Allergic Nasal Polyps. *International Journal of Basic and Applied Medical Sciences* 2015;5(1):291-7.
54. Patel AK, Nagpal TP. Comparison of blood absolute eosinophil count and nasal smear eosinophils with symptoms and severity of clinical score in patients of allergic rhinitis. *Indian Journal of Allergy, Asthma and Immunology* 2014;28(2):74-77.
55. Sugiarto J, Takumansang D, Pelealu M. Eosinofil Mukosa Hidung Sebagai Uji Diagnostik Rinitis Alergi pada Anak. *Sari Pediatri* 2006;7(4):194-9.
56. Cipriandi G, Vizzaccaro A, Cirillo I, Tosca M, Massolo A, Passalacqua G. Nasal Eosinophils Display the Best Correlation with Symptom, Pulmonary Function and Inflammation in Allergic Rhinitis. *Int Arch Allergy Immunol* 2004;358:1-8.
57. O'Neil JT, Mims JW. Allergic Rhinitis. Dalam: Ferguson BJ, Ryan MW, editor (penyunting). *Bailey's Head and Neck Surgery Otolaryngology*. Edisi ke-5. Philadelphia: Lippincott Williams & Wilkins; 2014. hal.460-8.
58. Peric A, Vojvodic D, Durdevic BV, Baletic N. Eosinophilic Inflammation in Allergic Rhinitis and Nasal Polyposis. *Arh Hig Rada Tokiskol* 2011;62:341-348.
59. Ashkarali T, Somayaji G, Ali ZS. A comparative study of symptoms of allergic rhinitis by NOSE scale with absolute eosinophil count. *IOSR-JDMS* 2015;14(10):24-8.
60. Amperayani S, Kuravi N. Correlation of Nasal Smear Eosinophilia with Class of Allergic Rhinitis. *Ind Ped* 2011;48(17): 329-32.