

DAFTAR PUSTAKA

- Abbas, S.H., I.M. Ismail., T.M. Mostafa., A.H. Sulaymon. 2014. Biosorption Of Heavy Metals : A Review. *J. Of Chemical Science and Technology.* Vol 3 Issue.4 : 74-102.
- Abdolali, A., W.S. Guo., H.H. Ngo., S.S. Chen., N.C. Nguyen., K.L. Tung. 2014. Typical lignicellulosic wastes and by-products for biosorption process in water and wastewater treatment : A Critical review. *Bioresour Techno.* 160 :57-66.
- Abidin, M.A.Z., A.A. Jalil., S. Triwahyono., S.H. Adamand N.H.N. Kamarudin. 2011. Recovery of Gold (III) From an Aqueous Solution Onto a *Duriozibethinus*. *Biochemical Engineering J.* 54 : 124-131.
- Adediran, G.O., A.C. Tella., H.A. Mohammed. 2007. Adsorption of Pb, Cd, Zn and Hg ions on Formaldehyde and Pyridine Modified Bean Husk., *J.Appl.Sci.Environ.Manage.* Vol 11 (2) : 153-158.
- Adeel, H.M., B. Parveen., N. Rasool., M.R.K.GAli., Y. Gull., M. Noree and M. Asghar. 2013. Biosorption of Copper (II) From Aqueous Solution by *Ocimumbacilium* Seed biomass. *J. Chem and Biochem Sci. IJCBs.*4 : 38-45.
- Adhiya, J., X. Cai., R.T. Sayre., S.J. Traira. 2002. Binding of aqueous Cadmium by the lyophilized biomass of *Chlamydomonas reinhardtii*. *Colloids Surf.* 210 : 1-11.
- Ahmad, M.A., N. Ahmad dan O.S. Bello. 2015. Modified durian seed as adsorbent for the removal metil red dye from aquaeous solution. *Appl water sci.* 5 : 407-423.
- Ahmad, M.A., N. Ahmad dan O.S. Bello. 2014. Adsorptive removal of malachite green dye using durian seed-based activated carbon. *Water, air and soil pollution.*225 : 2057.
- Ahalya, N., T.V. Ramachandra., R.D. Kanamadi. 2003. Biosorption of heavy metal. *Res. J.Chem.environ.* 7(4) :
- Akar, S.T., S. Arslan, T.Alp, D. Arslan, T. Akar. 2012. Biosorption potential of the water biomaterial obtained from *Cucumismelo* for the removal of Pb^{2+} ions from aqueous media: Equilibrium, kinetic, thermodynamic and mechanism analysis. *Chemical Engineering Journal.* Vol. 185-186 : 82-90.
- Aksu, Z., G. E. Retli and T. Kutsal. 1998. A comparative study of copper(II) biosorption on Ca-alginate, agarose and immobilized *C. vulgaris* in a packed-bed column. *Process Biochemistry.* Vol. 33. No 4 : 393-400.

- Amuda, O.S., AmooI.A . 2006. Coagulation/flocculation process and sludge conditioning in beverage industrial wastewater treatmen. J. Hazard. Mater. 747 : 778-783.
- Amuda, O.S., Amoo. I.A., Ajayi, O.O. 2006. Performance optimization of coagulation/ flocculation process in the treatment of beverage industrial wastewater. J. Hazard.Maters. 129 (1-3) : 69-72.
- Anayurt R.A., A. Sari., M.Tuzen. 2009. Equilibrium, thermodynamic and kinetic studies on biosorption of Pb(II) and Cd(II) from aqueous solution by macrofungus (*Lactariusscrobiculatus*) biomass., *Chemical Engineering Journal*, Vol. 151 : 255-261.
- Annadurai, G., R.S. Juang., D.L. Lee. 2002. Adsorption of heavy metal from water using banana and orange peel. *Water Sci. Technol.* 47: 185-190.
- Apinthanapong, M and M. Phensajai. 2009. Biosorption of Copper by Spent Yeast Immobilized in Sodium alginate Beads. *Kasetsart J. Nat Sci.*43 : 326-332.
- Awwad, A.M and N. M. Salem. 2012. Biosorption of Cu(II) and Pb (II) ions From solutions by modified Loquat (*Eriobotrya Japonica*) Leave (MLL). *J.Of Chem. Eng and Mat Sci.* Vol 3 (1) : 7-17.
- Ayhan.S., Engil A., M. Ozakar. 2009. Competitive biosorption of Pb^{2+} , Cu^{2+} dan Zn^{2+} ion from aqueous solution onto Valonia tannin resin. J. Hazardous Maters. 166. 1488-1494.
- Bailey, S.E., Olin, T.J., Bricka, M., Adrian D.D., 1999. A Review of Potential low cost adsorbents for heavy metals. *Water Resource.* 33 : 2469-2479.
- Banerjee, K., S.T. Ramesh., R. Gandhimati., P.V. Nidheesh., K.S. Barathi. 2012. A.Novelagriculuture waste adsorbent, water melon shell for the removal of copper from aqueous solution. *Iranica Journal of energy and environment.* 3 (2).143-156.
- Bayramoglu, G and M.Y. Arica. 2009. Construction a hybrid biosorben using Scenedesmusquadriculauda and Ca-alginate for biosorption of Cu(II), Zn(II) and Ni(II) : Kinetics and equilibrium studies. *Bioresour Technol.* 100 :186-193.
- Bayramoglu, G., Bektas, S., Arica, M.Y., 2003. Biosorption of heavy metal ion on immobilized white-rot fungus *Trametesversicolor*. *J. Hazardous Materials.* 101: 285-300.
- Bayramoglu, G., I. Tuzun., G. Celik., M. Yilmaz and M.Y. Arica. 2006. Biosorption or mercury(II), cadmium(II) and lead(II) ions from aqueous

- solution system by microalgae *Chlamydomonas reinhardtii* immobilized in alginic beads, *Int.J. Miner.Process.* 81. 35-43.
- Baysal, Z., E. Cinar., Y. Bulut., H. Alkan and M. Dogru. 2009. Equilibrium and thermodynamic studies on biosorption of Pb(II) onto *Candida albican* biomass. *J. Hazardous Materials.* 161 : 62-67.
- Blazquez, G., M.A. Martin-Lara., G. Tenorio and M. Calero. 2011. Batch biosorption of lead(II) from aqueous solution by olive tree pruning waste : Equilibrium, kinetic and thermodynamic study. *Chemical Engineering Journal.* 168 : 170-177.
- Boschi, C., H. Maldonado., M. Ly and E. Guibal. 2011. Cd(II) biosorption using *Lessonia kelps*. *J. Of Colloid and Interface Science.* 357 : 487-496.
- Chaidir, Z., D.T. Sagita., R. Zein and E. Munaf. 2015. Bioremoval of methyl orange using durian fruit (*Durio zibethinus*) Murr seed as biosorbent. *JOCPR.* 7(1) : 589-599.
- Chaidir, Z., Putri N.S., R. Zein and E. Munaf. 2015. Calcium alginate immobilized sugar palm fruit (*Arengapinnata Merr*) shell for the removal of Pb(II) and Cd(II) ions. *JOCPR.* 7(5) : 965-972.
- Chakravarty, P., N.S. Sarma., H.P. Sarma. 2010. Biosorption od Cadmium(II) from aqueous solution using heartwood powder of *Areca catechu*. *Chemical Engineering Journal.* 162. 949-955.
- Chien, S.H., and W.R. Clayton. 1980. Application of Elovich equation to the kinetics of phosphate release and sorption on solid. *Soil Sci Am J.* 4 : 205-208.
- Dang, V.B.H., H.D. Doan., T. Dang-Vu., A.Lohi. 2009. Equilibrium and kinetics of biosorption of Cadmium(II) and Copper(II) ions by wheat straw. *Bioresource Technology.* 100 : 211-219.
- Das, N., R.Vimalaand P. Karthika. 2008. Biosorption of Heavy Metals-An Overview. *Indian journal Of Biotechnology.* Vol 7 : 159-169.
- Demirbas, A., 2008. Heavy metal adsorption onto agro-based waste materials : A review.
- Dubinin, M.M., Radushkevich, I.V. 1947. Proceeding The Academy Science, Physical Chemistry Section. USSR 55 : 331-333.
- El-Sayed, G.O., H.A. Dessouki., S.S. Ibrahim. 2010. Biosorption of Ni(II) and Cd(II) Ions From Aqueous Solution Onto Rice Straw. *Chemical Science.J (CSJ)* : 9-15.

- Fan, T., Y. Liu., B. Feng., G. Zeng., C.Yang and M. Zhou. 2008. Biosorption of Cadmium(II), Zinc(II) and Lead(II) by *Penicillium simplicissimum*: Isotherms, kinetics, and thermodynamics. *J. Hazardous Materials.*160 : 655-661.
- Fomina, M and G.M. Gadd. 2014. Biosorption : Current perspectives on concept, definition and application. *Bioresour Tehcno.* 160: 3-14.
- Franco, M., J. Beltran-Heredia and J.E.S Paterniani. 2013. Use of Alginate-Moringa Oleifera Beads On Cu(II) and Cd(II) Adsorption From Aquatic Systems. *J.of Chemical Engineering and Aplications.*Vol 4 No 6 :373-376.
- Gaikwad, R.W. 2014. Moringa Oleifera Seed as Low Cost and Effective Biosorbent for Cu(II) Removal From Acid Mine Drainage.*J. of Informative & Futuristic Research.*Vol 2 : 493-501.
- Garcia-Rosales, G and A. Colin-Cruz. 2010. Biosorption of lead by maize (*Zea mays*) stalk sponge, *J. Environmental Management.* 91 : 2079-2086.
- Gomez-Gonzalez, R., J. Felipe, Cerino-Cordova, M. Azucena, Garcia-Leon, E. Soto-Regalado, E. Nancy, Davila-Guzman, J. Jacob and Salazar-Rabago. 2016. Lead Biosorption onto coffee grounds: Comparative analysis of several optimization techniques using equilibrium adsorption model and ANN.*J. The Taiwan Institute of Chemical Engineers.* Article in Press.1-10.
- Hamzah, U., R. Zein., E. Munaf. 2013. Kulit jengkol (*Phitechellodium jiringa* Prain) sebagai biosorben untuk penyerapan ion logam Pb(II) dan Cu(II) dari air limbah. *J. Kimia Unand.* Vol.2 .No 3.
- Hanif, A., H.N. Bhattiand M.A. Hanif. 2009. Removal and recovery of Cu(II) and Zn(II) using immobilized *Menthaarvensis* distillation waste biomass. *Ecological Engineering.*35 : 1427-1434.
- Ho, Y.S., G. Mc.Kay. 2000. The kinetics sorption of divalent metal ions onto sphagnum moss peat. *Water Research* .34(3).735-742.
- Horvathova, H., Kadukova, J., Stovko, M. 2009. Biosorption of Cu^{2+} and Zn^{2+} by immobilized Algae Biomass Of *Chlorella Kessleri*. *Acta Metallurgica.*Vol 15. No 4 : 255-263.
- Horvathova, H., D. Ivanova., J. Kadukova., J. Kavulicova and M. Stovko. 2010.Biosortion of Cu^{2+} and Zn^{2+} by immobilized biosorbents : Study of The Biosorbent Stability and capacity.*Mineralia Slovaca.*Vol42 : 291-294.
- Hu, H., J. Zhang., K. Lu., Y.Tian. 2015. Characterization of Acidosa saedulis shoot shell and its biosorption of copper from aqueous solution. *J. Environm Chem. Engineering.* Vol 3 : 357-364.

- Ilamathi, R., G.S. Nirmala., L. Muruganandam. 2014. Heavy metals Biosorption in liquid solid fluidized bed by immobilized consortia in alginate beads. *J.Chem Tech Research.* Vol 6 : 652-662.
- Indrasti, N.S., M.A. Subroto dan G.G Gunawan. 2010. Adsorpsi Logam Berat Seng (Zn) Menggunakan Akar Rambut Solanumnigrum L Galur A₄ Kering Terimmobilisasi Dalam Na-alginat. *J. Tek. Ind. Pert.* Vol 15(1) : 1-9.
- Isnaini P., R. Zein., E. Munaf. 2013. Penyerapan Ion Cd(II) dan Zn(II) dalam air limbah menggunakan kulit jengkol (*Pithecellobium jiringa Prain*). *J. Kimia Unand.* Vol 2No 3 : 20-31.
- Ismail, A., H. Sudrajat and D. Jumbiati. 2010. Activated carbon from durian seed by H₃PO₄ Activation : Preparation and pore structure characterization. *Indo.J.Chem.* 10(1) : 36-40.
- Ivanova, D., H. Horvathova., J. Kadukovaand J.Kavulicova. 2010. Stability of Immobilized Biosorbent and Its Effluence on Biosorption of Copper. *Nova Biotechnologica* :1-10.
- Jafari N., Z. Senobari. 2012. Removal of Pb(II) ion from aqueous solution by Cladophorarivularis (*Linnaeus*) hoek. *Scientific World J.*Vol. 2012: 01-06.
- Jaishankar, M., B.B. Mathew., M.S. Shah., T.P.K. Murty and K.R.G Gowda. 2014. Biosorption of Few Heavy Metal Ion Using Agricultural Waste., *J.Of Environment Pollution and Human Health.* Vol 2. No 1 :1-6.
- Jonglertjunya, W. 2008. Biosorption of Lead (II) and Copper (II) From Aqueous Solution. *Chiang Mai J. Sci:* 35 (1) : 69-8.
- Juang. R.S and Shiau R.C. 2000. Metal removal from aqueous solutions using chitosan-enhanced membrane filtration., *J. Membrane .Sci.* 765 : 159-167.
- Jun, T.Y., S.D. Arumugam., N.H.A. Latip., A.M. Abdullah., P.A. Latif. 2010. Efekt of activation Temperature and Heating Duration of Physical Characteristic of activated carbon prepared from agricultural waste. *Environment Asia.*Vol 3 : 143-148.
- Kurniawan, M.I., Z. Abdullah., A. Rahmadani., R. Zein., E. Munaf. 2014. Isotherm and Kinetic modeling of Pb(II) and Cu(II) Uptake by *Annonamuricata L* seed. *Asian Journal.Chem.* 26 (12) : 3588-3594.
- Liu Y., Y.J. Liu. 2008. Biosorption isotherm, kinetics and thermodynamic. *Separation and Purification Technology.* Vol.61 : 229-242.
- Mahamadi, C and P. Zambara. 2012. Adsorption of Cu(II) From Aquatic System Using alginate-Immobilized Water Hyacinth Beads. *European Journal of Scientific Research.*Vol 71. No 4 :581-589.

- Mata, Y.N., M.L. Blazquez., A. Ballester., F. Gonzalez and J.A Munoz. 2009. Sugar-Beet Pulp Pectin gels as Biosorbent for heavy metal: Preparation and Determination of Biosorption and Desorption Characteristic. *Chemical Engineering Journal.* 150 : 289-301.
- Mata, Y.N., M.L. Blazquez., A. Ballester., F.Gonzalezand J.A.Munoz. 2009. Biosorption of cadmium, lead and copper with calcium alginate xerogels and immobilized *Fucusvesiculosus*. *J. of Hazardous Materials.* 163 : 555-562
- Maxim, K., K. Valeri and K. Yuri.2008. Comparative equilibrium studies of sorption of Pb(II) ions by sodium and calcium alginate. *J of Environment Science.*20 : 827-831.
- Mc. Hugh, D.J. 2003. A guide to the seaweed industry. Food Agriculture organization of the united nations.
- Metcalf and Eddy. 2003. Wastewater Engineering. Treatmen and Reuse, Four Edition. Mc.Graw Hill Companies.
- Mirhosseini, H., C.P.Tan, M. Naghshineh. 2010. *J. Food Agric. Environ.* 8. 134–139
- Misra, S.P. 2013. Adsorption of Cu and Zn on Calcium alginate immobilized Penicillium sp. *Indian Journal Of Chemical Technology.* Vol 20 : 21-25.
- Mohapatra, M., L. Mohapatra., P. Singh., S. Anand dan B.K. Mishra. 2010. A Comparative study of Pb(II), Cd(II), Cu(II), Co(II) adsorption from single and binary aqueous solution on additive assisted nano-structured goethite. *International J. Engineering Science and Technology.* Vol 2. No 8. 89-103.
- Munagapati, V.S., V. Yarramuthi., S. K. Nadavala. 2010. Biosorption of Cu(II), Cd(II) and Pb(II) by *Acacia leucocephala* bark powder : Kinetics, equilibrium and thermodynamics.*Chemical Engineering Journal.*157 : 357-365.
- Nawas, H., Bhatti., R. Khadim and M.A. Hanif. 2011. Biosorption of Pb(II) and Co(II) On Red Rose Waste Biomass. *Iran. J.Chemical.Chemistry. Eng.* Vol 30 : No 4.
- Navarro A.E., H. Musaev., K. Serrano and M.E. Masud. 2014. Adsorption Kinetics Of cobal (II) Ions Onto Alginic Beads From Aqueous Solution. *Journal Earth Sci Clim Change.*Vol. 5 : 8.
- Okolo, P.O., E.E.I. Irabor and T.P. Abugu. 2012. Artocarpusaltilis proving its worth in toxic metal removal from the environment . Bayero. J. Pure and Applied Science. Vol 5(2) : 104-109.

- Ong, S.T., S.P.Yip., P.S., S.L. Lee and Y.T Hung. 2012. Papaya (*Carica Papaya*) Seed as a low-cost sorbent for zinc removal, *African Journal of agricultural Research*. Vol. 7(5) : 810-819
- Osman, H.E., R.K. Badwyand H.F. Ahmad. 2010. Usage of Agricultural By products in The Removal of Some Heavy metal from Industrial wastewater. *Journal of Phytology*. 2(3) : 51-62.
- Ozcan, A.S., S. Tunali, T. Akar, A.Ozkan. 2009. Biosorption of lead(II) ions onto waste biomass of *phaseolus vulgaris L*: Estimation of the equilibrium, kinetic and thermodynamic parameters. *Desalination*. 244 : 188-198.
- Papageorgiou, S.K., F.K. Karsaros., E.P. Kouvelos., J.W. Nolan., H.L. Deit and N.K. Kanellopoulos. 2010. Heavy Metal sorption by Calcium Alginate bead From *Laminaria Digitata*.
- Patrulea, V., A. Neglurescu., M.M. Mincea., L.D.Pituleci., O.B.Spiridon and Vasile Ostave. 2013. Optimatization of the removal of copper (II) from aqueous solution on chitosan and cross linked chitosan beads. *Bioresources*. 8(1) : 1147-1165.
- Pereira, F.V., L.V.A. Gurgel., L.F. Gil. 2010. Removal of Zn^{2+} From Aqueous single metal solution and electroplating wastewater with sawdust and sugarcane bagasse modified with EDTAD. *J. Hazardous Materials*. 176 : 856-863.
- Pistone S., Qorallu D., Smistad Ga and Hiorth. 2013. Formulation and Preparation of Stable Cross-linked alginate-zinc nano particle in the presence of monovalent salt. *The Royal Societi of Chemistry*.
- Predescu, A and A, Nicolae. 2012. Adsorption of Zn, Cu and Cd from wastewaters by means of maghemite nanoparticles. U.P.B.Sci. Bull. Series B. Vol 74. Issue 1. 255-264.
- Putri R. 2015. Amobilisasi kulit buah jengkol (*Pithecellobium jiringa*) sebagai bahan penyerap ion logam Cd(II) dan Zn(II) dalam air limbah. Tesis. Pascasarjana Unand.
- Rahmadani A., E. Munaf., R. Zein. 2013. Penyerapan Ion Logam Cd(II) dan Zn(II) Dari larutan menggunakan biji buah sirsak (*Annonnamuricata L*). J. Kimia Unand. Vol 2 No 4. 9-18.
- Raju, D.S.S.R., V.N. Rao., P.R. Prased and N.C. Babu. 2012. Sorption od Lead(II) Ion From Wastewater Using *Carica Papaya* Leaf Powder. *IJESAT*. Vol 2 : 1577-1581.

- Reddy, D.H.K., M.L. Lee and K.Seshaiah. 2012. Removal of Cd(II) and Cu(II) from Aqueous Soltion by Agro Biomass: Equilibrium, Kinetic and Thermodynamic Studies. *Environ. Eng. Res.* 17 (3) : 125-132.
- Reddy, D.H.K., K. Seshaiah, A.V.R. Reddy, M.M. Rao and M.C. Wang.2010. Biosorption of Pb²⁺ from aqueous solution by *Moringaoleifera* bark: Equilibrium and kinetic studies. *J. Hazardous Materials.* 174 : 831-838.
- Rezende, R.A., P.J. Bartolo, A. Mendes., R.M. Filho. 2003. Experimental characterization of the alginate gelation process the rapid prototyping. Procedingof Advanced research
- Rukmana, R. 2001. Durian.Budidaya dan Pasca Panen. Karnisius.Yogyakarta.
- Saikaew, W and P. Kaewsam. 2009. Durian Peel AsBiosorbent for Removal Of Cadmium Ions from Aqueous Solution. *J.Environ.Res.* 32 (1) : 17-30.
- Sari, A dan M.Tuzen. 2009. Kinetic and equilibrium studies of biosorption of Pb(II) and Cd(II) from aqueous solution by macrofungus (*Amanita rubescens*) biomass. *J of Hazard Materials.*164 : 1004-1011.
- Saeuprasearsit, P. 2011. Adsorption Cr(VI) using durian peel. IPCBEE. Vol 18. 33-38.
- Schiewer,S dan A. Balaria. 2009. Biosorption of Pb²⁺ by original and protonated citrus peel : Equilibrium, kinetic and mechanism. *Chemical Engineering Journal.*146 : 211-219.
- Senusi F and K.A. Karim. 2011. Biosorption of Pb(II) Ions Using Rubber Seed Coat: Equilibrium and Kinetic Studies. IEEE Colloquium on Humanities. *Science and Engineering Research.*
- Shim, J., J.M. Lim., P.J. Shea., Byung-Taek. 2014. Simultaneous removal of phenol, Cu and Cd from water with corn cob. *J of Hazardous Materials.* 271 : 129-136.
- Suryan S., S.S. Ahluwalia. 2012. Biosorption of Heavy Metals By Paper Mill Waste From Aqueous Solution. *J. Environmental Sciences.* Vol 2, No 3 : 1331-1339.
- Tabaraki, R., A. Nateghi., S.Ahmady-Asbchin. 2014. Biosorption of lead(II) ions on *Sargassumilicifolium*: Application of response surface methodology, *International Biodetermination and Biodegradation.* 93 :145-152.
- Tijani, J.O., M.M. Ndamitso., I.B. Aliyu and O.S. Olakunle. 2013. Equilibrium and Isoterm studies of the Biosorption of Potentially toxic elements from aqueous solution by BlighiaSapida (Akee Apple) Seeds. *J. Advancements in Research & Technology.* Vol 2.

- Torres, E., Y.N. Mata., M.L. Blazquez., J.A. Munoz., F. Gonzalez and A. Ballester. 2005. Gold and Silver Uptake and nanoprecipitation on Calcium Alginate Beads. *Langmuir*. 21. 7951-7958.
- Tsekova, K., D. Todorova., V. Dencheva and S. Ganeva. 2010. Biosorption of Copper (II) and Cadmium (II) from aqueous solutions by free and immobilized biomass of *Aspergillus niger*. *Bioresour Techno*. 101 : 1727-1731.
- Veglio, F dan F. Beolchini. 2007. Removal of by biosorption : Review. *Hydrometallurgy*. 44. 301-316.
- Verma, A., A. Singh., N.R. Bishnoi and A. Gupta. 2013. Biosorption of Cu(II) using free and immobilized biomass of *Penicilliumcitrinum*. *Ecologi Engineer*. 61. 486-490.
- Vinodhini,V and Das. 2009. Mechanism of Cr(VI) Biosorption by neen sawdust. *American-Eurasian J. Scientific Research*. 4 (4) : 324-329.
- Volesky, B. 2007. Biosorption and me. *Water Res*. 41 : 4017-4029.
- Wang, J.Y., H. Cui., C.W. Cuiand D.F. Xing. 2016. Biosorption of Copper(II) from aqueous solution by aspergillusniger-treated rice straw, *Ecological Engineering*.95 : 793-799.
- Witek, K., Anna., K. Harikishore., D. Reddy. 2013. Removal of micro elemental Cr(III) and Cu(II) by using soybean meal waste-usual isotherm and insight of binding mechanism. *Bioresource Technology*. 127 : 350-357.
- Wuyep, P.A., A.G. Chuma., S. Awodi and A.J. Nok. 2007. Biosorption of Cr, Mn, Fe, Ni, Cu and Pb metals from petroleum refinery effluent by calcium alginate immobilized mycelia of *Polyporussquamosus*. *Scientific Research and assay*.Vol 2(7) : 217-221.
- Xiao-Jing, H., G. Hai-Dong., Z.Ting-Ting., J. Yu., Q. Juan-Juan. 2014. Biosorption mechanism of Cu^{2+} by innovative immobilized spent substrate of fragrant mushroom biomass. *Ecological Engineering*.73 : 509-513.
- Xu, L., Z. Zhuang.2014. Removal of Cadmium ion from aqueous solution using chemically modified peanut shell.*JOCPR*. 6(6) : 649-653.
- Yahya, Y.A., M.M. Don., S. Bhatia.2009. Biosorption of Copper(II) onto immobilized cells of *pycnoporusanguineneus* from aqueous solution : Equilibrium and kinetic studies. *J. Hazardous Mater*. 161 : 189-195.

Yahya, M.D., I.A.M. Dabo., A.S. Ahmed and A.S. Olawale. 2013. Copper(II) Adsorption by Calcium Alginate Shea Butter Cake. *Civil and Environmental Research.* Vol 3. No 4 : 20-39.

Yao, Z.Y., J.H. Qib., L.H. Wanga. 2010. Equilibrium, kinetics and termodinamic studies on the biosorption Cu(II) onto cesnut shell. *J. Hazard. Maters.* 174. 137-143.

Zein R., R. Suhaili., F. Earnestly ., Indrawati and E.Munaf. 2010. Removal of Pb(II) and Co(II) from aqueous solution using *Garciniamangonstana*. L fruit shell. *J. Hazardous Materials.* 181: 52-56.

Zulfadhil, Z., M.D. Mashitah and S. Bhatia. 2001. Heavy metals removal in fixed bed column by macro fungus *Pycnoporoussanguineus*. *Environmental pollution.* 112 : 463-470.

