DAFTAR PUSTAKA

Adiba. F. 2012. Hubungan Pertambahan Berat Badan Selama Hamil Dan Faktor Lain Dengan Berat Badan Lahir Di Rumah Bersalin Lestari Ciampea 9ogor.FKM.UI

Allen LH.(2000). Anemia and Iron Deficiency: Effect on Pregnancy Outcome. Am Jour Clin Nutr ; 71(5): 1280S-1284S.

Atanasiu,Manolescu,Stoian, Waeber G, Gassner C.2007.Physiology of Iron Metabolism**.**Transfus Med Hemother.41 : 213–21

Atikah & Siti. 2009. Gizi untuk Kebidanan. Yogyakarta. Mulia Medika

Asgharnia, 2007. Plasenta Weight And Its Associations With Maternal And Neonatal Characteristics. Acta medika iranica . vol: 46. No 6

Broek van den NR, Letsky EA, White SA, Shenkin A. Iron status in pregnant woman: which measurements are valid?(1998). Br J Haematol. Dec ; 103(3):817-24.

Chang S, Zeng L, Brouwer D, Kok BF, Yan H. 2013. Effect Of Iron Deficiency Anemia In Pregnancy On ChildMental Development In Rural China. Pediatrics. 131 (3) ; e755-63.

Chaiza Sanchez ME, Diaz Rosello JL. Ponderal Index to Describe a Term Neonatal Population. An Pediatr (Barc) 2003;59;48-53.

Chellani HK, Mahajan J, Batra A.Fetal Ponderal Index In Predicting Growth Retardation. Indian J Med Res 1990;92;163-6.

Cunningham FG, Leveno KJ, Bloom SL. 2014. Obstetri Wiliam Edisi 24. Jakarta: EGC.

Creasy, Resnik. 2004. *Matrernal and Fetal Medicine.* Principles and Practice. Third Edition. USA: Saunders : 495-507

Darlina, Hardinsyah. 2003. Faktor Resiko Anemia di Kota Bogor. Media Gizi dan Keluarga. 27 (2) : 34-41.

Estrada JA, Contreras I, Rivero FB, Otero GA. (2014) : Review Molecular mechanisms of cognitive impairment in iron deficiency: Alterations in brain derived neurotrophic factor and insulin like growth factor expression and function in the central nervous system, Nutritional Neuroscience, vol 17 no 5.

Fairbanks VF, Beutler E. Iron metabolism. In : Beutlher E et all, editors, William Hematology. New York: Mc Graw-Hill inc; 2011

Fatemeh, et al. 2012. Maternal Anthropometric Measurements And Other Factors: Relation With Birth Weight Of Neonates. in Khoy City in north west of Iran Published online Apr 30, 2012. 6(2): 132–137. [PubMed]

Fretham S, Carlson ES, and Georgieff MK. (2011). The role of iron in learning and memory : Advances in nutrition an international review journal.

Fraser, DM,Cooper M. 2009. Myles Buku Ajar Bidan.Edisi 14. Jakarta: EGC

Galesloot TE,Vermeulen SH, Geurts-MAJ. 2011. Serum Hepcidin: Reference Ranges And Biochemical Correlates In The General Population. Blood. 117(25):e218-e225.

Ganz T, Nemeth E. 2012. Hepcidin and Iron Homeostasis. Elsevier B.V. 1823:1434-43.

Gaspar MJ, Ortega RM, Moreiras O. (1993). Relationship between iron status in pregnant women and their newborn babies. Acta Obstet Gynecol Scand ; 72 : 534-7.

Grantham MGS, Ani C (2001). A review studies on the effect of iron deficiency on cognitive development in children. Journal of Nutrition, 131:S649-666.

Georgieff MK. (December 2008). Tthe role of iron in neurodevelopment : fetal iron deficiency and the developing hippocampus. Biochem soc trans; 36(Pt6) : 1267-1271.

Guyton AC,Hall JE. 2011. Buku Ajar Fisiologi Kedokteran Edisi 11. Jakarta: EGC.

Harry & William, 2010. Ilmu kebidanan: Patologi & fisiologi persalinan. Yogyakarta.

Herbert V. Everyone should be tested for iron disorders. (1992). J Am Diet Assoc. Dec;92(12): 1502-9.

Hoffbrand AV, Pettit JE, Moss PA. 2012. Hematologi. Jakarta: EGC.

Hou et al. 2000. Maternal Serum Ferritin and Fetal Growth. USA.Obstetrics and Gynecology.

Indriyani,Amiruddin.2006.Hubungan Anemia dengan Kejadian Partus Lama. Tesis. Makasar

Johnson dan Taylor. 2005. Buku Ajar Praktik Kebidanan.Jakarta: EGC.

Kassebaum NJ,Jasrasaria R,Naghavi M. 2014.A systematic analysis of global anemia burden from 1990 to 2010.Blood. 123(5):615-624.

Kavle,Say L,Chou D,Gemmill A. 2014. Global causes of maternal death: a WHO systematic analysis. USA.

Kell DB, Pretorius E. 2014. *Serum Ferritin is an Important Inflammatory Disease Marker, as it is Mainly a Leakage Product from Damaged Cells. The University of Manchester.*

Khaula, et al., 2012. Nutrition Status and Infant Birth Weight.Vol. 7, No. 3

Kementerian Kesehatan RI. 2013. RISKESDAS 2013. Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI.

Kemenkes RI. 2007. Profil Kesehatan Indonesia Tahun 2007. Jakarta. Sekretariat Jenderal Kemenkes RI.

Knovich MA, Storey JA, Coffman LG, Torti SV. 2009. Ferritin for the Clinician. Blood.2009; 23(3): 95–104.

Kosim MS, Yunanto A, Dewi R, Sarosa GI dan Usman A, 2012. Buku Ajar Neonatologi.Ediso pertama. IDAI. Jakarta

Kumar.2014. Causes of anemia in pregnant women of the State of Azad Kashmir: A cross-sectional survey. Health.5(1) : 35-44.

Lozoff B and Georgieff MK. (2006) : Iron deficiency and brain development, Seminar in Pediatric Neurology ; 13: 158-165

Louangpradith Viengsakhone., Yoshitoku Yoshida.,MD. Harun-Or-Rashid and Junichi Sakamoto, 2010. Factors Affecting Low Birth WeightAt Four Central HospitalsIn Vientiane, Lao Pdr, 72, 51-58

Lumbanraja, Lutana, Usman. 2013. Maternal weight Gain And Correlation With Birth Weight Infants. 13th International Educational Technology Conference. Procedia - Social and Behavioral Sciences 103:647 – 656

Manuaba IBG, 2007. Pengantar Kuliah Obstetri. Jakarta.EGC

Miller JI.(2013). Iron deficiency anemia : A common and curable disease. Cold spring harbor perspective in medicine.

Milman N, Agger AO, Nielsen Oj. (1991). Iron suplementation during pregnancy. Effect iron status markers serum erytropoitein and human placental lactogen. A placebo control study in 207 Danish women. Dan Med Bull.38(6) : 471-6.

Mochtar, 2004, Sinopsis Obstetri, Jakarta : EGC

Nadadur SS, Srirama K, Mudipalli A. 2008. Iron transport & homeostasis mechanisms: Their role in health & disease. Indian J Med Res. 128:533-544.

Nitin S, Chouthai, Jackie S, Nirmala D, and George MS. (2003) : Changes in neurotrophin levels in umbilical cord blood from infants with different gestational ages and clinical conditions. Pediatric research vol 53 no 6.

Nurhidayati RD, Sulastri, Irdawati.2013. Analisis Faktor Penyebab Terjadinya Anemia Pada Ibu Hamil Di wilayah Kerja Puskesmas Tawangsari Kabupaten Sukoharjo. Naskah Publikasi. Universitas Muhammadiyah Surakarta.

Notoatmodjo S. 2012. Metodologi Penelitian Kesehatan. Jakarta: Rineka Cipta.

Pavord S,Yip R, Parvanta I, Cogswell ME. 2011. Recommendations to Preventand Control Iron Deficiencyin the United States.CDC. 47 (RR-3) : 1-29.

Perez JJC, Garza HJL, Almaguer GD. Sub opimal fetal iron acquisition under a maternal environtment.(2005). Arch Med Res Sept-Oct ;36(5):598-602.

Perdana WY, Jacobus DJ. 2015. Hepcidin dan Anemia Defisiensi Besi. CDK. 42 (12) : 919-26.

Polin RA, Spitzer AR. 2007. Fetal and neonatal secrets. Edisi ke-2. Philadelphia: Elsevier

Proverawati, Ismawati, 2010. Berat badan Lahir Rendah (BBLR). Yogyakarta: Nuha Medika.

Prawirohardjo, S. 2010 Ilmu Kebidanan Edisi 4 Cetakan 3. Jakarta: PT Bina Pustaka.

Reeder,Stenczer B. Pathogenetic Markers in Pre-Eklampsia. 2011. Thesis. Semmelwies University Ph.D. School Clinical Medical Science. Budapest

Robert ., 2008. Maternal Risk Factor For Abnormal Plasenta Growth . The National Collabaron Perinatal project. 1471-2393.8.44

Ruiz, Aruellews GJ.(2003). Clinical utility of the laboratory reports provided by blood cell counters and blood film examination. J Hematol :11-13.

Radlowski EC, Johnson RW . (2013) : Perinatal iron deficiency and neurocognotive develpment, front Hum Neuroscienci Sep 23;7 : 585.

Rao R, Georgieff MK. (2007). Iron in fetal and neonatal nutrition. Semin Fetal Neonatal Med ; 12 : 54-63.

Salmariantity. 2012.Anemia Of Chronic Disease. Penyakit Dalam Fk Unud/Rsup Sanglah, Denpasar. 7 (2) :141-48.

Shao J. Maternal serum ferritin concentration is positively associated with newborn iron stores in women with low ferritin status in late pregnancy. (2012) : the journal of nutrition. Community and International Nutrition.

Sidappa AM, Rao R, Long JD, Widness JA, Georgieff MK. The Assesment of Newborn Iron Stores at Birth; a review of the literature and standarts for ferritin consentration. Neonatology. 2007;92;73-82.

Sharma JB, Shankar M. 2010.Anemia in Pregnancy.JIMSA. 23(4):253-60.

Sherwood L. 2011. Fisiologi Manusia dari sel ke sel. Jakarta: EGC.

Sistriani, 2008. Faktor Maternal Dan Kwalitas Pelayanan Antenatal Yang Berisiko Terhadap Kejadian Berat Badan Lahir Rendah. Thesis Universitas Diponogoro Semarang.

Simanjuntak,2008. Hubungan Anemia dalam Kehamilan dengan Kejadian BBLR. Tesis. Universitas Sumatra Utara

Suominen P, Punnonen K, Rajamaki A, Irjala KK. Serum transferrin receptor- ferritin index identify healthy subjects with subclinical iron deficits.(1998). Blood. Vol 92 no 8(october15). Pp2934-2939.

Sifakis S, Pharmakides G. 2000. Anemia In Pregnancy. Annals New York Academy Of Sciences:125-36.

Tran PV, Carlson ES, Fretham SJB,Georgieff MK (2008) : Early life iron deficiency anemia aters neurotrphic factor expression and hippocampal neuron differentiation in male rats. The journal of nutrition.

Weiss G, Goodnough LT. 2005. Anemia of Chronic Disease. N Engl J Med. 352 (10) : 1011-23.

World Health Organization. 2014. Trends in Maternal Mortality: 1990 to 2012, http://www.who.int/healthinfo/statistics/indmaternalmortality/.

World Health Organization, (2015). Iron deficiency Anemia, Assesment, Prevention and control. Geneva . World Health Organization.

Wibowo N,Regina PRT. Anemia Defisiensi Besi dalam Kehamilan. Dexa Media, Jan-Maret 2006; 19(1).

Wish, Zhang A, Enns CA. 2006.Molecular Mechanism of Normal Iron Homeostasis. American Society of Hematology.207-14.