

DAFTAR PUSTAKA

- Abou-Zeid, D. M., Müller, R. J., & Deckwer, W. D. (2001). Degradation of Natural and Synthetic Polyesters under Anaerobic Conditions. *J of Biotech*, 86(2), 113-126.
- Agustien, A. & Hakam, A.D. (2002). Produksi Bioplastik Poli(3-hidroksibutirat) dari Bakteri Rekombinan *Escherichia coli*. *Jurnal Kimia Andalas*, 8(2), pp. 38-41.
- Ahmad, N. N. R., Fernando, W. J. N., & Uzir, M. H. (2015). Parametric evaluation using mechanistic model for release rate of phosphate ions from chitosan-coated phosphorus fertiliser pellets. *Biosyst Eng*, 129, 78-86.
- Azeem, B., KuShaari, K., Man, Z. B., Basit, A., & Thanh, T. H. (2014). Review on materials & methods to produce controlled release coated urea fertilizer. *J of Control Release*, 181, 11-21.
- Badan Standardisasi Nasional. (2010). *Pupuk NPK Padat*. Jakarta: SNI, 2803.
- Bajpai, A. K., & Giri, A. (2002). Swelling Dynamics of a Macromolecular Hydrophilic Network and Evaluation of its Potential for Controlled Release of Agrochemicals. *Reactive and Functional Polym*, 53(2), 125-141.
- Balai Penelitian Tanah. (2005). *Analisis Kimia Tanah, Tanaman, Air dan Pupuk*. Bogor: Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian .
- Benedict, C. V., Cameron, J. A., & Huang, S. J. (1983). Polycaprolactone Degradation by Mixed and Pure Cultures of Bacteria and a Yeast. *J of Appl Polym Sci*, 28(1), 335-342.
- Cong, Z., Yazhen, S., Changwen, D., Jianmin, Z., Huoyan, W., & Xiaoqin, C. (2010). Evaluation of Waterborne Coating for Controlled-Release Fertilizer Using Wurster Fluidized Bed. *Industrial & Eng Chem Res*, 49(20), 9644-9647.
- Costa, M. M., Cabral-Albuquerque, E. C., Alves, T. L., Pinto, J. C., & Fialho, R. L. (2013). Use of Polyhydroxybutyrate and Ethyl Cellulose for Coating of Urea Granules. *J of Agric and food Chem*, 61(42), 9984-9991.
- Coulember, O., Degée, P., Hedrick, J. L., & Dubois, P. (2006). From Controlled Ring-Opening Polymerization to Biodegradable Aliphatic Polyester: Especially Poly (B-Malic Acid) Derivatives. *Progress in Polym Sci*, 31(8), 723-747.

- Dash, S., Murthy, P. N., Nath, L., Chowdhury, leP. (2010). Kinetic Modeling On Drug Release from Controlled Drug Delivery System. *Acta Poloniae Pharmaceutics Drug Research*, 67(3): 217-223.
- Departemen Kesehatan Republik Indonesia. (1979). Farmakope Indonesia Edisi III. Jakarta. *Direktorat Jenderal Pengawasan Obat dan Makanan Republik Indonesia*.
- Djamaan, A. (2010). *Mikroorganisme Dan Pemanfaatannya dalam Berbagai Bidang*. Padang: Andalas University Press.
- Djamaan, A. (2011). *Konsep Produksi Biopolimer P (3-HB) dan P (3-HB-ko-3HV) Secara Fermentasi*. Padang: Andalas University Press.
- Djamaan, A. (2015a). Coating of Urea Granules for Slow Release Fertilizer Using Bioblend Polystyrene / Polycaprolactone. *J of Chem and Pharm Res*, 7(11), 478-484.
- Djamaan, A., Azizan, M. N., & Majid, M. I. A. (2003). Biodegradation of Microbial Polyesters P (3-HB) and P (3-HB-co-3-HV) Under The Tropical Climate Environment. *Polym Degrad and Stab*, 80(3), 513-518.
- Djamaan, A., Monica, R., Asiska, P.D., Suardi, S. Ben, E.S., & Erizal, Z. (2015b). The Use of Biopolymer of Poly(3-hydroxybutyrate) as Matrix of Urea Slow Release Fertilizer. *J of Chem and Pharm Res*, 7(7), 558-563.
- Djamaan, A., Suardi, M., Suharti, N., Zaini, E., Febriyenti., Alldi, Y. (2015c). Use of Bioblend Polystyrene/Starch for Coating Urea Granules as Slow Release Fertilizer. *J of Chem and Pharm Res*, 2015, 7(11):478-484
- Doi, Y., 1990. Microorganism and Poly (3-Hydroxyalkanoates), in: *Microbial Polyester*. Chapter 3. New York: VCH Publisher Inc.
- Douglas, P., Andrews, G., Jones, D., & Walker, G. (2010). Analysis of in Vitro Drug Dissolution from PCL Melt Extrusion. *Chem Eng J*, 164(2), 359-370.
- Elzubair, A., Elias, C. N., Suarez, J. C. M., Lopes, H. P., & Vieira, M. V. B. (2006). The Physical Characterization of a Thermoplastic Polymer for Endodontic Obturation. *J of Dentist*, 34(10), 784-789.
- Federle, T. W., Barlaz, M. A., Pettigrew, C. A., Kerr, K. M., Kemper, J. J., Nuck, B. A., & Schechtman, L. A. (2002). Anaerobic Biodegradation of Aliphatic Polyesters: Poly (3-Hydroxybutyrate-Co-3-Hydroxyoctanoate) And Poly (E-Caprolactone). *Biomacromolecules*, 3(4), 813-822.

- Forssell, P., Lahtinen, R., Lahelin, M., & Myllärinen, P. (2002). Oxygen Permeability of Amylose and Amylopectin Films. *Carbohydrate Polym*, 47(2), 125-129..
- García, M. T., Gracia, I., Duque, G., de Lucas, A., & Rodríguez, J. F. (2009). Study Of The Solubility And Stability of Polystyrene Wastes in a Dissolution Recycling Process. *Waste Management*, 29(6), 1814-1818.
- Ginting, S. 1995. *Diktat Mata Kuliah Agronomi Tanaman Makanan I*. Bandung: Fakultas Gizi. Terjemahan Catur Herison. ITB-Press.
- Godbillot, L., Dole, P., Joly, C., Rogé, B., & Mathlouthi, M. (2006). Analysis of Water Binding in Starch Plasticized Films. *Food Chem*, 96(3), 380-386.
- Gonzalez-Ortiz, L. J. (1998). The Degradation of High Impact Polystyrene With and without Starch in Concentrated Activated Sludge. *Polym Eng and Sci*, 38(5), 863.
- Gupper, A., & Kazarian, S. G. (2005). Study of Solvent Diffusion and Solvent-Induced Crystallization in Syndiotactic Polystyrene using FT-IR Spectroscopy and Imaging. *Macromolecules*, 38(6), 2327-2332.
- Hachemi, R., Belhaneche-Bensemra, N., & Massardier, V. (2014). Elaboration and Characterization of Bioblends Based on PVC/PLA. *J of Appl Polym Sci*, 131(7).
- Hamita,. 3004. *Petunjuk Pelaksanaan Validasi dan Perhitungan*. Jakarta: Majalah Ilmu Kefarmasian, Vol.1, No 3, Hal 117.
- Han, X., Chen, S., & Hu, X. (2009). Controlled-Release Fertilizer Encapsulated by Starch/Polyvinyl Alcohol Coating. *Desalination*, 240(1), 21-26.
- Haq, M., Burgueño, R., Mohanty, A. K., & Misra, M. (2008). Hybrid Bio-Based Composites from Blends of Unsaturated Polyester and Soybean Oil Reinforced with Nanoclay and Natural Fibers. *Comp Sci and Tech*, 68(15-16), 3344-3351.
- Hayashi, T. (1994). Biodegradable Polymers for Biomedical Uses. *Progress in Polym Sci*, 19(4), 663-702.
- Higuchi, T. (1963) Mechanism of Sustained Release Medication. Theoretical Analysis of Rate of Release of Solid Drugs Disperse in Solid Matrices, *J Pharm Sci.*, 52, 1145-1149.
- Hoeung, P., Bindar, Y., & Senda, S. P. (2011). Development of Granular Urea-Zeolite Slow-Release Fertilizer using Inclined Pan Granulator. *Jurnal Teknik Kimia Indonesia*, 10(2), 102-111.

- Jacobs, D. F., Haase, D. L., & Rose, R. (2005). Growth and Foliar Nutrition of Douglas-Fir Seedlings Provided With Supplemental Polymer-Coated Fertilizer. *Western J of Appl Forest*, 20(1), 58-63.
- Kan, A., & Demirboğa, R. (2009). A New Technique of Processing for Waste-Expanded Polystyrene Foams as Aggregates. *J of Mat Proc Tech*, 209(6), 2994-3000.
- Kiatkamjornwong, S., Sonsuk, M., Wittayapichet, S., Prasassarakich, P., & Vejjanukroh, P. C. (1999). Degradation of Styrene-g-Cassava Starch Filled Polystyrene Plastics. *Polym Degrad and Stab*, 66(3), 323-335.
- Lachman, L., Lieberman, H. A., & Kanig, J. L. (1986). *The theory and practice of industrial pharmacy*. Philadelphia : Lea & Febiger.
- Lafferty, R.M., Karsatko, B., & Karsatko, W. (1998). *Microbial Production of Poly β -hydroxybutyricacid*, H.J. Rehm and G.Reed (Eds), 6B. New York: VCH Publ.
- Langenbucher, F. (1972). Linearization of Dissolution Rate Curve by Weibull Distribution. *J Pharm Pharmac*, 24, 979-981.
- Lapidus, H. and Lordi, N.G., 1968, Drug Release from Compressed Hydrophilic Matrices. *J Pharm Sci*. 57, 1292-1301.
- Liang, R., & Liu, M. (2006). Preparation and Properties of Coated Nitrogen Fertilizer with Slow Release and Water Retention. *Industrial & Engineer Chem Res*, 45(25), 8610-8616.
- Lingga, P. (1992). *Petunjuk Penggunaan Pupuk*. Bogor: Niaga Swadaya.
- Liu, C. H., Wu, J. Y., & Chang, J. S. (2008). Diffusion Characteristics and Controlled Release of Bacterial Fertilizers From Modified Calcium Alginate Capsules. *Bioresource Tech*, 99(6), 1904-1910.
- Majid M.I.A, Hori, K., Aklyama, M. & Doi, Y., (1994). Production of Poly (3-Hydroxybutyrate) From Plant Oils by *Alcaligenes* sp. *Biodeg Plastics and Polym*, 417-424.
- Martínez-Abad, A., Sánchez, G., Fuster, V., Lagaron, J. M., & Ocio, M. J. (2013). Antibacterial Performance of Solvent Cast Polycaprolactone (PCL) Films Containing Essential Oils. *Food Control*, 34(1), 214-220.
- Meenakshi, P., Noorjahan, S. E., Rajini, R., Venkateswarlu, U., Rose, C., & Sastry, T. P. (2002). Mechanical and Microstructure Studies on The Modification of Ca Film by Blending with Polistiren. *Bulletin of Materials Science*, 25(1), 25-29.
- Mohamed, A., Finkenstadt, V. L., Gordon, S. H., & Palmquist, D. E. (2010). Thermal and Mechanical Properties of Compression-Molded

Pmdi-Reinforced Polycaprolactone/Gluten Composites. *J of Appl Polym Sci*, 118(5), 2778-2790.

- Mohamed, A., Gordon, S. H., & Biresaw, G. (2007). Polycaprolactone/Polystyrene Bioblends Characterized by Thermogravimetry, Modulated Differential Scanning Calorimetry and Infrared Photoacoustic Spectroscopy. *Polymer Degrad and Stab*, 92(7), 1177-1185.
- Mohanty, A. K., Misra, M., & Hinrichsen, G. (2000). Biofibres, Biodegradable Polymers and Biocomposites: an overview. *Macromolecul Mat and Engineer*, 276(1), 1-24.
- Moreno, N., Gutiérrez, I., Malagon, D., Grosso, V., Revelo, D., Suárez, D., ... & Montoya, D. (2007). Bioprospecting and Characterization of Poly-Bhydroxyalkanoate (PHAs) Producing Bacteria Isolated from Colombian Sugarcane Producing Areas. *African J of Biotech*, 6(13).
- Mulye, N. V., & Turco, S. J. (1995). A Simple Model Based On First Order Kinetics To Explain Release Of Highky Water Soluble Drugs From Porous Dicalcium Phospate Dihydrate Matrices. *Drug Develop and Industrial Pharm*, 21(8): 943-953.
- Murni A M, Arief R W. (2008). *Teknologi Budidaya Jagung*. Bogor: Agro Inovaasi.
- Novizon. (2002). *Petunjuk Pemupukan Yang Efektif*. Jakarta: Agro Media Puataka.
- Octaviani, M., Zaini, E., & Djamaan, A. (2013). Kajian Biodegradasi Filem Plastik Campuran Polistiren Dengan Poli (3-Hidroksibutirat) Dalam Tanah. *Jurnal Farmasi Andalas*, 1(1).
- Pimentel, T. A., Durães, J. A., Drummond, A. L., Schlemmer, D., Falcão, R., & Sales, M. J. A. (2007). Preparation and Characterization of Blends of Recycled Polystyrene with Cassava Starch. *J of Mat Sci*, 42(17), 7530-7536.
- Pitt, C. G., Chasalow, F. I., Hibionada, Y. M., Klimas, D. M., & Schindler, A. (1981). Aliphatic polyesters. I. The Degradation of Poly (ϵ -Caprolactone) In Vivo. *J of Appl Polym Sci*, 26(11), 3779-3787.
- Purwono, M., Hartono; 2007. *Bertanam Jagung Unggul*. Depok: Penebar Swadaya.
- Rezwan, K., Chen, Q.Z., Blaker, J.J. & Boccaccini, A.R. (2006). Biodegradable and Bioactive Porous Polymer/Inorganic Composite Scaffolds for Bone Tissue Engineering. *Biomaterials*, 27(18), pp.3413-3431.

- Ritger PL, Peppas NA. (1987). A Simple Equation for Description of Solute release I. Fickian and Non-Fickian Release from Non- Swellable Devices in the Forms of Slabs, Spheres, Cylinder or Discs, II. Fickian and Anomalous Release from Swellable Devices. *J of Cont Rel*, **5**: 23-42.
- Rosmarkam, A., & Yuwono, N. W. (2002). *Ilmu Kesuburan Tanah*. Yogyakarta: Kanisius.
- Rubatzky, V. E. dan M. Yamaguchi. 1998. Sayuran Dunia Prinsip, Produksi dan Saitoh, A., Amutharani, D., Yamamoto, Y., Tsujita, Y., Yoshimizu, H., & Okamoto, S. (2003). Structure and Properties of The Mesophase of Syndiotactic Polystyrene iv. Release of Guest Molecules From δ form of Syndiotactic Polystyrene by Time Resolved FT-IR and WAXD Measurement. *Polym J*, **35**(11), 868-871.
- Salaman. (2015). Kajian Penggunaan Bioblend Polistiren Sebagai Penyalut Urea Lepas Lambat Dengan Teknik Penyalutan Semprot (Tesis, Fakultas Farmasi universitas Andalas Padang).
- Salman, O. A. (1988). Polymer Coating on Urea Prills to Reduce Dissolution Rate. *J of Agric and Food Chem*, **36**(3), 616-621.
- Schlemmer, D., Sales, M. J., & Resck, I. S. (2009). Degradation of Different Polystyrene/Thermoplastic Starch Blends Buried in Soil. *Carbohydrate Polym*, **75**(1), 58-62.
- Sempeho, S. I., Kim, H. T., Mubofu, E., & Hilonga, A. (2014). Meticulous Overview on The Controlled Release Fertilizers. *Advances in Chemistry*, **2014**.
- Shaviv, A. (2001). Advances in Controlled-Release Fertilizers. *Advances in agronomy*, **71**, 1-49.
- Shaviv, A., & Mikkelsen, R. L. (1993). Controlled-Release Fertilizers to Increase Efficiency of Nutrient Use and Minimize Environmental Degradation-A Review. *Fert Res*, **35**(1-2), 1-12.
- Sravanthi, R. (2009). *Preparation and Characterization Of Poly (E-Caprolactone) Policaprolactone Scaffolds For Tissue Engineering Applications* (Doctoral dissertation, National Institute of Technology Rourkela).
- Srivastava, S., & Mishra, G. (2010). Fluid bed technology: Overview and Parameters for Process Selection. *International J of Pharm Sci and Drug Res*, **2**(4), 236-246.
- Stading, M., Rindlav-Westling, Å., & Gatenholm, P. (2001). Humidity-Induced Structural Transitions in Amylose and Amylopectin Films. *Carbohydrate Polym*, **45**(3), 209-217.

- Swarbrick, J. (2006). *Encyclopedia of Pharmaceutical Technology, Third Edition*. London: Informa Health Care.
- Swift G. (1994). Expectation for Biodegradation Testing Methods. *Biodegradable Plastics and Polymers. J of Sci. B. V. Amsterdam*; 1994. 228-249.
- Syukri, Y. (2009). Potensi Amilum Lokal Sebagai Eksiipien dalam Formulasi Sediaan Tablet. *Prosiding Seminar Nasional Farmasi*. Yogyakarta: Universitas Islam Indonesia.
- Thompson, Homer.C; Kelly, William; (1957). *Vegetable Crops*. New York: Mc Graw Hill Book
- Tomaszewska, M., & Jarosiewicz, A. (2002). Use of Polysulfone in Controlled-Release NPK Fertilizer Formulations. *J of Agric and food Chem, 50(16)*, 4634-4639.
- Trenkel, M. E. (1997). *Controlled-Release And Stabilized Fertilizers In Agriculture* (Vol. 11). Paris: International fertilizer industry association.
- Turton, R., & Cheng, X. X. (2005). The Scale-up of Spray Coating Processes for Granular Solids and Tablets. *Powder technology, 150(2)*, 78-85.
- Ulery, B. D., Nair, L. S., & Laurencin, C. T. (2011). Biomedical Applications of Biodegradable Polymers. *J of Polym Sci Part B: Polymer Physics, 49(12)*, 832-864.
- Van der Schueren, L., De Schoenmaker, B., Kalaoglu, Ö. I., & De Clerck, K. (2011). An Alternative Solvent System for the Steady State Electrospinning of Polycaprolactone. *European Polym J, 47(6)*, 1256-1263.
- Vert, M. (2009). Degradable and Bioresorbable Polymers in Surgery and in Pharmacology: Beliefs and Facts. *J of Mat Sci: Materials in Medicine, 20(2)*, 437-446.
- Wardani, L.A., (2012) Validasi Metode Analisis Dan Penentuan Kadar Vitamin C Pada Minuman Buah Kemasan Dengan Spektrofotometri UV-Visible (Skripsi, FMIPA Universitas Indonesia Depok)
- Williams, S. F., Martin, D. P., Horowitz, D. M., & Peoples, O. P. (1999). PHA Applications: Addressing the Price Performance Issue. *Int J of Bio Macromol, 25(1)*, 111-121.
- Woodruff, M. A., & Hutmacher, D. W. (2010). The Return of a Forgotten Polymer—Polycaprolactone In The 21st Century. *Progress in Polymer Science, 35(10)*, 1217-1256.

- Woodward, S. C., Brewer, P. S., Moatamed, F., Schindler, A., & Pitt, C. G. (1985). The Intracellular Degradation of Poly (ϵ -caprolactone). *J of Biomedic Mat Res.* 19(4), 437-444.
- Yang, Y. C., Zhang, M., Li, Y., Fan, X., & Geng, Y. (2012). Improving the Quality of Polymer-Coated Urea with Recycled Plastic, Proper Additives, and Large Tablets. *J of Agric and Food Chem*, 60(45), 11229–11237.
- Zhoung, K., Lin, Z, T., Zheng, X, L., jiang, G, B., Fang, Y, S., Mao, X, Y., Liao, Z, W. (2013). Starch Derivative Based Superabsorbent With Integration Of Water Retaining And Controlled Release Fertilizers. *Carbohydrate Polym*, 92 (2013) 1367-1376.

