

## DAFTAR PUSTAKA

- Abou, Z., D. M., Müller, R. J., & Deckwer, W. D. (2001). Degradation of natural and synthetic polyesters under anaerobic conditions. *Journal of Biotechnology*, 86(2), 113–126.
- Aditama, R., 2011. Slow Release Fertilizer, Peranan Kimia dalam Pertanian. Majalah Kimia
- Ahmad N.N.R., Fernando W.J.N., Uzir M.H. (2015). Parametric evaluation using mechanistic model for release rate of phosphate ions from chitosancoated phosphorus fertiliser pellets. *Biosystems Engineering* 129, 78-86
- Akelah, A. (1996). Novel utilizations of conventional agrochemicals by controlled release formulations. *Materials Science and Engineering: C*, 4(2), 83–98.
- Allen, N. S., Barcelona, A., Edge, M., Wilkinson, A., Merchan, C. G., & Ruiz Santa Quiteria, V. (2004). Thermal and photooxidation of high styrene–butadiene copolymer (SBC). *Polymer Degradation and Stability*, 86(1), 11–23.
- Azeem, B., Kushaari, K., Man, Z. B., Basit, A., & Thanh, T. H. (2014). Review on materials & methods to produce controlled release coated urea fertilizer. *Journal of Controlled Release*, 181, 11–21.
- Baggi, G., Boga, M. M., Catelani, D., Galli, E., & Treccani, V. (1983). Styrene Catabolism by a Strain of *Pseudomonas fluorescens*. *Systematic and Applied Microbiology*, 4(1), 141–147.
- Bastioli, C., and Bettarini. 2014. F. *General Characteristics, Processability, Industrial Applications and Market Evolution of Biodegradable Polymers (Chapter 6)*. Handbook of Biodegradable Polymers, 2nd Edition. UK: Smithers Rapra Technology Ltd.
- Badan Standardisasi Nasional. (2010). (SNI) 2801:2010 : Pupuk . Jakarta: Badan Standardisasi Nasional Republik Indonesia.
- Benton, J , 2012. Inorganic Chemical Fertilizers and Their Properties in *.Plant Nutrition and Soil Fertility Manual*, Second Edition. CRC Press,.
- Benedict, C. V., Cameron, J. A., & Huang, S. J. (1983). Polycaprolactone degradation by mixed and pure cultures of bacteria and a yeast. *Journal of Applied Polymer Science*, 28(1), 335–342.

- Biresaw, G., & Carriere, C. J. (2004). Compatibility and mechanical properties of blends of polystyrene with biodegradable polyesters. *Composites Part A: Applied Science and Manufacturing*, 35(3), 313–320.
- Bonartsev, A. P. 2007. *Biosynthesis, biodegradation, and application of poly(3-hydroxybutyrate) and its copolymers – natural polyesters produced by diazotrophic bacteria*. Communicating Current Research and Educational Topics and Trends in Applied Microbiology. A. Méndez-Vilas (Ed.).
- Calpas, J. F., & Tewari, J. P. (2003). Management of the Greenhouse Environment. Diakses 31 Januari 2015, dari [http://www1.agric.gov.ab.ca/\\$department/deptdocs.nsf/all/opp2902?opendocument](http://www1.agric.gov.ab.ca/$department/deptdocs.nsf/all/opp2902?opendocument).
- Choi, M.M.S., A. Meisen (1997), Sulfur Coating of Urea In Shallow Spouted Beds, (Chemical Engineering Science 52 (7), 1073–1086.
- Collett, J., and Moreton, C., 2002, Modified – release Peroral Dosage Form, dalam Aulton, M. E., *Pharmaceutics: The Science Of Dosage Form Design*, Edisi II, Churchill Livingstone, Edinburg – London – New York – Philadelphia – St Louis Sydney – Toronto, 289-305
- Cong, Z et all. 2010. *Evaluation of Waterborne Coating for Controlled Release Fertilizer Using Wurster Fluidized Bed*. Ind. Eng. Chem. Res, 9644–9647.
- Costa, M. M. E., Cabral-Albuquerque, E. C. M., Alves, T. L. M., Pinto, J. C., & Fialho, R. L. (2013). Use of Polyhydroxybutyrate and Ethyl Cellulose for Coating of Urea Granules. *Journal of Agricultural and Food Chemistry*, 61(42), 9984–9991.
- Costa, P., & Sousa Lobo, J. M. (2001). Modeling and comparison of dissolution profiles. *European Journal of Pharmaceutical Sciences*, 13(2), 123–133.
- Coulebrier, O., Degée P., Hedrick J. L., & Dubois, P. (2006). From controlled ring-opening polymerization to biodegradable aliphatic polyester: Especially poly( $\beta$ -malic acid) derivatives. *Progress in Polymer Science*, 31(8), 723–747.
- Crank, J. (1975). *The Mathematics of Diffusion: (edisi 2d)*. London: Clarendon Press.
- Djamaan, A., Azizan, M. N., & Majid, M. I. A. (2003). Biodegradation of microbial polyesters P(3HB) and P(3HB-co-3HV) under the tropical climate environment. *Polymer Degradation and Stability*, 80(3), 513–518.

- Djamaan, A., Ulfa, M., & Suharti, N. 2012. Penggunaan Biopolimer Polikaprolakton sebagai Matrik Herbisida Lepas Lambat Asam 2,4-diklorofenoksi asetat. *Jurnal Farmasi Higea*. 4(2): 133-146.
- Djamaan, A., Riri, M., Asiska P.D., Muslim S., Ben E. S., & Zaini E. (2015). The use of biopolymer of poly(3-hydroxybutyrate) as matrix of urea slow release fertilizer. *Journal of Chemical and Pharmaceutical Research*, 7(7), 498–503.
- Dobermann, A. & T. Fairhurst. (2000). Rice Nutrient Disorders and Nutrient Management IRRI Potash & Phosphate Institute/Potash & Phosphate Institute of Canada. 189 p.
- Doi. Y. 1990. *Microorganism and Poly (3-Hydroxyalkanoates)*. In: Microbial Polyester. Chapter 3. VCH Publ. Inc. New York. 33-60.
- Douglas, P., Andrews, G., Jones, D., & Walker, G. (2010). Analysis of in vitro drug dissolution from PCL melt extrusion. *Chemical Engineering Journal*, 164(2–3), 359–370.
- El-Arini, S. K., & Leuenberger, H. (1998). Dissolution properties of praziquantel-PVP systems. *Pharmaceutica Acta Helveticae*, 73(2), 89–94.
- Elzubair, A., Elias, C. N., Suarez, J. C. M., Lopes, H. P., & Vieira, M. V. B. (2006). The physical characterization of a thermoplastic polymer for endodontic obturation. *Journal of Dentistry*, 34(10), 784–789.
- Estevez, J., & Vilanova, E. 2014. Chloroform. In P. Wexler (Ed.), *Encyclopedia of Toxicology (Third Edition)* (pp. 885–890). Oxford: Academic Press.
- Federle, T. W., Barlaz, M. A., Pettigrew, C. A., Kerr, K. M., Kemper, J. J., Nuck, B. A., & Schechtman, L. A. (2002). Anaerobic Biodegradation of Aliphatic Polyesters: Poly(3-hydroxybutyrate-co-3-hydroxyoctanoate) and Poly( $\epsilon$ -caprolactone). *Biomacromolecules*, 3(4), 813–822.
- Fernández-Pérez, M., Garrido-Herrera, F. J., González-Pradas, E., Villafranca-Sánchez, M., & Flores-Céspedes, F. (2008). Lignin and ethylcellulose as polymers in controlled release formulations of urea. *Journal of Applied Polymer Science*, 108(6), 3796–3803.
- Felton, L. A. (2013). Film Coating of Oral Solid Dosage Forms. In *Encyclopedia of Pharmaceutical Science and Technology, Fourth Edition* (hal. 1585–1600). Taylor & Francis.

- Ford, J. L., Mitchell, K., Rowe, P., Armstrong, D. J., Elliott, P. N. C., Rostron, C., & Hogan, J. E. (1991). Mathematical modelling of drug release from hydroxypropylmethylcellulose matrices: Effect of temperature. *International Journal of Pharmaceutics*, 71(1–2), 95–104.
- Gibaldi, M., & Feldman, S. (1967). Establishment of sink conditions in dissolution rate determinations. Theoretical considerations and application to nondisintegrating dosage forms. *Journal of Pharmaceutical Sciences*, 56(10),
- Godbillot, L., Dole, P., Joly, C., Rogé, B., & Mathlouthi, M. (2006). Analysis of water binding in starch plasticized films. *3rd International Workshop on Water in Foods*, 96(3), 380–386.
- Gupper, A., & Kazarian, S. G. (2005b). Study of solvent diffusion and solvent-induced crystallization in syndiotactic polystyrene using FTIR spectroscopy and imaging. *Macromolecules*, 38(6), 2327–2332.
- Hachemi, R., Belhaneche-Bensemra, N., & Massardier, V. (2014). Elaboration and characterization of bioblends based on PVC/PLA. *Journal of Applied Polymer Science*, 131(7).
- Haq, M., Burgueño, R., Mohanty, A. K., & Misra, M. (2008). Hybrid bio-based composites from blends of unsaturated polyester and soybean oil reinforced with nanoclay and natural fibers. *Composites Science and Technology*, 68(15–16): 3344–3351.
- Hartmans, S. (1995). Microbial degradation of styrene. In V. P. Singh (Ed.), *Progress in Industrial Microbiology*, New York: Elsevier, 227–238.
- Hartmans, S., Smits, J. P., van der Werf, M. J., Volkering, F., & de Bont, J. A. (1989). Metabolism of Styrene Oxide and 2-Phenylethanol in the Styrene-Degrading Xanthobacter Strain BA124X. *Applied and Environmental Microbiology*, 55(11), 2850–2855.
- Han, X., Chen, S., & Hu, X. (2009). Controlled-release fertilizer encapsulated by starch/polyvinyl alcohol coating. *Desalination*, 240(1–3), 21–26.
- Hayashi, T. (1994). Biodegradable polymers for biomedical uses. *Progress in Polymer Science*, 19(4), 663–702.
- Higuchi T. (1963). Mechanism of sustained-action medication. Theoretical analysis of rate of release of solid drugs dispersed in solid matrices. *Journal of Pharmaceutical Sciences*, 52(12), 1145–1149.

- Hixson, A. W., & Crowell, J. H. (1931). Dependence of Reaction Velocity upon surface and Agitation. *Industrial & Engineering Chemistry*, 23(8), 923–931.
- Hoeung P., Y. Bindar, dan S.P. Senda. 2011. Development of Granular urea-Zeolite Slow Release Fertilizer Using Inclined Pan Granulator. *Jurnal Teknik Kimia Indonesia*, 102-111.
- Israeli, Y., Lacoste, J., Lemaire, J., Singh, R. P., & Sivaram, S. (1994). Photo- and thermoinitiated oxidation of high-impact polystyrene. I. Characterization by FT-IR spectroscopy. *Journal of Polymer Science Part A: Polymer Chemistry*, 32(3), 485–493.
- Iwamoto, A., & Tokiwa, Y. (1994). Enzymatic degradation of plastics containing polycaprolactone. *Polymer Degradation and Stability*, 45(2), 205–213.
- Jasso G., C. F., González-Ortiz, L. J., Contreras J., R., Mendizábal M., E., & Mora G., J. (1998). The degradation of high impact polystyrene with and without starch in concentrated activated sludge. *Polymer Engineering & Science*, 38(5), 863–869.
- Kan, A., & Demirboğa, R. (2009). A new technique of processing for waste-expanded polystyrene foams as aggregates. *Journal of Materials Processing Technology*, 209(6), 2994–3000.
- Kiatkamjornwong, S., Sonsuk, M., Wittayapichet, S., Prasassarakich, P., & Vejjanukroh, P.-C. (1999). Degradation of styrene-g-cassava starch filled polystyrene plastics. *Polymer Degradation and Stability*, 66(3), 323–335
- Kim, H., & Fassihi, R. (1997). Application of binary polymer system in drug release rate modulation. 2. Influence of formulation variables and hydrodynamic conditions on release kinetics. *Journal of Pharmaceutical Sciences*, 86(3), 323–328.
- Kirk. R. E., & Othmer. D. F. (2004). *Encyclopedia of chemical technology*. Hoboken. N.J: Wiley-Interscience.
- Kiran, J. K., Khanif, Y. M., Amminuddin, H., & Anuar, A. R. (2010). Effects of Controlled Release Urea on the Yield and Nitrogen Nutrition of Flooded Rice. *Communications in Soil Science and Plant Analysis*, 41(7), 811–819.
- Kobayashi A., Fujisawa E., & Hanyuu T. (1997). A Mechanism of Nutrient Release from Resin-Coated Fertilizers and Its Estimation by Kinetic Methods : 2. Release of Nutrients Affected by the Permeability of Water

Vapor through Coating Material. *Journal of the science of soil and manure, Japan*, 68(1), 14–22.

Lachman, L., Lieberman, H. A., & Kanig, J. L. (1986). *The Theory and Practice of Industrial Pharmacy* (3 Sub edition). Philadelphia: Lea & Febiger.

Lafferty, R. M., Korsatko, B. And Korsatko,W. (1988 ). *Microbial production of poly-hydroxybutyric acid. In: Biotechnology*, VCH Publ. New York. 135-176

Lan, R., Liu, Y., Wang, G., Wang, T., Kan, C., & Jin, Y. (2011). Experimental modeling of polymer latex spray coating for producing controlled-release urea. *Crystalization and Nanotechnology*, 9(5), 510–516.

Lee, J. W., Lee, S.-M., Hong, E. J., Jeung, E. B., Kang, H.-Y., Kim, M. K., & Choi, I. G. (2006). Estrogenic reduction of styrene monomer degraded by *Phanerochaete chrysosporium* KFRI 20742. *Journal of Microbiology (Seoul, Korea)*, 44(2), 177–184.

Lingga, P., & Marsono. (2008). *Petunjuk Penggunaan Pupuk*. Penebar Swadaya.

Liu, Z., Michel, J., Wang, Z., Witholt, B., & Li, Z. (2006). Enantioselective hydrolysis of styrene oxide with the epoxide hydrolase of *Sphingomonas* sp. HXN-200. *Tetrahedron: Asymmetry*, 17(1), 47–52.

Liu, C.-H., Wu, J.-Y., & Chang, J.-S. (2008). Diffusion characteristics and controlled release of bacterial fertilizers from modified calcium alginate capsules. *Biore-source Technology*, 99(6), 1904–1910.

Liu, Z., Michel, J., Wang, Z., Witholt, B., & Li, Z. (2006). Enantioselective hydrolysis of styrene oxide with the epoxide hydrolase of *Sphingomonas* sp. HXN-200. *Tetrahedron: Asymmetry*, 17(1), 47–52.

Liu, G., Zotarelli, L., Li, Y., Dinkins, D., Wang, Q., & Ozores-Hampton, M. (2014). Controlled-Release and slow-Release Fertilizers as Nutrient Management Tools. *UF/IFAS Extension*, 1-7.

Madison. (2001). *Introduction to fourier transform infrared spectrometry*. New York: Thermo Nicolet Corporation.

Makarim, A.K., I.N. Widiarta, S. Hendarsih, &S. Abdurachman. (2003). Panduan Teknis Pengelolaan Hara dan Pengendalian Hama Penyakit Tanaman Padi Secara Terpadu Puslitbangtan. 37 p.

- Mehta, S., Biederman, S., & Shivkumar, S. (1995). Thermal degradation of foamed polystyrene. *Journal of Materials Science*, 30(11), 2944–2949.
- Mohamed, A., Finkenstadt, V. L., Gordon, S. H., & Palmquist, D. E. (2010). Thermal and mechanical properties of compression-molded pMDI-reinforced PCL/gluten composites. *Journal of Applied Polymer Science*, 118(5), 2778–2790.
- Motta, O., Proto, A., De Carlo, F., De Caro, F., Santoro, E., Brunetti, L., & Capunzo, M. (2009). Utilization of chemically oxidized polystyrene as co-substrate by filamentous fungi. *International Journal of Hygiene and Environmental Health*, 212(1), 61–66.
- Miller, R. W., & Donahue, R. L. (1990). *Soils: an introduction to soils and plant growth*. New Jersey: Prentice Hall.
- Mitomo, H., Barham, P. J., & Keller, A. (1988). Temperature dependence of mechanical properties of poly(-hydroxybutyrate-ko-hydroxyvalerat). *Polym. Commun.* 29:112-115
- Mohamed, A., Gordon, S. H., & Biresaw, G. (2007). Polycaprolactone/polystyrene bioblends characterized by thermogravimetry, modulated differential scanning calorimetry and infrared photoacoustic spectroscopy. *Polymer Degradation and Stability*, 92(7), 1177–1185.
- Mohanty, A. K., Misra, M., & Hinrichsen, G. (2000). Biofibres, biodegradable polymers and biocomposites: An overview. *Macromolecular Materials and Engineering*, 276-277(1), 1–24.
- Moloye, T. (2012). *Composite scaffolds for bone tissue engineering*. (Tesis). Tallahassee: University of Florida.
- Motta, O., Proto, A., De Carlo, F., De Caro, F., Santoro, E., Brunetti, L., & Capunzo, M. (2009). Utilization of chemically oxidized polystyrene as co-substrate by filamentous fungi. *International Journal of Hygiene and Environmental Health*, 212(1), 61–66.
- Mulye, N. V., & Turco, S. J. (1995). A Simple Model Based on First Order Kinetics to Explain Release of Highly Water Soluble Drugs from Porous Dicalcium Phosphate Dihydrate Matrices. *Drug Development and Industrial Pharmacy*, 21(8), 943–953.
- Nash, R. J., & Jacobs, D. M. (1972). Mechanical degradation of thin polystyrene films. *Faraday Special Discussions of the Chemical Society*, 2(0), 210–221.

- Niebergall, P. J., Milosovich, G., & Goyan, J. E. (1963). Dissolution rate studies II. Dissolution of particles under conditions of rapid agitation. *Journal of Pharmaceutical Sciences*, 52(3), 236–241.
- Panda, S. (2013). Formulation and evaluation of zidovudine loaded olibanum resin microcapsules: Exploring the use of natural resins as biodegradable polymeric materials for controlled release. *Asian Journal of Pharmaceutical and Clinical Research*, 6(3).
- Pimentel, T. P. F., Durães, J., Drummond, A., Schlemmer, D., Falcão, R., & Sales, M. (2007). Preparation and characterization of blends of recycled polystyrene with cassava starch. *Journal of Materials Science*, 42(17), 7530–7536.
- Pitt, C. G. (1990). Poly ( $\epsilon$ -caprolactone) and Its Copolymers. In *Biodegradable Polymers as Drug Delivery Systems* (pp. 71–119). New York: Marcel Dekker.
- Pitt, C. G., Chasalow, F. I., Hibionada, Y. M., Klimas, D. M., & Schindler, A. (1981). Aliphatic polyesters. I. The degradation of poly( $\epsilon$ -caprolactone) in vivo. *Journal of Applied Polymer Science*, 26(11), 3779–3787.
- Pitt, C. G., Gratzl, M. M., Jeffcoat, A. R., Zweidinger, R., & Schindler, A. (1979). Sustained drug delivery systems II: Factors affecting release rates from poly( $\epsilon$ -caprolactone) and related biodegradable polyesters. *Journal of Pharmaceutical Sciences*, 68(12), 1534–1538.
- Pudjaatmaka, A. H. (2002). *Kamus Kimia*. Jakarta :Balai Pustaka.
- Reimer, L. (1998). *Scanning Electron Microscopy : Physics of Image Formation and Microanalysis* (2nd ed., Vol. 45). Berlin Heidelberg: Springer-Verlag.
- Rezwan K., Q. Z. Chen., J. J. Blaker & A. R Boccaccini. 2006. Biodegradable and Bioactive Porous Polymer/Inorganic Composite Scaffolds for Bone Tissue Engineering *Biomaterials*,27: 3413-3431
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients*. New York: Pharmaceutical Press.
- Rudnik. E. 2013. *Compostable Polymer Materials: Definitions, Structure, and Methods of Preparation (Chapter 10)*. Handbook of Biopolymers and Biodegradable Plastics. USA: Elsevier Inc.



- Saitoh, A., Amutharani, D., Yamamoto, Y., Tsujita, Y., Yoshimizu, H., & Okamoto, S. (2003). Structure and Properties of the Mesophase of Syndiotactic Polystyrene IV. Release of Guest Molecules from Form of Syndiotactic Polystyrene by Time Resolved FT-IR and WAXD Measurement. *Polymer Journal*, 35(11), 868–871
- . Saleh, K., & Guigon, P. (2007). Chapter 7 Coating and encapsulation processes in powder technology. In M. J. H. and J. P. K. S. A.D. Salman (Ed.), *Handbook of Powder Technology*. New York. Elsevier, 323–375
- Salman, O. A. (1988). Polymer coating on urea prills to reduce dissolution rate. *Journal of Agricultural and Food Chemistry*, 36(3), 616–621.
- Schlemmer, D., Sales, M. J. A., & Resck, I. S. (2009). Degradation of different polystyrene/thermoplastic starch blends buried in soil. *Carbohydrate Polymers*, 75(1), 58–62.
- Sempeho, S. I., Kim, H. T., Mubofu, E., & Hilonga, A. (2014). Meticulous Overview on the Controlled Release Fertilizers. *Advances in Chemistry*, 2014, 363071. 1-16.
- Shargel, L., Wu – Pong, and Yu, A. B. C., 2005, *Applied Biopharmaceutics and Pharmacokinetics*, Edisi V, Mc – Graw – Hill, 528-530,548
- Shaviv, A. (2001). Advances in controlled-release fertilizers. *Advances in Agronomy* (Vol. 71, pp. 1–49). New York. Academic Press.
- Shaviv, A. (2005). Controlled Release Fertilizers. IFA International Workshop on Enhanced-Efficiency Fertilizers Frankfurt, Germany, 28-30 June 2005. Israel Institute of Technology. Israel.
- Shaviv, A., & Mikkelsen, R. L. (1993). Controlled-release fertilizers to increase efficiency of nutrient use and minimize environmental degradation - A review. *Fertilizer Research*, 35(1-2), 1–12.
- Simon, B. H., 2001, *Tablet dan Kapsul Lepas Lambat (Sustained Release)*, Dexa Media, 118 – 120, Vol. 12, No. 4
- Singh, B., & Sharma, N. (2007). Optimized synthesis and characterization of polystyrene graft copolymers and preliminary assessment of their biodegradability and application in water pollution alleviation technologies. *Polymer Degradation and Stability*, 92(5), 876–885.
- Sravanthi, R. (2009). Preparation and characterization of poly ( $\epsilon$ -caprolactone) PCL scaffolds for tissue engineering applications.(Tesis). Rourkela: National Institute of Technology Rourkela.

- Srivastava, S., & Mishra, G. (2010). Fluid bed technology: Overview and parameters for process selection. *International Journal of Pharmaceutical Sciences and Drug Research*, 2(4), 236–246
- Suharti, N., Sulaiman, S., Febriyenti., Zaini, E., Suardi, M., Ben E. S., and Djamaan, A. (2016). Effect of Bioblend Polystyrene/Polycaprolactone and Polystyrene/Starch Utilization toward Coating Thickness and Release of Active Substance from Urea Granule. *Journal of Chemical and Pharmaceutical Research*, 8(11), 83–87.
- Suwardi. 1991. The Mineralogical and Chemical Properties of Natural Zeolite and Their Application Effect for Soil Amendment. *A Thesis for the Degree of Master*. Laboratory of Soil Science. Departemen Of Agriculture Chemistry, Tokyo University of Agriculture.
- Swarbrick, J. (2006). *Encyclopedia of Pharmaceutical Technology, Third Edition*. London: Informa Healthcare.
- Syukri, Y. (2009). Potensi Amilum Lokal Sebagai Eksipien Dalam Formulasi Sediaan Tablet. *Prosiding Seminar Nasional Farmasi*. Yogyakarta: Universitas Islam Indonesia.
- Tadudari, A., Thadkala, K., kumar Devara, R., & Aukunuru, J. (2014). Formulation, Characterisation and Evaluation of Sustained Release Microcapsules of Gemifloxacin.
- Tomaszewska, M and Jarosiewicz, A. 2002. *Use of Polysulfone in Controlled-Release NPK Fertilizer Formulations*. *J. Agric. Food Chem*, 4634-4639.
- Tomaszewska, M., & Jarosiewicz, A. (2004). Polysulfone coating with starch addition in CRF formulation. *Desalination*, 163(1–3), 247–252.
- Trenkel, M. E. (1997). *Controlled-release and stabilized fertilizers in agriculture* (Vol. 11). Paris: International Fertilizer Industry Association
- Trenkel, M. E. (2010). *Slow and controlled-release and stabilized fertilizers: an option for enhancing nutrient use efficiency in agriculture*. Paris: International fertilizer Industry Association.
- Trinh, T. H., KuShaari, K., Basit, A., Azeem, B., & Shuib, A. (2014). Use of multi-diffusion model to study the release of urea from urea fertilizer coated with Polyurethane-like coating (PULC). *APCBEE Procedia*, 8, 146-150.

- Troy, D. B., Remington, J. P., & Beringer, P. (2006). *Remington: The Science and Practice of Pharmacy*. Philadelphia : Lippincott Williams & Wilkins.
- Turton, R., & Cheng, X. X. (2005). The scale-up of spray coating processes for granular solids and tablets. *Powder Technology*, 150(2), 78–85.
- Ulery, B. D., Nair, L. S., & Laurencin, C. T. (2011). Biomedical Applications of Biodegradable Polymers. *Journal of Polymer Science. Part B, Polymer Physics*, 49(12), 832–864.
- Utkin, I. B., Yakimov, M. M., Matveeva, L. N., Kozlyak, E. I., Rogozhin, I. S., Solomon, Z. G., & Bezborodov, A. M. (1991). Degradation of styrene and ethylbenzene by *Pseudomonas* species Y2. *FEMS Microbiology Letters*, 77(2–3), 237–241.
- Vashishtha, M., Dongara, P., & Singh, D. (2010). Improvement in properties of urea by phosphogypsum coating. *Int. J. of ChemTech Research*, 2(1), 36–44.
- Varelas, C. G., Dixon, D. G., & Steiner, C. A. (1995). Zero-order release from biphasic polymer hydrogels. *Journal of Controlled Release*, 34(3), 185–192.
- Velasco, A., Alonso, S., García, J. L., Perera, J., & Díaz, E. (1998). Genetic and functional analysis of the styrene catabolic cluster of *Pseudomonas* sp. strain Y2. *Journal of Bacteriology*, 180(5), 1063–1071.
- Wang, X., Chen, L., & Yoshimura, N. (2000). Erosion by acid rain, accelerating the tracking of polystyrene insulating material. *Journal of Physics D: Applied Physics*, 33(9), 1117.
- Wagner, J. G. (1969). Interpretation of percent dissolved-time plots derived from in vitro testing of conventional tablets and capsules. *Journal of Pharmaceutical Sciences*, 58(10), 1253–1257.
- Woodward, S. C., Brewer, P. S., Moatamed, F., Schindler, A., & Pitt, C. G. (1985). The intracellular degradation of poly( $\epsilon$ -caprolactone). *Journal of Biomedical Materials Research*, 19(4), 437–444.
- Wu, L., Liu, M., & Liang, R. (2008). Preparation and properties of a double-coated slow-release NPK compound fertilizer with superabsorbent and water-retention. *Bioresource Technology*, 99(3), 547–554.
- Xie, L., Liu, M., Ni, B., Zhang, X., & Wang, Y. (2011). Slow-release nitrogen and boron fertilizer from a functional superabsorbent formulation based on

wheat straw and attapulгите. *Chemical Engineering Journal*, 167(1), 342–348.

Yang, Y. C., Tong, Z., Geng, Y., Li, Y., & Zhang, M. (2013). Biobased Polymer Composites Derived from Corn Stover and Feather Meals as Double-Coating Materials for Controlled-Release and Water-Retention Urea Fertilizers. *Journal of Agricultural and Food Chemistry*, 61(34), 8166–8174.

Yang, Y. C., Zhang, M., Li, Y., Fan, X., & Geng, Y. (2012). Improving the Quality of Polymer-Coated Urea with Recycled Plastic, Proper Additives, and Large Tablets. *Journal of Agricultural and Food Chemistry*, 60(45), 11229–11237.

Zahrani, S.M. (2000). Utilization of Polyethylene and Paraffin Waxes as Controlled Delivery Systems for Different Fertilizers., *Ind. Eng. Chem. Res.*, 39(2), 367-371.

Zulhaimi, N. Z., Kushaari, K., & Man, Z. (2011). Characterization of Chemically Modified Biomass as a Coating Material for Controlled Released Urea by Contact Angle Measurement. *International Scholarly and Scientific Research & Innovation*, 5(10), 10–22.





