

DAFTAR PUSTAKA

1. World Health Organization. Global AIDS Updates. 2016.
2. Wahyudi H, dkk. Terapi ARV Meningkatkan Kadar IL-17 Serum pada Pasien HIV. *Jurnal Kedokteran Brawijaya*. 2013;27:222-7.
3. Green CW. Pengobatan untuk AIDS: Ingin Mulai? Jakarta: Yayasan Spiritia; 2009.
4. UNAIDS. Chronic care of HIV and Non-Communicable Diseases. 2011.
5. Bustan MN. Epidemiologi Penyakit Tidak Menular. Jakarta: Rineka Cipta; 2007.
6. World Health Organization. Global Status Report on Noncommunicable Diseases 2014. 2014.
7. Departemen Kesehatan RI Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. Terapi Antiretroviral. 2007.
8. Lorenzo C. The National Cholesterol Education Program–Adult Treatment Panel III, International Diabetes Federation, and World Health Organization Definitions of the Metabolic Syndrome as Predictors of Incident Cardiovascular Disease and Diabetes. *Diabetes Care*. 2007;30(1):8-13.
9. Janssens B, dkk. Offering integrated care for HIV/AIDS, diabetes and hypertension within chronic disease clinics in Cambodia. *Bulletin of the World Health Organization*. 2007;85(11):880-5.
10. Wand H, dkk. Metabolic syndrome, cardiovascular disease and type 2 diabetes mellitus after initiation of antiretroviral therapy in HIV infection. *AIDS*. 2007;21:2445-53.
11. Shen Y, dkk. Prevalence of Hyperglycemia among Adults with Newly Diagnosed HIV/AIDS in China. *BMC Infectious Diseases*. 2013;13(79):1-6.
12. Dimala CA. A Comparison of the Diabetes Risk Score in HIV/AIDS Patients on Highly Active Antiretroviral Therapy (HAART) and HAARTNaïve Patients at the Limbe Regional Hospital, Cameroon. *Plos One*. 2016;11(5):1-10.
13. Wit SD. Incidence and Risk Factor for New-Onset Diabetes in HIV-Infected Patients. *Diabetes Care*. 2008;31(6):1224-9.
14. Chu C, dkk. Comorbidity-Related Treatment *Outcomes* among HIV-Infected Adults in the Bronx, NY. *Journal of Urban Health: Bulletin of the New York Academy of Medicine*. 2011;88(3):507-16.

15. Rasmussen LD, dkk. Risk of Diabetes Mellitus in Persons with and without HIV: A Danish Nationwide Population-Based Cohort Study. *Plos One*. 2012;7(9):1-8.
16. Anwar R. *Meta Analisis*. Bandung: Fakultas Kedokteran UNPAD; 2005.
17. Hutapea R. *AIDS & PMS dan Pemerksaan*. Jakarta: Rineka Cipta; 1995.
18. Najmah. *Epidemiologi Penyakit Menular*. Jakarta: Trans Info Media; 2016.
19. Murtiastutik D. *Infeksi Menular Seksual*. Surabaya: Airlangga University Press; 2008.
20. World Health Organization. WHO factsheet : Static Profile. 2012.
21. Lang S, dkk. Epidemiology of coronary heart disease in HIV-infected versus uninfected individuals in developed countries. *Archives of Cardiovascular Disease* 2015;108:206-15.
22. Galli L. Risk of type 2 diabetes among HIV-infected and healthy subjects in Italy. *J Epidemiol*. 2012;27:657-65.
23. Alvaro-Meca A, dkk. Fifteen-Year Trends in the Prevalence of Diabetes among Hospitalized HIV-Infected Patients in Spain (1997-2012). *Plos One*. 2016;11(9).
24. Nigatu T, dkk. Developing a Public Health Framework for the Epidemiological Linkages between HIV/AIDS and NCDs: A Thematic Research Synthesis. *International Journal of Prevention and Treatment*. 2012;1:53-60.
25. Nasronudin. *HIV & AIDS Pendekatan Biologi Molekuler*. Surabaya: Airlangga University Press; 2007.
26. Nursalam, Kurniawati ND. *Asuhan Keperawatan pada Pasien Terinfeksi HIV/AIDS*. Jakarta: Salemba Medika; 2007.
27. Khunnawat C, dkk. Cardiovascular Manifestation in Human Immunodeficiency Virus-Infected Patients. *Am J Cardiol* 2008;102:635-42.
28. Preitas P, dkk. *Current Perspectives in HIV Infection*: Intech; 2013.
29. Hejazi N, dkk. Metabolic Abnormalities in Adult HIV Infected Population on Antiretroviral Medication in Malaysia : A *Cross-sectional* Survey. *BMC Public Health*. 2013;13:1-11.
30. Edwards-Jackson N. Cardiovascular Risk Assessment in Person with HIV Infection in the Developing World: Comparing Three Risk Equations in A Cohort of HIV-Infected Thais. *HIV Medicine*. 2011;12:510-5.
31. Nguyen KA, dkk. A Meta-Analysis of Metabolic Syndrome Prevalence in the Global HIV-Infected Population. *Plos One*. 2016;11(3):1-27.

32. Longi-Mbenza B. Relationship between Younger Age, Autoimmunity, Cardiometabolic Risk, Oxidative Stress, HAART, and Ischemic Stroke in Africans with HIV/AIDS. *International Scholarly Research Network Cardiology*. 2011:1-5.
33. Chow FC, dkk. Comparison of Ischemic Stroke Incidence in HIV-Infected and Non-HIV-Infected Patients in a U.S. Health Care System. *J Acquir Immune Defic Syndr*. 2012;60(4):351-8.
34. Junaidi I. *Stroke, Waspada! Ancamannya*. Yogyakarta: ANDI; 2011.
35. Anies. *Kolesterol dan Penyakit Jantung Koroner*. Jogjakarta: Ar-Ruzz Media; 2015.
36. Moller NF, dkk. Result from the DAD Study: Cardiovascular Disease Risk Factors in HIV Patients-Association with Antiretroviral Therapy. *AIDS*. 2003;17:1179-93.
37. Tipping B, dkk. Stroke in Patients with Human Immunodeficiency Virus Infection. *J Neurol Neurosurg Psychiatry* 2007;78:1320-4.
38. Limstreng S. Dyslipidemias and Elevated Cardiovascular Risk on Lopinavir-Based Antiretroviral Therapy in Cambodia. *Plos One*. 2016;11(8):1-13.
39. Borenstein M, Hedges L, Rothstein H. *Introduction to Meta-Analysis* 2007.
40. Spagnuolo V, Galli L, Poli A, Salpietro S, Gianotti N, Piatti P, *et al*. Associations of statins and antiretroviral drugs with the onset of type 2 diabetes among HIV-1-infected patients. *BMC infectious diseases*. 2017;17(1):43.
41. Gomes A, Reyes EV, Garduno LS, Rojas R, Mir Mesejo G, Del Rosario E, *et al*. Incidence of Diabetes Mellitus and Obesity and the Overlap of Comorbidities in HIV+ Hispanics Initiating Antiretroviral Therapy. *PloS one*. 2016;11(8):e0160797.
42. Brown TT, Cole SR, Li X, Kingsley LA, Palella FJ, Riddler SA, *et al*. Antiretroviral therapy and the prevalence and incidence of diabetes mellitus in the multicenter AIDS cohort study. *Archives of internal medicine*. 2005;165(10):1179-84.
43. Rasmussen LD, Mathiesen ER, Kronborg G, Pedersen C, Gerstoft J, Obel N. Risk of diabetes mellitus in persons with and without HIV: a Danish nationwide population-based cohort study. *PloS one*. 2012;7(9):e44575.
44. Brown TT, Tassiopoulos K, Bosch RJ, Shikuma C, McComsey GA. Association between systemic inflammation and incident diabetes in HIV-infected patients after initiation of antiretroviral therapy. *Diabetes care*. 2010;33(10):2244-9.
45. Alvaro-Meca A, Jimenez-Garcia R, Jimenez-Trujillo I, Hernandez-Barrera V, de Miguel-Diez J, Resino S, *et al*. Fifteen-Year Trends in the Prevalence

of Diabetes among Hospitalized HIV-Infected Patients in Spain (1997-2012). PloS one. 2016;11(9):e0161953.

46. Abebe SM, Getachew A, Fasika S, Bayisa M, Girma Demisse A, Mesfin N. Diabetes mellitus among HIV-infected individuals in follow-up care at University of Gondar Hospital, Northwest Ethiopia. *BMJ open*. 2016;6(8):e011175.
47. Mandina Ndonga M, Longo-Mbenza B, Wumba R, Tandu Umba B, Buassa-Bu-Tsumbu B, Mbula Mambimbi M, *et al.* Nadir CD4+, religion, antiretroviral therapy, incidence of type 2 diabetes mellitus, and increasing rates of obesity among black Africans with HIV disease. *International journal of general medicine*. 2012;5:983-90.
48. Jain MK, Aragaki C, Fischbach L, Gibson S, Arora R, May L, *et al.* Hepatitis C is associated with type 2 diabetes mellitus in HIV-infected persons without traditional risk factors. *HIV medicine*. 2007;8(8):491-7.
49. Gianotti N, Visco F, Galli L, Barda B, Piatti P, Salpietro S, *et al.* Detecting impaired glucose tolerance or type 2 diabetes mellitus by means of an oral glucose tolerance test in HIV-infected patients. *HIV medicine*. 2011;12(2):109-17.
50. Indira P, Kumar PM, Shalini S, Vaman K. Opportunistic Infections among People Living with HIV (PLHIV) with Diabetes Mellitus (DM) Attending a Tertiary Care Hospital in Coastal City of South India. *PloS one*. 2015;10(8):e0136280.
51. Mohammed AE, Shenkute TY, Gebisa WC. Diabetes mellitus and risk factors in human immunodeficiency virus-infected individuals at Jimma University Specialized Hospital, Southwest Ethiopia. *Diabetes, metabolic syndrome and obesity : targets and therapy*. 2015;8:197-206.
52. Diouf A, Cournil A, Ba-Fall K, Ngom-Gueye NF, Eymard-Duvernay S, Ndiaye I, *et al.* Diabetes and Hypertension among Patients Receiving Antiretroviral Treatment Since 1998 in Senegal: Prevalence and Associated Factors. *Isrn Aids*. 2012;2012:621565.
53. Hove-Skovsgaard M, Gaardbo JC, Kolte L, Winding K, Seljeflot I, Svardal A, *et al.* HIV-infected persons with type 2 diabetes show evidence of endothelial dysfunction and increased inflammation. *BMC infectious diseases*. 2017;17:1-8.
54. Galli L, Salpietro S, Pellicciotta G, Galliani A, Piatti P, Hasson H, *et al.* Risk of type 2 diabetes among HIV-infected and healthy subjects in Italy. *European journal of epidemiology*. 2012;27(8):657-65.
55. Pillay S, Aldous C, Mahomed F. A deadly combination - HIV and diabetes mellitus: Where are we now? *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 2016;106(4):54.

56. Hernandez-Romieu AC, Garg S, Rosenberg ES, Thompson-Paul AM, Skarbinski J. Is diabetes prevalence higher among HIV-infected individuals compared with the general population? Evidence from MMP and NHANES 2009-2010. *BMJ open diabetes research & care*. 2017;5(1):e000304.
57. Kim PS, Woods C, Dutcher L, Georgoff P, Rosenberg A, Mican JA, *et al*. Increased prevalence of albuminuria in HIV-infected adults with diabetes. *PloS one*. 2011;6(9):e24610.
58. Yunita B, Kurniawati E. Faktor-faktor yang berhubungan dengan kejadian Diabetes Melitus tipe II. *J Majority*. 2016;5:27-31.
59. Fatimah RN. Diabetes Melitus Tipe 2. *J Majority* 2015;4:93-101.
60. Agoes A, Agoes A, Agoes A. Penyakit di Usia Tua. Jakarta: EGC; 2011.
61. Heryana A. Faktor Risiko Diabetes Melitus Tipe 2, 1-21.
62. Pioreschi A, Munthali RJ, Soepnel L, Goldstein JA, Micklesfield LK, Aronoff DM, *et al*. Incidence and prevalence of type 2 diabetes mellitus with HIV infection in Africa: a systematic review and metaanalysis. *BMJ Open*. 2017;7:1-11.
63. Wanke C, M S, T K. Weight loss and wasting remain common complications in individuals infected with Human Immunodeficiency Virus in the era of highly active antiretroviral therapy. *Clinical Infectious Diseases*. 2000;31:803-5.
64. Abby H, Shevitz, TA K. Nutrition in the era of highly active antiretroviral therapy. *Clinical Infectious Diseases*. 2001;32(1769-1775).
65. Soetiarto F, Roselinda, Suhardi. Hubungan Diabetes Melitus dengan Obesitas berdasarkan Indeks Masa Tubuh dan Lingkar Pinggang. *Bul Penelit Kesehatan*. 2010;38:36-42.

