

DAFTAR PUSTAKA

- Abdolali, A., H.H. Ngo, W. Guo, J.L. Zhou, B. Du, Q. Wei, X.C. Wang, P.D. Nguyen. 2015. Characterization of a multi-metal binding biosorbent: chemical modification and desorption studies. *Biosource Technology*. 193: 477-487.
- Abid, I.G., M.T. Ayadi. 2015. Competitive adsorption of heavy metals on local landfill clay. *Arabian Journal of Chemistry*
- AD. C., M. Benalia, Y. Laidani, H. Elmsellem, F. B. Saffedine, I. Nouacer,M. Djedid, B. El Mahi and B. Hammouti. 2015. Adsorptive removal of cadmium from aqueous solution by *Luffa Cylindrica*: Equilibrium, dynamic and thermodynamic. *Der Pharma Chemica*. 7(12):388-397
- Adeel, H.M, B. Parveen. 2013. Biosorption of copper (II) from aqueous solution by Ocimum basilicum seeds biomass. *International Journal of Chemical and Biochemical Sciences*.
- Adelagun, R.O.A,A.U. Itodo, E.P. Berezi, O.J. Oko, E.A. Kamba, C. Andrew, H.A. Bello. 2014. Adsorption of Pb²⁺ from aqueous solution by modified melon(*Citrullus lanatus*) seed husk. *Chemistry and Materials Research*. 6(2)
- Adelaja O. A., Amoo I.A., 2011. Biosorption of Lead (II) ions from aqueous solution using *Moringa oleifera* pods. *Archives of Applied Science Research*.
- Afkhami, A., R. Moosavi, 2010. Adsorptive removal of Congo red, a carcinogenic textile dye, from aqueous solutions by maghemite nanoparticles, *Journal of Hazardous Materials*. 174: 398–403
- Agouborde, L., Navia, R. 2009. Heavy metals retention capacity of a non-conventional sorbent developed from a mixture of industrial and agricultural wastes. *Journal of Hazardous Materials*. 167: 536–544
- Ahalya, N., Ramachandra, T.V., Kanamadi, R.D., 2003. Biosorption of Heavy metals, *Research Journal of Chemistry and Environment*. 7(4): 71-79
- Aji, B.K. dan Kurniawan F.2012.Pemanfaatan Serbuk Biji Salak Sebagai Adsorben Krom (VI) dengan Metode Batch dan Kolom. *Jurnal Institut Teknologi Sepuluh September*.
- Akar T, Tosun I, Kaynak Z, Kavas E, Incirkus G, Akar ST. 2009. Assessment of the biosorption characteristics of a macro-fungus for the decolorization of Acid Red 44 (AR44) dye. *Journal of Hazardous Materials*. 171:865–871.
- Akunwa, N.K., M.N. Muhammad, J.C. Akunna. 2014. Treatment of metal-contaminated wastewater: A comparison of low-cost biosorbent. *Journal of Environmental Management*. 146:517-523

- Areco, M.M., S. Hanela, J. Duran, M.S. Afonso. 2012. Biosorption of Cu(II), Zn(II), Cd(II) and Pb(II) by dead biomasses of green alga *Ulva lactuca* and the development of a suitable matrix for adsorption implementation. *Journal of Hazardous Materials.* 213-214: 123-132
- Awwad, A. M., Farhan, A.M., 2012. Equilibrium and Kinetic Studies of Cd(II) and Pb(II) ions biosorption onto Olive Leaves Powder, *American Journal of Chemistry*, 2(4), 238-244
- Banerjee, K., S.T. Ramesh, R.G. Mathi. PU.Niedheesh and KS Bharathi. 2012. A Novel Agricultural Waste Adsorbent, Watermelon Shell for the Removal of Copper from Aqueous Solutions. *Iranica Journal of Energy & Environment.* 3(2): 143-156.
- Bansal, M., A. Mudhoo, V.K.Garg, D. Singh. 2013. Preparation and characterization of biosorbent and copper sequestration from simulated wastewater. *International Journal Environment Sciences Technology* DOI.10.1007/513762-013-0293-1
- Bishnoi, N.R., Kumar, R., Kumar, S. and Rani, S. 2007. Biosorption of Cr (III) from aqueous solution using algal biomass of *Spirogyra* spp., *Journal of Hazardous Materials.* 145(1-2): 142 – 147
- Chaidir, Z., Zein, R., Hasanah, Q., Nurdin, H and Aziz, H. 2015. Absorption of Cr(III) and Cr(VI) metals in aqueous solution using Mangosteen Rind (*Pithecellobium jiringa* (jack) prain.). *Journal of Chemical and Pharmaceutical Research*, 2015, 7(8):948-956
- Chaidir, Z., Sari, P.N., Zein, R and Munaf, E. 2015. Calcium alginate immobilized sugar palm fruit (*Arenga pinnata* Merr) Shell for the removal of Pb(II) and Cd(II) ions. *Journal of Chemical and Pharmaceutical Research*, 2015, 7(5):965-972
- Chao, H.P., C.C. Chang, A. Nieva. 2014. Biosorption of heavy metals on Citrus maxima peel, passion fruit shell, and sugarcane bagasse in a fixed-bed column. *Journal of Industrial and Engineering Chemistry.*
- Charumathi, D., N. Das. 2012. Packed bed column studies for the removal of synthetic dyes from textile wastewater using immobilised dead *C. tropicalis*. *Desalination.* 285: 22–30
- Chen, J.P., Yang, L., 2006. Study of a heavy metal biosorption onto raw and chemically modified sargassum sp. via spectroscopic and modeling analysis. *Langmuir.* 22: 8906–8914.
- Chen, S., Yue, Q. 2011. Removal of Cr(VI) from aqueous solution using modified corn stalks: Characteristic, equilibrium, kinetic and thermodynamic study. *Chemical Engineering Journal.* 168:909–917

- Chuah, T.G., A. Jumasiah, I. Azni, S. Katayon, S.Y. Thomas Choong. 2005. Rice Husk as a potentially low-cost biosorbent for heavy metal and dye removal: an overview. *Desalination*. 175: 305-316
- Christoforidis, A.K., S. Orfanidis, S.K. Papageorgiou, A.N. Lazaridou, E.P. Favvas, A.Ch. Mitropoulos. 2015. Study of Cu(II) removal by Cystoseira crinitophylla biomass in batch and continuous flow biosorption. *Chemical Engineering Journal*. 277: 334–340
- Chubar, N., J.R. Carvalho, M.J.N. Corella, 2004. Cork Biomass as bisorbent for Cu(II), Zn(II), and Ni(II). *Colloids and Surfaces A: Physicochem Enggineering Aspects*. 230:57-65
- Chung, H.K., W. H. Kim, J. Park, J. Cho, T. Y. Jeong, P. K. Park. 2015. Application of Langmuir and Freundlich isotherms to predict adsorbate removal efficiency or required amount of adsorbent. *Journal of Industrial and Engineering Chemistry*.
- Colyer. 2000. *The Van Deemter equation: A Three Act Play*. Wake Forest University. Winston-Salem, North Carolina
- Dabrowski, A., Hubicki, Z., Podkoscieilny P., Robens E. 2004. Selective removal of the heavy metal ions from waters and industrial wastewaters by ion-exchange method. *Chemosphere*. 56: 91–106
- Day, R.A, dan Underwood A.L, 1986, *Analisis Kimia Kuantitatif*, Edisi Kelima, Penerbit Erlangga, Jakarta
- Delgado, A.L., Anserlmo, A.M., and Novais, J.M., 1998, Heavy Metal Biosorption by Dried Powdered Mycelium of Fusarium falciparum. *Water Environment Research*. 70(3), 370-374.
- Farooq, U., M. A. Khan, M. Athar, J. A. Kozinski. 2011. Effect of modification of environmentally friendly biosorbent wheat (*Triticum aestivum*) on the biosorptive removal of cadmium(II) ions from aqueous solution. *Chemical Engineering Journal*, 171: 400–410
- Fessenden, R.J., dan Fessenden, J.S., 1986, *Kimia Organik* Jilid 2, Erlangga, Jakarta.
- Gadd, G.M, White, C. 1990. Biosorption of radionuclides by fungal biomass. *Journal Chemical Technology Biotechnoloy*. 49(4):331-43.
- Ghaedi, M., A. Ansari, M. H. Habibi, A.R. Asghari. 2014. Removal of malachite green from aqueous solution by zinc oxide nanoparticle loaded on activated carbon: Kinetics and isotherm study. *Journal of Industrial and Engineering Chemistry*
- Gupta, V.K., Pathania, D., Agarwai, S., 2013. Removal of Cr(II) onto Ficus carica Biosorbent for Water, *Environment Science Pollution Research*. 20:2632–2644.

- Herrero, R, Ledoiro, P., Rojo, R. Ciorba, A, & Rodriguez, P., 2008, The efficiency of the red alga *Mastocarpus stellatus* for remediation of cadmium pollution, *Bioresource Technology*, 99, 4138-4146.
- Hossain, M. A, H. H. Ngo, W. S. Guo and T. V. Nguyen. 2012. Biosorption of Cu(II) From Water by Banana Peel Based Biosorbent: Experiments and Models of Adsorption and Desorption. *Journal of Water Sustainability*. 2(1): 87–104
- Huang, K., Xiua, Y., Zhu, H., 2013. Removal of heavy metal ions from aqueous solution by chemically modified mangosteen pericarp. *Desalination and Water Treatment*. 52: 7108–7116
- Inoue, K., Paudyal, H., Nakagawa,H., Kawakita,H., Ohto,K. 2010. Selective adsorption of chromium (VI) from zinc (II) and other metal ions using persimmon waste gel, *Hydrometallurgy*. 104: 123–128
- Irsan, Marianti. 2013. Uji Iritasi Krim Antioksidan Ekstrak Biji Lengkeng (*Euphoria Longana Steund*) Pada Kulit Kelinci (*Oryctilagus cuniculus*). *Majalah Farmasi dan Farmakologi*. 17(2).
- Jaitrong S, Rattanaponone N and Manthey J.A. 2006. Analysis of the Phenolic Compounds in Longan (*Dimocarpus longan* Lour.) Peel, *Proceedings of the Florida State Horticultural Society*, 119, 371-375.
- Jamaludin, A., Adiantoro, D., 2012. Analisis Kerusakan X-Ray Fluorescence (XRF). *Pusat Teknologi Bahan Bakar Nuklir – BATAN*. ISSN 1979-2409. (5): 09-10.
- Jwan A., A. Sattar. 2013. Toxic Metal Pollution Abatement Using Sour Orange Biomass. *Journal of Al-Nahrain University*. 16 (3).
- Khopkar, S., M., 1990. *Konsep Dasar Kimia Analitik*. UI Press. Jakarta.
- Kurniawan, M.I, Z. Abdullah, A. Rahmadani, R. Zein, and E. Munaf., 2014. Isotherm and Kinetic Modeling of Pb(II) and Cu(II) Uptake by *Annona muricata* L. Seeds. *Asian Journal of Chemistry*. 26(12): 3588-3594
- Kurniawati, D., I. Lestari, Harmiwati, R. Zein et.al. 2015. Biosorption of Pb (II) from aqueous solutions using column method by lengkeng (*Euphoria logan lour*) seed and shell. *Journal of Chemical and Pharmaceutical Research*.7(12); 872-877
- Lee, S.M., Lalhmunsima and D. Tiwari. 2014. Sericite in the remediation of Cd(II)- and Mn(II)-contaminated waters: batch and column studies. *Environment Science Pollution Research*. 21:3686–3696
- Lestari, I., S. Sy, Harmiwati, D. Kurniawati4, A. Alif, R. Zein and H. Aziz. 2016. Effect of pH on the biosorption of heavy metal by alginate immobilized durian(*Durio zibethinus*) seed. *Der Pharma Chemica*. 8(5):294-300

- Lima, A.T., Rodrigues,P.C., Mexia, J.T. 2010. Heavy metal migration during electroremediation of fly ash from different wastes-Modeling. *Journal of Hazardous Material.*175: 366–371
- Liu, Y., Liu, Y.J., 2008, Biosorption Isoterm, Kinetics and Thermodynamics, *Saparation and Purification Technology*, 61, 229-242.
- Long, Y., D. Lei, J. Ni, Z. Ren, C. Chen, H. Xu. 2014. Packed bed column studies on lead(II) removal from industrial wastewater by modified Agaricus bisporus. *Bioresource Technology.* 152: 457–463
- Lu, D., Cao, O., Li, X., Cao, X., Luo, F., Shao, W., 2009. Kinetics and equilibrium of Cu(II) adsorption onto chemically modified orange peel cellulose biosorbents. *Hydrometallurgy.* 92: 145–152
- Mahamadi, C., T. Nharingo. 2010. Competitive adsorption of Pb²⁺, Cd²⁺ and Zn²⁺ ions onto Eichhornia crassipes in binary and ternary systems, *Bioresource Technology.* 101: 859–864
- Mancy, T.B, Mathew, M.M and Stanley, S.A. 2013. Comparative Analysis of Cost Effective Biosorbents in the Removal of Chromium and Iron from Aqueous Solution. *Advance Bio Technology.* 12(12)
- Mao J, Won SW, Vijayaraghavan K, Yun YS. 2009. Surface modification of Conyne bacterium glutamicum for enhanced reactive red 4 biosorption. *Bioresource Technology.* 100: 1463-1466
- Marin, A.B.P., J.F. Ortuno, M.I. Aguilar, V.F. Meseguer, J. Saez, M. Llorens, 2010. Use of chemical modification to determine the binding of Cd(II), Zn(II) and Cr(II) ions by orange waste. *Biochemical Engineering Journal.* 53:2-6
- Martin, S., Griswold, W. 2009. Human Health Effects of Heavy Metals. *Center for Hazardous Substance Research.* 15.
- Matlock, M.M., Howerton, B.S., Atwood, D.A., 2002, Chemical precipitation of heavy metals from acid mine drainage. *Water Research.* 36: 4757–4764.
- Munaf, E., Takeuchi, T., 1994. Monitoring of University Effluents, in Hazardous Waste Control. *Hazard Waste Con in Res and Edu, Lewis Publisher.* USA.
- Nazaruddin, N., R. Zein, E. Munaf, and J. Jin. 2014. Biosorption of Copper(II), Lead(II), Cadmium(II), and Zinc(II) ions from Aqueous Solution by Nypa Fruticans Merr Shell on Batch Method. *Journalof Chemical and Pharmaceutical Research.* 6(12). 370-376.
- Okafor, P. C., P. U. Okon, E. F. Daniel and E. E. Ebenso. 2012. Adsorption Capacity of Coconut (*Cocos nucifera* L.) Shell for Lead, Copper, Cadmium and Arsenic from Aqueous Solutions. *International Journal Electrochemical Science.* 7:12354 – 12369.

- Olu-owolabi, B. I., Oputu, dkk. 2012. Biosorption of Cd²⁺ and Pb²⁺ ions onto mango stone and cocoa pod waste: Kinetic and equilibrium studies. *Scientific Research and Essays*. 7(15): 1614-1629
- Ozdes, D., Gundogdu, A., Kemer, B., Duran, C., Senturk, H.B., Soylak, M., 2009. Removal of Pb(II) ions from aqueous solution by a waste mud from copper mine industry: equilibrium, kinetic and thermodynamic study. *Journal of Hazardous Material*. 166 (2–3), 1480–1487.
- Papandreu, A., Stournaras, C.J., Panias, D., 2007. Copper and cadmium adsorption on pellets made from fired coal fly ash. *Journal of Hazardous Material*. 148, 538–547.
- Parham, H., B. Zargar, R. Shiralipour. 2012. Fast and efficient removal of mercury from water samples using magnetic iron oxide nanoparticles modified with 2-mercaptobenzothiazole, *Journal of Hazardous Material*. 205–206: 94–10
- Park, Donghee, 2005. Studies on Hexavalent Chromium biosorption by Chemically Treated Biomass of ecklonia sp. *Chemosphere*. 60: 1356–1364
- Pehlivan, E., T. Altun, S. Parlayici. 2012. Modified barley straw as a potential biosorbent for removal of copper ions from aqueous solution. *Food Chemistry*. 135: 2229–2234
- Putra. W, Kamari. A, and Yusoff. S. 2014. Biosorption of Cu(II), Pb(II) and Zn(II) ions from aqueous solutions using selected waste materials: Adsorption and characterisation studies, *Journal of Encapsulation Adsorption Science*, 4. 25–35
- Rad, R.J, H. Ghafouriana, Y. Asefa, S.T. Dalira, M.H. Sahafipoura, B.M. Gharanjik. 2004. Biosorption of cesium by native and chemically modified biomass of marine algae: introduce the new biosorbents for biotechnology applications. *Journal of Hazardous Materials B*.116: 125–134
- Rajeswari, M., P. Agrawal, S. Pavithra, Priya, G. R. Sandhya, and G. M. Pavithra. 2013. Continuous Biosorption of Cadmium by Moringa olefera in a Packed Column. *Biotechnology and Bioprocess Engineering*. 18: 321-325
- Rosika K., Dian A., Djoko K., 2007. Pengujian Kemampuan XRF Untuk Analisis komposisi Unsur Paduan Zr-Sn-Cr-Fe-Ni. *Prosiding Seminar Nasional Sains dan Teknologi Nuklir, Pusat Teknologi Nuklir bahan dan radiometri (PTNBR) BATAN*, Bandung, 17 – 18 Juli 2007
- Sang Y, Li F, Gu Q, Liang C, Chen J, 2008. Heavy metal-contaminated groundwater treatment by a novel nanofiber membrane. *Desalination*, 223: 349—360

- Santi, Nur, R., 2011. Aktivitas Antibakteri Ekstrak Etanol Kulit Dan Biji Lengkeng (*Euphoria longan* (Lour.) Steud) Terhadap Escherichia Coli Dan Staphylococcus Aureus Serta Toksisitasnya Terhadap Artemia Salina Leach. *Jurnal Pharmacon.* 12(1)
- Saqiba, A., N., S., Waseema, A., 2013. Arsenic bioremediation by low cost materials derived from Blue Pine (*Pinuswallichiana*) and Walnut (*Juglans regia*). *Ecological Engineering.* 51. 88–94.
- Skoog, D. A., Donald M. West, F. James Holler, Stanley R. Crouch, 2000. *Fundamentals of Analytical Chemistry*. Hardcover: 992 pages. Publisher: Brooks Cole.
- Stevens, M.P. 2001. *Kimia Polimer*. PT. Pradnya Paramita, cetakan pertama, Jakarta.
- Sud, D., Mahajan, G., Kaur, M.P. 2008. Agricultural waste material as potential adsorbent for sequestering heavy metal ions from aqueous solutions – A review. *Bioresource Technolgy.* 99: 6017–6027
- Suhaili, R., A. Muliati, Ferawati, Hidayat and R. Zein, 2016. Biosorption of Cadmium and Zinc by Tanjung Fruit Husk (*Mimusops elengi* L.). *Der Pharma Chemica*, 8(7), 55-61
- Suresh, Ch., D.H.K. Reddy, Y. Harinath, B.R. Naik, K. Seshaiah, and A.V.R. Reddy. 2014. Development of Wood Apple Shell (*Feronia acidissima*) Powder Biosorbent and Its Application for the Removal of Cd(II) from Aqueous Solution. *Hindawi Publishing Corporation TheScientific World Journal.* 154809.
- Tijani, J.O, Ndamitso, M.M., Aliyu, I.B., and Olakunle, O.S., 2013. Equilibrium and Isotherm studies of the biosorption of potentially toxic elements from aqueous solution by *Blighia sapida* (Akee apple) seeds. *International Journal of Advancements in Research & Technology.* 2(3). ISSN 2278-7763.
- Tjitrosoepomo, G. 2013. *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press: Yogyakarta.
- Vargas, K.K., Lopez, M.C. 2012. Biosorption of heavy metals in polluted water, using different waste fruit cortex. *Physics and Chemistry of the Earth.* 37–39: 26–29.
- Vijetha, P., Kumaraswamy K., Dhananjaneyulu BV., Satyasree N., and Lalitha K. B. 2014. Kinetic Studies on Biosorption of Cadmium and Nickel from Aqueous Solutions with *Citrus limonum*. *Research Journal of Pharmaceutica. Biological and Chemical Sciences.* 5(3): 1006-1015
- Vogel, 1990. *Analisa Anorganik kualitatif makro dan semi micro. Bahagian I* (Terjemahan L.setiono dan A Hadyana.P, Edisi lima). PT Kalman Media Pustaka: Jakarta.

- Wahyuni, D., F. Furqani, A. W. Astuti, Khoiriah, Indrawati, R. Zein, and E. Munaf. 2014. Removal of Cadmium (II) and Copper (II) from Aqueous Solution by Using Langsat Fruit (*Lansium domesticum* Corr) Seed. *Research Journal of Pharmaceutical Biological and Chemical Science.* 5(5), 1320-1328.
- Wang, B., Xiu, G., 2011. Reuse of waste beer yeast sludge for biosorptive decolorization of reactive blue 49 from aqueous solution. *World Journal Microbiology Biotechnology.* 27 (6): 1297-1302.
- Wang, J., Chen, C., 2009. Biosorbent for Heavy Metals Removal and Their Future, *Biotechnology Advances,* 27: 195-226
- WHO, 2001. *Environmental Health Criteria.* 221: Zinc. Geneva.
- Witek-Krowiak, A., D.H.K. Reddy., 2013. Removal of microelemental Cr(III) and Cu(II) by using soybean meal waste – Unusual isotherms and insights of binding mechanism. *Biosource Technology.* 127:350-357.
- Witek-Krowiak, A., R. G. Szafran, S. Modelska. 2011. Biosorption of heavy metals from aqueous solutions onto peanut shell as a low-cost biosorbent. *Desalination* 265 .126–134
- Xi, Y., Shen, Y., Yang, F., Yang, G., Liu, C., Zhang, Z., Zhu, D., 2013. Removal of azo dye from aqueous solution by a new biosorbent prepared with *Aspergillus nidulans* cultured in tobacco wastewater. *Journal Taiwan Institute Chemical Engineers.* 44, 815-820
- Yargic, A.S. R.Z. Yarbay S., ahin, N. Ozbay, E. Onal. 2015. Assessment of toxic copper (II) from aqueous solution by chemically-treated tomato waste. *Journal of cleaner production* 86; 152-159.
- Yu, B., Zhang, Y., Shukla, A., Shukla, S.S., Dorris, K.L., 2000. The removal of heavy metal from aqueous solutions by sawdust adsorption-removal of copper. *Journal of Hazardous Material B.* 80, 33–42
- Yu, J.X., L. Y. Wang, R. A. Chi, Y. F. Zhang, Z. G. Xu, J. Guo. 2013. Competitive adsorption of Pb^{2+} and Cd^{2+} on magnetic modified sugarcane bagasse prepared by two simple steps. *Applied Surface Science.* 268: 163–170
- Zein, R., D. Arrisujaya, Hidayat, M. Elfia, N. Nazarudin, E. Munaf. 2014. Sugar palm *Arenga pinnata Merr* (Magnolophyta) fruit shell as biomaterial to remove Cr(III), Cr(VI), Cd(II) and Zn(II) from aqueous solution. *J. of Water Supply; Research and Technology-AQUA.* 120
- Zein, R., R. Suhaili, F. Earnestly. 2010. Removal of Pb(II), Cd(II) and Co(II) from aqueous solution using *Garcinia mangostana* L,fruit shell. *Journal of Hazardous materials.* 181; 52-56