


## DAFTAR PUSTAKA

1. Riedel RA. Esthetics and its relation to orthodontics therapy. Am. J. Orthod 1970;20:168-78.
2. Proffit WR, Fields HW, Sarver DM. Contemporary orthodontics. 5th ed ed. ST Louis: Elsevier Mosby; 2013. p. 2-5, 162-7.
3. Chan EKM, Soh J, Petocz P, Darendeliler MA. Esthetic evaluation of Asian-Chinese profiles from a white perspective. Am J Orthod Dentofacial Orthop 2008;133:532-8.
4. Burstone CJ. Lip posture and its significance in treatment planning. Am J Orthod 1967 53:262-84.
5. Ricketts RM. Esthetics, environment, and the law of lip relation Am J Orthod 1968;54:272-89.
6. Holdaway RA. Soft-tissue cephalometric analysis and its use in orthodontic treatment planning. Am J Orthod 1983;84:1-28.
7. Jacobson A, Vlachos C. Soft-tissue evaluation. Radiographic cephalometry: From basics to videoimaging. USA: Quintessence Publishing Co, Inc.; 1995. p. 248-52.
8. Indriati E. Antropologi forensik: Identifikasi rangka manusia antropologi biologis dalam konteks hukum. Yogyakarta: Gajah Mada University Press; 2004. p. 59-60.
9. Effendy T. Perbedaan persepsi ortodontis dan orang awam Indonesia terhadap posisi bibir pada profil wajah (kajian pada ras Deutro-Malayid) [Tesis]: Universitas Indonesia; 2015.
10. Irsa R, Syaifullah, Tjong DH. Variasi kefalometri pada beberapa suku di Sumatera Barat. J Bio UA 2013;2:130-37.
11. Rostina T. Analisis profil jaringan lunak menurut metode Holdaway pada mahasiswa FKG USU Suku Deutro Melayu [Skripsi]. Medan: Universitas Sumatera Utara; 2009.

- 
12. Doshi P, Kalia A, Hegde A, Gautam R, Mirdheghan N. Evaluation of the facial profile by alteration of lip position in Indian Maratha male and female population. International Journal of Dental and Medical Specialty 2014;1:7-10.
  13. Maganzini AL, Tseng JYK, Epstein JZ. Perception of facial esthetics by Native Chinese participants by using Manipulated Digital Imagery Techniques. Angle Orthod 2000;70:398-9.
  14. Soh J, Chew MT, Wong HB. A comparative assessment of the perception of Chinese facial profile esthetics. Am J Orthod Dentofacial Orthop 2005;127:692-9.
  15. Shimomura T, Ioi H, Nakata S, Counts AL. Evaluation of well-balanced lip positioned by Japanese orthodontic patients. Am J Orthod Dentofacial Orthop 2011;139:291-7.
  16. Ioi H, Shimomura T, Nakata S, Nakasima A, Counts AL. Comparison of anteroposterior lip position of the most favoured facial profiles of Korean and Japanese people. Am J Orthod Dentofacial Orthop 2008;134:490-5.
  17. Metgud R, Tiwari P, Ramesh G. Evaluation of soft tissue landmarks using Holdaway analysis among southern Rajasthan population in various skeletal malocclusions. J Forensic Res 2015;6:258.
  18. Kokich VO, Kiyak HA, Shapiro PA. Comparing the perception of dentists and laypeople to altered dental esthetics. J Esthet Dent 1999;11:311-24.
  19. Depdiknas. Kamus besar bahasa Indonesia. Jakarta: Gramedia Pustaka Utama; 2005. p. 807.
  20. Rahmat J. Psikologi komunikasi edisi revisi. Bandung: Remaja Rosda Karya; 2008. p. 51-58.
  21. Walgito B. Pengantar psikologi umum. Yogyakarta: Andi offset; 2004. p. 99-100.
  22. Sunaryo. Psikologi untuk keperawatan. Jakarta: EGC; 2004. p. 97-98.
  23. Hamka M. Hubungan antara persepsi terhadap pengawasan kerja dengan motivasi berprestasi [Skripsi]. Surakarta: Universitas Muhammadiyah; 2002.
  24. Nofrizal R. Persepsi estetika dental antara orang awam dengan ortodontis berdasarkan aesthetic componen dari IOTN [Tesis]. Jakarta: Universitas Indonesia; 2012.

25. Jung H-Y, Oh J-S, Hui Z, et al. Assessing the influence of anteroposterior lip position based on esthetic line on the perceived attractiveness. *J Korean Dent Sci* 2013;6:78-86.
26. Cochrane, Cunningham SJ, Hunt NP. A comparison of the perception of facial profile by the general public and 3 group of clinicians. *Int J Adult Orthod Orthognath Surg* 1999;14:291-5.
27. Hall D, Taylor RW, Jacobson A, Sadowsky PL, Bartolucci A. The perception of optimal profile in African Americans versus White Americans as assessed by orthodontist and the lay public. *Am J Orthod Dentofacial Orthop* 2000;118:514-25.
28. Mees S, Bellringa RJ, Mommaerts MY, Pauw GAMD. Preferences of AP position of the straight Caucasian facial profile. *Journal of Cranio-Maxillo-Facial Surgery* 2013;1:9.
29. Fabre M, Mossaz C, Christou P, Kiliaridis S. Orthodontists and laypersons aesthetic assessment of class III subjects referred for orthognathic surgery. *Eur J Orthod* 2009;31:443-8.
30. Turkkahraman H, Gokalp H. Facial profile preferences among various layers of Turkish population. *Angle Orthod* 2004;74:640-7.
31. Nomura M, Motegi E, Hatch JP, et al. Esthetics preferences of European American, Hispanic America, Japanese, and African judges for soft-tissue profiles. *Am J Orthod Dentofacial Orthop* 2009;135:587-95.
32. Tole N, Lajnert V, Pavicic DK, Spalj S. Gender, age, and psychosocial context of the perception of facial esthetics. *J Esthet Restor Dent* 2014;26:119-30.
33. Park NS, Park JH, Bayome M, et al. An evaluation of preferred lip positions according to different age groups. *Int J Oral Maxillofac. Surg* 2013;42:637-42.
34. Ko S-J, Kim H-S, Kim Y-J. The influence of gender or culture on determining esthetic facial profiles. *Korean J Orthod* 2001;31:301-9.
35. Koentjaraningrat. Pengantar ilmu antropologi. Jakarta: Rineka Cipta; 2015. p. 74-76.
36. Irsa R, Syaifulah, Tjong DH. Variasi Kefalometri pada Beberapa Suku di Sumatera Barat. *Jurnal Biologi Universitas Andalas* 2013;2:130-7.

37. Jacob T. Studi tentang variasi manusia di Indonesia. Yogyakarta: Fakultas Kedokteran; 1967.
38. Vlekke BHM. Nusantara: Sejarah Indonesia. Jakarta: Gramedia; 2008. p. 8-12.
39. Odias RR. Analisa wajah perempuan Suku Batak [Tesis]. Medan: FK USU; 2008.
40. Munanda S, Snow MD. Cephalometric analysis of Deutero-Malay Indonesians. Aus Dent J 1995;40:381-8.
41. Winoto NS. Studi profil fasial skelet Indonesia di Surabaya, Jawa Timur dengan pendekatan sefalometrik. Surabaya: Airlangga United Press; 1981.
42. Jacob T. Antropologi biologis. Jakarta: Direktorat Jenderal Pendidikan Tinggi Departemen Pendidikan Nasional; 2000. p. 11-2, 61-8.
43. Prasetyono TOH. Morphometry of Deutero Malay female nose. Med J Indones 2009;18:120-3.
44. Basciftci FA, Uysal T, Buyukerkmen A, Demir A. The influence of extraction treatment on Holdaway soft-tissue measurements. Angle Orthod 2004;74:167-73.
45. Hwang H-S, Kim W-S, McNamara JA. Ethnic differences in the soft tissue profile of Korean and European-American adults with normal occlusions and well-balanced faces. Angle Orthod 2002;72:72-80.
46. Uysal T, Baysal A, Yagci A, Sigler LM, McNamara JA. Ethnic differences in the soft tissue profiles of Turkish and European-American young adults with normal occlusions and well-balanced faces. Eur J Orthod 2012;34:296-301.
47. Hasson D, Arnetz BB. Validation and findings comparing VAS VS Likert scales for psychosocial measurements. Int Electron J Health Educ 2005;8:178-92.
48. Zulfiqar K, Bahir U, Durrani OK, Kiani H. Assesment of the most preferres facial patients and orthodontists. POJ 2013;5:38-43.
49. Glasser PM. Ethnic identity and the perception of facial profile aesthetics: A preliminary study [Thesis]. Ontario: University of Western Ontario; 2012.
50. Sodagar A, Borujeni DG. Evaluation of anteroposterior lip positions in the most-favored Iranian facial profiles using silhouette. Journal of Dentistry, Tehran University of Medical Sciences 2013;10:393-404.
51. Wewers ME, Lowe NK. A critical review of visual analogue scales in the measurement of clinical phenomena. Res Nurs Health 1990;13:227-36.

52. Riduwan. Skala pengukuran variabel-variabel penelitian. Bandung: ALFABETA; 2015. p. 12-15.
53. Riyanto A. Aplikasi metodologi kesehatan. Yogyakarta: Nuha Medika; 2011. p. 138-40.
54. Sastroasmoro S, Ismael S. Dasar-dasar metodologi klinis. 5th Ed ed. Jakarta: Sagung Seto; 2015. p. 68-70.
55. Laerhoven Hv, Zaag-Loonen Hvd, Derkx B. A comparison of likert scale and visual analogue scales as response options in children's questionnaires. *Acta Paediatr* 2004;93:830-5.
56. Abed Y, Har-Zion G, Redlich M. Lip posture following debonding of labial appliances based on conventional profile photographs. *Angle Orthod* 2009;79:235-9.
57. Hockley A, Weinstein M, Borislow AJ, Braitman LE. Photos VS silhouettes for evaluation of African American profile esthetics. *Am J Orthod Dentofacial Orthop* 2012;141:161-8.
58. Davidenko N. Silhouetted face profiles: A new methodology for face perception research. *J Vis* 2007;7: 6.
59. Ioi H, Nakata S, Nakasima A, Counts AL. Anteroposterior lip positions of the most favoured Japanese facial profiles. *Am J Orthod Dentofacial Orthop* 2005;128:206-11.
60. Spyropoulos MN, Halazonetis DJ. Significance of the soft tissue profile on facial esthetics. *Am J Orthod Dentofacial Orthop* 2001;119:464-71.
61. Sreesan NS, Purushothaman B, Rahul CS, Shafanath T, Fawaz V. Clinical photography in orthodontics. *Int J Oral Health Med Res* 2016;3:71-75.
62. Marchiori GE, Sodré LO, Cunha TCRd, et al. Pleasantness of facial profile and its correlation with soft tissue cephalometric parameters: Perception of orthodontists and lay people. *Eur J Dent* 2015;9:352-55.
63. Meneghini F. Clinical facial analysis. Berlin: Springer; 2005. p. 18.
64. Dahlan MS. Statistik untuk kedokteran dan kesehatan: Deskriptif, bivariat, dan multivariat. 6 ed. Jakarta: Epidemiologi Indonesia; 2014. p. 64, 217-19, 41-43.

65. Dahlan MS. Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan. Jakarta: Sagung Seto; 2010. p. 102.
66. Rattray J, Jones MC. Essential elements of questionnaire design and development. *J Clin Nurs* 2007;16:234-43.
67. Panayides P. Coefficient Alpha. *Eur J Psychol* 2013;9:987-96.
68. Samsonyanová L, Broukal Z. A Systematic Review of Individual Motivational Factors in Orthodontic Treatment: Facial Attractiveness as the Main Motivational Factor in Orthodontic Treatment. *Int J Dent* 2014;2014:1-7.
69. Paul RK, Raju AS, Sunil PC, et al. Facial Attractiveness: An Orthodontic Prospective. *Sch J Dent Sci* 2015;2:119-21.
70. Harris DL, Carr AT. Prevalence of concern about physical appearance in the general population. *Brit J Plast Surg* 2001;54:223-26.
71. Depkes. Profil Kesehatan Indonesia 2008. Jakarta: Depertemen Kesehatan Republik Indonesia; 2009.
72. Taki AA, Guidoum A. Facial profile preferences, self-awareness and perception among groups of people in the United Arab Emirates. *J Orthodont Sci* 2014;3:55-61.
73. Hier LA, Evans CA, BeGole EA, Giddon DB. Comparison of Preferences in lip position using computer animated imaging. *Angle Orthod* 1999;69:231-38.
74. Naini FB, Donaldson ANA, Cobourne MT, McDonald F. Assessing the influence of mandibular prominence on perceived attractiveness in the orthognathic patient, clinician, and layperson. *Eur J Orthod* 2012;738-46.
75. Depkes. Pedoman nasional etika penelitian kesehatan: Depkes RI; 2004. p. 31-34.
76. Murakami T, Kataoka T, Tagawa J, Yamashiro T, Kamioka H. Antero-posterior and vertical facial type variations influence the aesthetic preference of the antero-posterior lip positions. *Eur J Orthod* 2016;38:414-21.
77. Chung EH, Borzabadi-Farahani A, Yen SL-K. Clinicians and laypeople assessment of facial attractiveness in patients with cleft lip and palate treated with LeFort I surgery or late maxillary protraction. *Int J Pediatr Otorhinolaryngol* 2013;7:1446-50.

