

DAFTAR PUSTAKA

1. Sarjono. A.; Analisis Kandungan Logam Berat Cd, Pb, dan Hg Pada Air dan Sedimen di Perairan Kamal Muara, Jakarta Utara. *Skripsi*. 2009. Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor, Bogor.2009
2. Lei. X. F.; Zhang. Z. N.; Wu. Z. X.; Pio. J. Y.; Chen. C.; Li. X.; Xue. X. X.; Yang. H; Synthesis and Characterization of Fe, N, C tri-doped polymorphic TiO₂ and The Visible Light Photocatalytic Reduction of Cr(VI). *Separation and Purification Technology*.2017. 174 : 66-74
3. Wang. C. C.; Xue-Dong D.; Jin. L.; Xing-Xing. G.; Pheng. W.; Jia. Zhang.; Photocatalytic Cr(VI) Reduction Metal-Organic Frameworks: A Mini-Review, *Applied Catalysis B: Environmetal*, 2016, 193: 198-216
4. Mani. D. A.; Reddy. P. M.; Srimuaas. M.; Ghosal. P.; Xanthopoulos. N.; Subrahmanyam. P.; Facille Synthetics Of Efficient Visible Active C-doped TiO₂ Nanomaterial With High Surface Area For The Simultaneous Removal Of Phenol and Cr(VI), *Material Research Bulletin*, 2015, 61: 391-399
5. X. F. Lei.; X.X. Xue,; H. Yang., C. Chen., X.Li., M.C. Niu.; Y.T. Yang.; X.Y. Gao.; J.X. Pei.; Visible Light-responded C, N And S Co-Doped Anatase TiO₂ For Photocatalytic Reduction Of Cr(VI). *Journal of Alloys and Compounds*, 2012, 646: 541-549
6. Sun. Q.; Hui L.; Shuillin Z.; Zhiming S.; Characterizations Of Nano-TiO₂/Diatomite Composites And Their Photocatalytic Reduction Of Aqueos Cr(VI), *Applied Surface Scienc*, 2014, 311:369-376
7. Borgarello. E.; J. Kiwi.; M. Gratzel.; E. Pelizzetti.; M. Visca.; Visible-Light Induced Water Cleavagein Colloidal Solution Of Chromium-Doped Titanium-Dioxide Particles. *J.am. Chem.Soc*, 2012, 104: 2996-3002
8. Wellia. D. V.; Qing. C. X.; Mahasin. A. Sk.; Kok. H. L.; Tuti. M. L.; Timothy. T. Y. T.; Experimental And Theoretical Studies Of Fe-Doped Tio₂ Films Prepared By Peroxo Sol-Gel Method, *Applied Catalysis: General*, 2011, 401:98-105
9. Chen. Z.; Yaru. L.; Meng. G.; Fengun. X.; Peng. W.; Yu. D.; Ping. N.; One-Pot Shynthesis Of Mn-Doped Tio₂ Grown On Grapheme And The Mechanism For Removal Of Cr(VI) And Cr(III), *Chemamic Intermanitonal*, 2013, 43: 8778-8783
- 10.Hao. C.; Hong. L.; Qiang. Z.; Bing. L.; Cumanz.; Chong. M.; Yakun. S.; Jianxing. M., Investigation Of V-Doped TiO₂ As An Anodic Catalyst Support Forspe Water Electrolysis, *International Journal of Hydrogen Energy*, 2017, 42: 9384-9395
- 11.Wu, Y, S.; Lung-Shen, J.; Annealing-Free Synthesis Of C-N-Co-doped TiO₂ Hierarchical Spheres By Using Amine Agents Via Microwave-Assisted Solvothermal Method And Their Photocatalytic Activities, *J. Alloys Compd*,2014,(604):164–170.
- 12.Ananpattarachai. J.; Kajitvichyanukul. P.; Seraphin. S.; Visible Light Absorption Ability And Photocatalytic Oxidation Activity Of Various Interstitial N-Doped TiO₂ Prepared From Different Nitrogen Dopants. *J Hazard Mater* 2009, 168: 253-261

13. M. Kebir., M. Trari., R. Maachi., N. Nasrallah., B. Belail., A. Amarer., Relevance Of Hybrid Process Couplingadsobsition And Visible Light Photocatalysis Involving A New Hetero-System CuCO₂O₄/TiO₂ For Removel Of Hexavalen Chromium. *J.Environ.Chem.Eng.* 2015. 3: 548-559
14. Bacordit, A.; Armengol. J.; Burgh.S. V. P.; Olle. P.; New Challenges In Chrome-Free Leathers: Development Of Wet-Bright Process. *Journal of The American Leather Chemist Association*. 2014, 109: 99-109
15. Asmadi.; Endro.S.; Oktiawan. W.; Pengurangan Chrom (Cr) Dalam Limbah Cair Industri Kulit Proses Tannery Menggunakan Senyawa Alkali Ca(OH)₂, NaOH dan NaHCO₃. *JAI*. 2009. 5: 1-14
16. Satterfield. C. N; Heterogenous Catalyst in Industrial Practice. New York: *Mc graw-Hill, Inc*, 1991, 2.
17. Wellia. D. V. Green Preparation of Visible Light Active Titanium Dioxide Film. *Thesis. School Of Chemical and Biomedical Engineering. Nanyang Technological University Singapore*. 2012.
18. Jinfeng. Z.; Zhou. P.; Yu. J.; New Understanding Of The Difference Of Photocatalytic Activity Among Rutile And Brookite TiO₂. *Phys. Chem. Chem. Phys*, 2014, 16.38: 20382-20386.
19. Lisenbigler., Guangquan A. L., Yates. J. T., Photocatalysis on TiO₂ surface: Principles, Mechanism and Selected Result. *Chem. Rev.* 1995, 95:735-758.
20. Hua. Z. I.; Shi. J. L.; Zhang. L.X.; Ruan. M. L.; Yan. J. N.; Formation of Nanosized TiO₂ In Mesoporous Silica Thin Films. *Advanced Materials*, 2002, 14.11: 830-833.
21. Widiyandari.; Hendri.; Budiman. M.; Pengaruh Laju Aliran Gas N₂ Terhadap Sifat Optik Film Tipis GaN yang Ditumbubukan Dengan TeknikPulsed Laser Deposition (PLD). *BERKALA FISIKA*. 2004, 7: 328-34.
22. Tussa'adah. R.; Astuti., Sintesis Material Fotokatalis TiO₂ Untuk Penjernihan Limbah Tekstil. *Jurnal Fisika Unand*. 2015, 4: 1.
23. Guo. Meili.; DU. Jiulin.; Electronic And Optical Properties Of C-N Codoped TiO₂ : A First-Principles Gga+ U. Investigation. *International Journal of Modern Physics B*, 2013, 27.23:1350123.
24. Park. Y.; Wooyul. K.; Hyunwoong. P.; Takasi.T.; Tetsuro. M.; Wonyong. C.; Carbon-doped TiO₂ Synthesized without Using A extrend Carbon Precusor and The Visible Light activity. *Applied Catalysis B: Enviromental*. 2009. 91: 255-361.
25. Qing C. X.; Diana. V. D.; Yun H. Ng.; Roseamal.; Timothy. T. T. Y. T.; Synthesis of Porous and Visible-Light Absorbing Bi₂WO₆/TiO₂ Heterojunction Films With Improved Photoelectrochemical And Photocatalytic Performances. *The Journal of Physical Chemistry C*, 2011, 115.15: 7419-7428.
26. Sasti, H.T.; Studi Preparasi Dan Karakterisasi Titanium Dioksida Mesopori. *Skripsi*, 2011. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.

27. Le. G.; Miangxia. X.; Favrication and Characterization Of TiO₂ Photocatalytic Thin Film Preparation From Peroxo Acid Sol. *Journal Of Sol-Gel Science and Technology*. 2007. 43: 1-7.
28. Lestari. D. N., Studi preprasi dan karakterisasi N-doped TiO₂ dengan metode sol-gel menggunakan prekursor titanium propoksida (TTIP) dan diethylamine (DEA). *Skripsi*. 2009. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok
29. Low. W.; Boonamnayvitaya. V.; A Study Photocatalytic Grapheme-TiO₂ Synthesis Via Peroxo Titanic Acid Refuxed Sol. *Material Researcrh Bulletin*, 2013, 488: 2809-2816
30. Benjawan. M. S.; Yu-Wen. C.; Preparation and Characterization Of SiO₂-TiO₂ neutral Sol by Peroxo Sol-Gel
31. Menthod and Its Application on Photocatalytic Degradation. *J.Sol-Gel Method*. 2016. 77: 287-297
32. Welton.; Joann E.; *SEM Petrology Atlas*. 1984. Tulsa^ eOklahoma Oklahoma: American Association of Petroleum Geologists. Maron.S.H., Lando. J. 1978. *Fundamental Of Physical Chemistry*. New York: Macmillan Publishing Co.Inc.
33. Yang. T. R.; 1987. Gas separation by Adsorption Process. London: Imperial College Press.
34. Day. A. R.; Underwood. A. L., 1995. Analisis Kimia Kualitatif, Edisi Kelima, Ahli bahasa : Aloysis Handayana, Erlangga. Jakarta.
35. Widihatati. I. A. G.; Ni. P. D. Yuliana. F. N.; Fotodegradasi Metilen dengan Sinar UV dan katalis Al₂O₃. *Jurnal Kimia*. 2011. 1 : 31-42.
36. Barkul. R. P.; Koli. V. B., Shewale. V. B.; Patil.M.K.: Delekar. S. D.; Visible Active Nancrystalline N-doped anatase TiO₂ Particles For Photocatalytic Mineralization Studies. *Materials Chemistry and Physics* 2016, xxx:1-10.
37. Hartanto. D.; Purbaningtias. T. S.; Fansui. H.; Prasetyoko. D.; Karakterisasi Struktur Pori dan Morfologi ZSM-2-Mesopori yang Disintesis dengan variasi Waktu Aging. *Jurnal Ilmu Dasar*. 2011, 12 : 80-90.
38. Guo X, Wang X, He F:Sol-gel synthesis of N-doped mesoporous TiO₂ with high crystallinity and high visible light photocatalytic activity. *Applied Mechanics and Materials* 2012, Vol.217-219:857-861.
39. Loncarevic. L.; J. Dostanic.; A. Radosalcjevic-Mihajlovic.; D. M. Jovanovic.; Structure-activity Relationship in Degradation Of Organic Pollutants. *Advance Powder Technology*. 2015. xxx: xxx-xxx.
40. Suryati. L., Pengembangan Metode Spektroskopi untuk Penentuan Spesis Krom dengan Oksidator Hiprokit dan Peroksida Berdasarkan Pembentukan Kompleks Cr(VI)-Difenikarbazida, *Thesis*. 2014. Proram Sarjana Kimia, Universitas Brawijaya, Malang.