

DAFTAR PUSTAKA

- Ackermann RT, Finch EA, Brizendine E, Zhou H, Marrero DG. Translating the Diabetes Prevention Program into the community. The DEPLOY Pilot Study. *Am J Prev Med* 2008;35(4):357–363. [PubMed: 18779029]
- Alzheimer's International Disease (ADI), Demensia in the Asia Pacific Region. *The Epidemic is here*, 2006.
- Amos. *Teknologi Pasca Panen Gambir*. BPPT Press, Jakarta, 2004
- Antonio Federico, elena Cardioli, paola da Pozzo, patrizia Formichi, Gian Nicola Gallus, Elena Radi, 2012. Mitochondria, Oxidative stress and Neurodegeneration. *Journal of Neurological Sciences*. 12285
- Azmi Dhalimi, *Permasalahan Gambir (Uncaria gambir, L) di Sumatera Barat dan Alternatif Pemecahannya*, *Perspektif*, val 5 No.4, Juni, 2006, hal 46-59
- Bancroft JD, Stevens A. *Theory and Practice of histological technique*, third ed. Churchill Livingstone, London, 1991:21-113
- Birbrair, A.; Zhang, T.; Wang, Z.-M.; Messi, M. L.; Mintz, A.; Delbono, O. (2013). "Type-1 pericytes participate in fibrous tissue deposition in aged skeletal muscle". *AJP: Cell Physiology* 305 (11): C1098. [doi:10.1152/ajpcell.00171.2013](https://doi.org/10.1152/ajpcell.00171.2013).
- Baum LW. Sex, hormones, and Alzheimer's disease. *J Gerontol A Biol Sci Med Sci* 2005;60(6):736–743. [PubMed: 15983176]
- Brunet Lab: *Molecular Mechanisms of Longevity and Age Related Diseases*. Stanford.edu. Retrieved on 11 April 2012.
- Bowen, Richard L.; Atwood, Craig S. (2004). "Living and Dying for Sex". *Gerontology* 50 (5): 265–90. [doi:10.1159/000079125](https://doi.org/10.1159/000079125). [PMID 15331856](https://pubmed.ncbi.nlm.nih.gov/15331856/).
- Bowen, Richard L.; Atwood, Craig S. (2004). "Living and Dying for Sex". *Gerontology* 50 (5): 265–90. [doi:10.1159/000079125](https://doi.org/10.1159/000079125). [PMID 15331856](https://pubmed.ncbi.nlm.nih.gov/15331856/).
- Chung, F. L., Nath, R. G., Ocano, J., Nishikawa, A. & Zhang, L. (2000) *Cancer Res.* 60, 1507–1511
- C. Napoli and W. Palinski, "Neurodegenerative diseases: insights into pathogenic mechanisms from atherosclerosis," *Neurobiology of Aging*, vol. 26, no. 3, pp. 293–302, 2005.

Chu KO, Wang CC, Chu CY, Choy KW, Pang CP, Rogers MS (2007) Uptake and distribution of catechins in fetal organs following in utero exposure in rats. *Hum Reprod* 22:280–287

Carroll JC, Pike CJ. Selective estrogen receptor modulators differentially regulate Alzheimer-like changes in female 3xTg-AD mice. *Endocrinology* 2008;149(5):2607–2611. [PubMed: 18276750]

Corder EH, Saunders AM, Strittmatter WJ, Schmechel DE, Gaskell PC, Small GW, Roses AD, Haines JL, Pericak-Vance MA. Gene dose of apolipoprotein E type 4 allele and the risk of Alzheimer's disease in late onset families. *Science* 1993;261(5123):921–923. [PubMed: 8346443]

D. A. Linseman, "Targeting oxidative stress for neuroprotection," *Antioxidants and Redox Signaling*, vol. 11, no. 3, pp. 421–423, 2009.

Dillin A, Gottschling DE, Nyström T; Gottschling; Nyström (2014). "The good and the bad of being connected: the integrons of aging". *Curr Opin Cell Biol* 26: 107–12. doi:10.1016/j.ceb.2013.12.003. PMC 3927154. PMID 24529252.

D. A. Patten, M. Germain, M. A. Kelly, and R. S. Slack, "Reactive oxygen species: stuck in the

De Grey, Aubrey D.N.J (2007). "Life Span Extension Research and Public Debate: Societal Considerations". *Studies in Ethics, Law, and Technology* 1. doi:10.2202/1941-6008.1011.

Dillin A, Gottschling DE, Nyström T; Gottschling; Nyström (2014). "The good and the bad of being connected: the integrons of aging". *Curr Opin Cell Biol* 26: 107–12. doi:10.1016/j.ceb.2013.12.003. PMC 3927154. PMID 24529252.

D. S. Knopman, "Current treatment of mild cognitive impairment and Alzheimer's disease," *Current Neurology and Neuroscience Reports*, vol. 6, no. 5, pp. 365–371, 2006.

Elkoe DJ. Amyloid beta-protein and the genetics of Alzheimer's disease. *J Biol Chem*. 1996;271:18295–8

Esterbauer, H., Schaur, R. J. & Zollner, H. (1991) *Free Radical Biol. Med.* 11, 81–128.

Ferdinal Norman, 2014. A simple Purification Method of Catechin from gambier, *International Journal on advanced science Engineering Information technology*, vol. 4 (2014) no. 6

Fitzpatrick AL, Kuller LH, Lopez OL, Diehr P, O'Meara ES, Longstreth WT Jr, Luchsinger JA. Midlife and late-life obesity and the risk of dementia:

cardiovascular health study. *Arch Neurol*2009;66(3):336–342. [PubMed: 19273752]

Freisleben HJ, 2001. *Free Radicals and ROS in Biological system. Kursus penyegar dan Pelatihan 2001 Radikal Bebas dan AntiOksidan : Dasar, Aplikasi dan Pemanfaatan Bahan alam. Bagian Biokimia FKUI.*

Freisleben and Deisinge. 1999. *Free Radical- Related and antioksidants in Indonesia. Gardez Verlag, meisenweg St. Augustin-Germany* Ferdinal, N. A simple purification method of catechin from gambier. *International Journal on Advanced Science Engineering Information Technology.* 2014. 4(6).

Fraga C, Oteiza. Review Article. *Dietary Flavonoids : Role of (-) epicatechin and related procyanidins in cell signalling. Free Radical Biology and Medicine.* 2011. 51; 813-823.

Gandy S, Duff K. *Post-menopausal estrogen deprivation and Alzheimer's disease. Exp Gerontol*2000;35(4):503–511. [PubMed: 10959038]

Gatz M, Svedberg P, Pedersen NL, Mortimer JA, Berg S, Johansson B. *Education and the risk of Alzheimer's disease: findings from the study of dementia in Swedish twins. J Gerontol B PsycholSci Soc Sci* 2001;56(5):292–300.

Halliwell and Gutteridge.2004. *Free radicals in Biology Medicine. Third edition.*Oxford University Press; 73-82

Halliwell, B. And Gutteridge, J. M. C. (1999). *Free Radicals in Biology and Medicine*, pp.351-429, Oxford University Press, New York.

[Hanaa H. Ahmed](#), [Selim F. Estefan](#), [Ehab M. Mohamd](#), [Abd El-Razik H. Farrag](#), and [Rania S. Salah](#). (2013). Does Melatonin Ameliorate Neurological Changes Associated With Alzheimer's Disease in Ovariectomized Rat Model? *Indian J Clin Biochem.* 2013 Oct; 28(4): 381–389

Heather S Anderson,MD. 2015. *Alzheimer Disease Clinical Presentation. Medscape reference.*1134817.

[Hua X¹](#), [Lei M](#), [Zhang Y](#), [Ding J](#), [Han Q](#), [Hu G](#), [Xiao M](#) Long-term D-galactose injection combined with ovariectomy serves as a new rodent model for Alzheimer's disease. *Life Sci*2007 Apr 24;80(20):1897-905. Epub 2007 Mar 1

Hyun-PIL lee, Neel Pancoli, Luke Esposito, Laura A.Previll, Xinglong Wang, Xiongwei Zhu, Mark A Smith, Hyong-gon Lee, 2012. *Early Induction of oxidative stress in Mouse Model of Alzheimer Disease with Reduced Mitochondrial Superoxide Dismutase activity*,7:e28033

Kementrian Kesehatan R.I, *Farmakope Herbal Indonesia, Edisi 1* ,Dirjen Pelayanan Farmasi dan alat Kesehatan, Jakarta, 2008

Kivipelto M, Helkala EL, Laakso MP, Hanninen T, Hallikainen M, Alhainen K, Iivonen S, Mannermaa A, Tuomilehto J, Nissinen A, et al. Apolipoprotein E epsilon4 allele, elevated midlifetotal cholesterol level, and high midlife systolic blood pressure are independent risk factors for late life Alzheimer disease. *Ann Intern Med* 2002;137(3):149–155. [PubMed: 12160362]

Kemppainen NM, Aalto S, Karrasch M, Nagren K, Savisto N, Oikonen V, Viitanen M, Parkkola R, Rinne JO. Cognitive reserve hypothesis: Pittsburgh Compound B and fluorodeoxyglucose positron emission tomography in relation to education in mild Alzheimer's disease. *Ann Neurol* 2008;63(1):112–118. [PubMed: 18023012]

Kusharyanto, *Efek infuse Gambir (Uncaria gambir Roxb) yang diperoleh dari Pasar terhadap Sistem Syaraf Otonom Mencit Jantan*, Seminar Nasional Tumbuhan Obat Indonesia XXVI, Padang, 7-8 September 2004.

Lars Bertram, Rudolph E. Tanzi. 2005 *The genetic epidemiology of neurodegenerative disease. The Journal of Clinical Investigation* 115,6:1149-1457.

Lee S, Suh S, Kim S. Protective effects of the green tea polyphenol (–)-epigallocatechin gallate against hippocampal neuronal damage after transient global ischemia in gerbils. *Neurosci Lett*. 2000;287:191–4.

Lim GP, Chu T, Yang F, Beech W, Frautschy SA, Cole GM: *The Curry spice curcumin reduces oxidative damage and amyloid pathology in Alzheimer transgenic mouse. J Neurosci* 2001, 21 : 8370-8377.

Lin LC, Wang MN, Tseng TY, Sung JS, Tsai TH (2007) *Pharmacokinetics of (–)-epigallocatechin-3-gallate in conscious and freely moving rats and its brain regional distribution. J Agric Food Chem* 55:1517–1524 *Med* 1996;334(12):752–758. [PubMed: 8592548]

Lind J, Larsson A, Persson J, Ingvar M, Nilsson LG, Backman L, Adolfsson R, Cruts M, Sleegers K, Van Broeckhoven C, et al. *Reduced hippocampal volume in non-demented carriers of the apolipoprotein E epsilon4: relation to chronological age and recognition memory. Neurosci Lett* 2006;396(1):23–27. [PubMed: 16406347]

Lin YS, Tsai YJ, Tsay JS, Lin JK (2003) *Factors affecting the levels of tea polyphenols and caffeine in tea leaves. J Agric Food Chem* 51:1864–1873.

Lopez, Alan D; Mathers, Colin D; Ezzati, Majid; Jamison, Dean T; Murray, Christopher JL (2006). "Global and regional burden of disease and risk factors, 2001: Systematic analysis of population health data". *The*

Lancet 367 (9524): 1747–57. doi:10.1016/S0140-6736(06)68770-9. PMID 16731270.

Lucas, N. J. Rothwell, and R. M. Gibson, "The role of inflammation in CNS injury and disease," *British Journal of Pharmacology*, vol. 147, no. 1, pp. S232–S240, 2006.

Luczaj, W., Waszkiewicz, E., Skrzydlewska, E., Roszkowska-Jakimiec, W., 2004. Green tea protection against age-dependent ethanol-induced oxidative stress. *Journal of Toxicology and Environmental Health A* 67 (7), 595–606

Luthana, Y.K., *Prosedur Ekstraksi Senyawa Fenol dan Antibakteri dari produk Tanaman Gambir yang Disertai Metode Analisisnya*, <http://Yongkiastanyaluthana>,

Manfaat dan Fungsi Daun Gambir Sebagai Pengobatan Tradisional, <http://radensomad.com/Manfaat-dan-Fungsi-daun-Gambir-sebagai-obatTradisional.html>, diunduh gl12 Januari 2010.

Mayeux R, Sano M, Chen J, Tatemichi T, Stern Y. Risk of dementia in first-degree relatives of patients with Alzheimer's disease and related disorders. *Arch Neurol* 1991;48(3):269–273. [PubMed:2001183]

Marin R, Guerra B, Hernandez-Jimenez JG, Kang XL, Fraser JD, Lopez FJ, Alonso R. Estradiol prevents amyloid-beta peptide-induced cell death in a cholinergic cell line via modulation of a classical estrogen receptor. *Neuroscience* 2003;121(4):917–926. [PubMed: 14580942]

McGrath LT, McGleenon BM, Brennan S, McColl D, McILroy S and Passmore AP. 2001. Increased oxidative stress in Alzheimer disease as assessed with 4-hydroxynonenal but not malondialdehyde. *QJM*, 94(9):485–490

Middle of neurodegeneration." *Journal of Alzheimer's Disease*, vol. 20, no. 2, pp. S357–S367, 2010. pp. 350–362, 2006.

Mora F, Segovia G, del Arco A. Aging, plasticity and environmental enrichment: structural changes and neurotransmitter dynamics in several areas of the brain. *Brain Res Rev*. 2007;55:78–88

Mori, M., Hattori, A., Sawaki, M., Tsuzuki, N., Sawada, N., Oyamada, M., Sugawara, N. & Enomoto, K. (1994) *Am. J. Pathol.* 144, 200–20. 44.

Morinaga A, Hirohata M, Ono K, Yamada M. Estrogen has anti-amyloidogenic effects on Alzheimer's beta-amyloid fibrils in vitro. *Biochem Biophys Res Commun* 2007;359(3):697–702. [PubMed:17559807]

National Vital Statistics report Volume 48, Number 11; final mortality for 1998. <http://www.cdc.gov/nchs/fastats/deaths.html>

Nanjo F, Goto K, Seto R, Suzuki M, Sakai M, Hara Y (1996) Scavenging effects of tea catechins and their derivatives on 1,1-diphenyl-2-picrylhydrazyl radical. *Free Radic Biol Med* 21:895–90

N. J. Sucher, "Insights from molecular investigations of traditional Chinese herbal stroke medicines: implications for neuroprotective epilepsy therapy," *Epilepsy and Behavior*, vol. 8, no.

Olton, D.S. (1979). *Mazes, maps, and memory*. *American Psychologist*, 34, 583-596).

O'Keefe, J.; Dostrovsky, J. (1971). "The hippocampus as a spatial map. Preliminary evidence from unit activity in the freely-moving rat". *Brain Research*. 34 (1): 171–175. doi:10.1016/0006-8993(71)90358-1. PMID 5124915.

Pambayun, R, Gardjito, M, Sudarmaji, S dan Kuswanto, KR, Kandungan Fenol dan Sifat antibakteri dari Berbagai Jenis Ekstrak Produk Gambir (*Uncaria gambir Roxb*), *Majalah Farmasi Indonesia*, Vol 18 (3), 2007, hal 141-146.

Pan T, Fei J, Zhou X, Jankovic J, Le W (2003) Effects of green tea polyphenols on dopamine uptake and on MPP⁺-induced dopamine neuron injury. *Life Sci* 72:1073–1083

Pau' M Dewick, *Medicinal Natural Product. A Biosynthetic Approach* John Willey & Sons. Chichester-New York-Toronto, 1977

Pappolla MA, Chyan YJ, Omar RA, Hsiao K, Perry G, et al. (1998) Evidence of oxidative stress and in vivo neurotoxicity of beta-amyloid in a transgenic mouse model of Alzheimer's disease: a chronic oxidative paradigm for testing antioxidant therapies in vivo. *Am J Pathol* 152: 871–877.

Pengolahan Gambir, [http://www.sinartani.com/Mimbar_Penyuluh/Pengolahan Gambir 1252899125.htm](http://www.sinartani.com/Mimbar_Penyuluh/Pengolahan_Gambir_1252899125.htm)

Pratico D, Uryu K, Leight S, Trojanoswki JQ, Lee VM (2001) Increased lipid peroxidation precedes amyloid plaque formation in an animal model of Alzheimer amyloidosis. *J Neurosci* 21: 4183–4187. Hardy JA, Higgins GA (1992) *Alzheimer's dis.*

Qiu C, Winblad B, Fratiglioni L. The age-dependent relation of blood pressure to cognitive function and dementia. *Lancet Neurol* 2005;4(8):487–499.

Querbes O, Aubry F, Pariente J, Lotterie JA, Demonet JF, Duret V, Puel M, Berry I, Fort JC, Celsis P. Early diagnosis of Alzheimer's disease using cortical thickness: impact of cognitive reserve. *Brain* 2009;132(Pt 8):2036–2047. [PubMed: 19439419]

Rao Av. Balanchanran B, 2002. Role of oxidative stress and antioxidant in Neurodegenerative disease. *Nutr Neurosci*, Oct; 5(6):291-309

Reiman EM, Caselli RJ, Yun LS, Chen K, Bandy D, Minoshima S, Thibodeau SN, Osborne D. Preclinical evidence of Alzheimer's disease in persons homozygous for the epsilon 4 allele for apolipoprotein E. *N Engl J*

Ridwan E, 2013. Etika pemanfaatan hewan percobaan dalam penelitian kesehatan. *J Indon Med Assoc*. 63(3):112-6.

R. J. Nijveldt, E. Van Nood, D. E. C. Van Hoorn, P. G. Boelens, K. Van Norren, and P. A. M. Van Leeuwen, "Flavonoids: a review of probable mechanisms of action and potential applications," *American Journal of Clinical Nutrition*, vol. 74, no. 4, pp. 418-425, 2001

R. Scatena, G. E. Martorana, P. Bottoni, G. Botta, P. Pastore, and B. Giardina, "An update on pharmacological approaches to neurodegenerative disease," *Expert Opinion on Investigational Drugs*, vol. 16, no. 1, pp. 59-72, 2007.

R. Scatena, G. E. Martorana, P. Bottoni, G. Botta, P. Pastore, and B. Giardina, "An update on pharmacological approaches to neurodegenerative disease," *Expert Opinion on Investigational Drugs*, vol. 16, no. 1, pp. 59-72, 2007.

Syafrita Y, 2014. Hubungan kadar beta-site APP-cleaving enzyme 1, Beta-Amyloid, dan 4-Hydroxynonenal plasma dengan gangguan fungsi kognitif pada penderita pasca stroke iskemik. Disertasi, S3 Biomedik Fakultas Kedokteran UNAND.

Sayre LM, Sha W, Xu G, Kaur K, Nadkarni D, et al (1996) immunochemical evidence supporting 2-pentylpyrrole formation on proteins exposed to 4-hydroxy-2-nonenal. *Chem Res Toxicol* 9: 1194-1201.

Sutherland BA, Shaw OM, Clarkson AN, Jackson DN, Sammut IA, Appleton I. Neuroprotective effects of (-)-epigallocatechin gallate following hypoxia-ischemia-induced brain damage: novel mechanisms of action. *FASEB J*. 2005;19:258-60.

Suganuma M, Okabe S, Oniyama M, Tada Y, Ito H, Fujiki H (1998) Wide distribution of [³H](-)-epigallocatechin gallate, a cancer preventive tea polyphenol, in mouse tissue. *Carcinogenesis* 19:1771-1777

Smith MA, Hirai K, Hsiao K, Pappolla MA, Harris PL, et al. (1998) Amyloid-beta deposition in Alzheimer transgenic mice is associated with oxidative stress. *J Neurochem* 70: 2212-2215.

Steve R. Pieczenik, John Neustadt, 2007. *Mitochondrial dysfunction and molecular pathways of disease. Experimental and Molecular Pathology* 83 (2007) 84–92

Tamagno E, Parola M, Bardini P, Piccini A, Borghi R, Guglielmotto M, et al. 2005. *B-Site APP cleaving enzyme up-regulation induced by 4-hydroxynonenal is mediated by stress-activated protein kinases pathways. Journal of Neurochemistry*, 92: 628-636

Tanaman Obat Tradisional, Heri Permata, Titian Ilmu, 2007

Tika, FH, H. Mukhtar dan Bakhtiar, A, *Efek katekin dari Gambir terhadap Tukak Lambung Tikus Putih Betina*, Seminar Nasional Tumbuhan Obat Indonesia XXVI, Padang, 7-8 September 2004.

Uchida, K. (2003) *Prog. Lipid Res.* 42, 318–343.

Wacker, M., Wanek, P. & Eder, E. (2001) *Chem. Biol. Interact.* 137, 269–283.

wordpress.com/2009/01/26/prosedur-ekstraksi-senyawa-fenol-dan-antibakteri-dari-produk-tanaman-gambir-yang-disertai-metode-analisanya/ diunduh tgl 12 Nopember 2009

Yamada, T., Sogawa, K., Suzuki, Y., Izumi, K., Agui, T. & Matsumoto, K. (1992) *Res. Commun. Chem. Pathol. Pharmacol.* 77, 121–124.

Yao Yuemang et al (2004) *Brain inflammation and oxidative stress in transgenic mouse model of Alzheimer-like brain amyloidosis. Journal of neuroinflammation*: 1:21

Yong Cheng², Zheng Feng³, Qing-zhu Zhang⁴ and Jun-tian Zhang (2006). *Beneficial effects of melatonin in experimental models of Alzheimer disease. Acta Pharmacologica Sinica* (2006) 27, 129–139

Yutaka Shimada et al., *Protective effects of Phenolic Compounds Isolated from the Hook and Stems of Uncaria sinensis on Glutamate-induced Neuronal Death. Am. J. Chin. Med.* 2001; 29, 173 .

Zein, U, *Pemanfaatan Tumbuhan Obat Dalam Upaya Pemeliharaan kesehatan, eUSU Respository @ 2005 Universitas Sumatera Utara.*

Zhaohui Feng, Wenwei Hu, Moon-shong Tang . *Trans-4-hydroxy-2-nonenal inhibits nucleotide excision repair in human cells: A possible mechanism for lipid peroxidation-induced carcinogenesis. PNAS* , 23, 101, June, 2004