

DAFTAR PUSTAKA

- Adams, J. B. (1992). Human breast cancer: Concerted role of diet, prolactin and adrenal C19- 5-steroids in tumorigenesis. *International journal of cancer*, 50(6), 854-858.
- Anders, C. K., R. Johnson, J. Litton, M. Phillips, & A. Bleyer. (2009). Breast cancer before age 40 years. Paper presented at the Seminars in oncology.
- Armstrong B, Doll R. Environmental factors and cancer incidence and mortality in different countries, with special reference to dietary practices. *Int J Cancer*.1975 ;15:617-631.
- Azim, Hatem A., and Ann H. Partridge. "Biology of breast cancer in young women." *Breast cancer research* 16.4 (2014): 427.
- Bakkum-Gamez JN, Laughlin SK, Jensen JR, Akogyeram CO, Pruthi S. Challenges in the gynecologic care of premenopausal women with breast cancer. *Mayo Clinic proceedings*. 2011;86(3):229-40. Epub 2011/02/11.
- Bernard-Gallon D, Vissac-Sabatier C, Antoine-Vincent D, Rio PG, Maurizis JC, Fustier P, et al. Differential effects of n-3 and n-6 polyunsaturated fatty acids on BRCA1 and BRCA2 gene expression in breast cell lines. *Br J Nutr*. 2002;87:281-9.
- Bland KI, Copeland, Edward M. *The Breast; Comprehensive management of benign and malignant disease: vol 2nd Edn*. Philadelphia, WB Saunders Company 1998.
- Bole-Feysot, Christine, et al. "Prolactin (PRL) and its receptor: actions, signal transduction pathways and phenotypes observed in PRL receptor knockout mice." *Endocrine reviews* 19.3 (1998): 225-268.
- Bougnoux, Philippe, Virginie Maillard, and Véronique Chajès. "Omega-6/Omega-3 Polyunsaturated Fatty Acids Ratio and Breast Cancer." *Nutrition and Fitness: Obesity, the Metabolic Syndrome, Cardiovascular Disease, and Cancer*. Vol. 94. Karger Publishers, 2005. 158-165.
- Bourre JM: Dietary omega-3 fatty acids for women. *Biomed Pharmacother*. 2007, 61: 105-112.
- Boyd NF, Martin LJ, Bronskill M, Yaffe MJ, Duric N, Minkin S. Breast tissue composition and susceptibility to breast cancer. *Journal of the National Cancer Institute*. 2010;102(16):1224-37. Epub 2010/07/10.
- Brandao DF, Strasser-Weippl K, Goss PE. Prolactin and Breast Cancer: The Need to Avoid Undertreatment of Serious Psychiatric Illnesses in Breast Cancer Patients: A Review . *Cancer* 2016;122:184-8.
- Brasky, Theodore M., et al. "Non-steroidal anti-inflammatory drugs (NSAIDs) and breast cancer risk: differences by molecular subtype." *Cancer Causes & Control* 22.7 (2011): 965.

- Brooks, Charles L. "Molecular mechanisms of prolactin and its receptor." *Endocrine reviews* 33.4 (2012): 504-525.
- Bukiya AN, Belani JD, Rychnovsky S, Dopico AM. Specificity of cholesterol and analogs to modulate BK channels points to direct sterol-channel protein interactions. *The Journal of general physiology*. 2011;137(1):93-110. Epub 2010/12/15.
- Capozzi A et al. Hyperprolactinemia: pathophysiology and therapeutic approach . *Gynecol Endocrinol*, Early Online 2015: 1–5.
- Calder PC. n-3 fatty acids, inflammation and immunity: new mechanisms to explain old actions. *Proc Nutr Soc*. 2013;72:326–36.
- Calder PC. Omega-3 polyunsaturated fatty acids and inflammatory processes: nutrition or pharmacology? *British journal of clinical pharmacology*. 2013;75(3):645-62. Epub 2012/07/07.
- Chajès, Véronique, and Isabelle Romieu. "Nutrition and breast cancer." *Maturitas* 77.1 (2014): 7-11.
- Chajès, Véronique, et al. " -3 and -6 polyunsaturated fatty acid intakes and the risk of breast cancer in Mexican women: impact of obesity status." *Cancer Epidemiology and Prevention Biomarkers* (2011).
- Chang, Nai-Wen, et al. "High levels of arachidonic acid and peroxisome proliferator-activated receptor-alpha in breast cancer tissues are associated with promoting cancer cell proliferation." *The Journal of nutritional biochemistry* 24.1 (2013): 274-281.
- Cheang, M. C., S. K. Chia, D. Voduc, D. Gao, S. Leung, J. Snider, M. Watson, S. Davies, P. S. Bernard, & J. S. Parker. (2009). Ki67 index, HER2 status, and prognosis of patients with luminal B breast cancer. *Journal of the National Cancer Institute*, 101(10), 736-750.
- Chen WY, Hankinson SE, Schnitt SJ, Rosner BA, Holmes MD, Colditz GA. Association of hormone replacement therapy to estrogen and progesterone receptor status in invasive breast carcinoma. *Cancer*. 2004; 101(7):1490–500. [PubMed: 15378477]
- Cheraghi, Zahra, et al. "Effect of body mass index on breast cancer during premenopausal and postmenopausal periods: a meta-analysis." *PloS one* 7.12 (2012): e51446.
- Chung, H., Y. S. Lee, R. Mayoral, D. Y. Oh, J. T. Siu, N. J. Webster, D. D. Sears, J. M. Olefsky, & L. G. Ellies. (2015). Omega-3 fatty acids reduce obesity-induced tumor progression independent of GPR120 in a mouse model of postmenopausal breast cancer. *Oncogene*, 34(27), 3504-3513.
- Clegg ME. Medium-chain triglycerides are advantageous in promoting weight loss although not beneficial to exercise performance. *International journal of food sciences and nutrition*. 2010;61(7):653-79. Epub 2010/04/07.
- Clevenger, C. V., P. A. Furth, S. E. Hankinson, & L. A. Schuler. (2003). The role of prolactin in mammary carcinoma. *Endocrine reviews*, 24(1), 1-27.

- Clevenger, Charles V., et al. "Expression of prolactin and prolactin receptor in human breast carcinoma. Evidence for an autocrine/paracrine loop." *The American journal of pathology* 146.3 (1995): 695.
- Cohen L.A. DOT, Y. Maesura, J.H. Weisburger. Influence of Dietary Medium-Chain Triglycerides on the Development of N-Methylnitrosourea-induced Rat Mammary Tumors. *Cancer Research*. 1984;44:5023-5028.
- Cohen LA. Dietary fiber and breast cancer. *Anticancer Res*. 1999;19:3685–3688.
- Cohen, L., D. Thompson, Y. Maesura, & J. Weisburger. (1984). Influence of dietary medium-chain triglycerides on the development of N-methylnitrosourea-induced rat mammary tumors. *Cancer research*, 44(11), 5023-5028.
- Cuzick J, Powles T, Veronesi U, et al. Overview of the main outcomes in breast-cancer prevention trials. *Lancet* 2003; 361:296-300.
- Dao TL: The role of ovarian steroid hormones in mammary carcinogenesis, In: *Hormones and Breast Cancer*. Edited by Pike MC, Siiteri PK, Welsch CW. Cold Spring Harbor, New York: Cold Spring Harbor Laboratory; 1981:281-295.
- Das UN. Essential fatty acids and their metabolites could function as endogenous HMG-CoA reductase and ACE enzyme inhibitors, anti-arrhythmic, anti-hypertensive, anti-atherosclerotic, anti-inflammatory, cytoprotective, and cardioprotective molecules. *Lipids in health and disease*. 2008;7:37. Epub 2008/10/17.
- de Lorgeril, Michel, and Patricia Salen. "Helping women to good health: breast cancer, omega-3/omega-6 lipids, and related lifestyle factors." *BMC medicine* 12.1 (2014): 54.
- Dierssen-Sotos, Trinidad, et al. "Use of non-steroidal anti-inflammatory drugs and risk of breast cancer: The Spanish Multi-Case-control (MCC) study." *BMC cancer* 16.1 (2016): 660.
- Dorgan JF, Baer DJ, Albert PS, Judd JT, Brown ED, Corle DK, Campbell WS, Hartman TJ, Tejpar AA, Clevidence BA, Giffen CA, Chandler DW, Stanczyk FZ, Taylor PR: Serum hormones and the alcohol–breast cancer association in postmenopausal women. *J Natl Cancer Inst* 2001, 93:710-715.
- Elliassen AH, et al (2006). Endogenous steroid hormone concentrations and risk of breast cancer among premenopausal women. *J Natl Cancer Inst* 98:1406-1415.
- Eng-Wong J, Perkins SN, Bondy M, Li D, Eva Singletary S, Nunez N, et al. Premenopausal breast cancer: estrogen receptor status and insulin-like growth factor-I (IGF-I), insulin-like growth factor binding protein-3 (IGFBP-3), and leptin. *The breast journal*. 2009;15(4):426-8. Epub 2009/07/16.
- Fiorio PA, Grange C, Antoniotti S, Tomatis C, Merlino A, Bussolati B, Munaron L: Arachidonic acid-induced Ca²⁺ entry is involved in early steps of tumor angiogenesis. *Mol Cancer Res*. 2008, 6: 535-545.
- Fitzgibbons, P. L., et al. (2000). Prognostic factors in breast cancer: College of American Pathologists consensus statement 1999. *Archives of pathology & laboratory medicine*, 124(7), 966-978.

- Forshee RA, Storey ML, Ritenbaugh C. Breast cancer risk and lifestyle differences among premenopausal and postmenopausal African-American women and white women. *Cancer Supplement* 2003;97(1):280-288.
- Freeman, M. E., B. Kanyicska, A. Lerant, & G. Nagy. (2000). Prolactin: structure, function, and regulation of secretion. *Physiological reviews*, 80(4), 1523-1631.
- Galea, M. H., R. W. Blamey, C. E. Elston, & I. O. Ellis. (1992). The Nottingham Prognostic Index in primary breast cancer. *Breast cancer research and treatment*, 22(3), 207-219.
- Gasnier C, Dumont C, Benachour N, Clair E, Chagnon MC, Séralini GE. Glyphosate-based herbicides are toxic and endocrine disruptors in human cell lines. *Toxicology* 2009;262(3):184-91.
- Goldhirsch A, Wood WC, Coates AS, Gelber RD, Thurlimann B, Senn HJ. Strategies for subtypes--dealing with the diversity of breast cancer: highlights of the St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2011. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO*. 2011;22(8):1736-47. Epub 2011/06/29.
- Goldin, B. R., H. Adlercreutz, S. L. Gorbach, J. H. Warram, J. T. Dwyer, L. Swenson, & M. N. Woods. (1982). Estrogen excretion patterns and plasma levels in vegetarian and omnivorous women. *New England Journal of Medicine*, 307(25), 1542-1547.
- Hachim, I. Y., M. Y. Hachim, V. M. Lopez, J.-J. Lebrun, & S. Ali. (2016). Prolactin receptor expression is an independent favorable prognostic marker in human breast cancer. *Applied Immunohistochemistry & Molecular Morphology*, 24(4), 238-245.
- Hankinson SE, Eliassen AH. Circulating sex steroids and breast cancer risk in premenopausal women. *Hormones & cancer*. 2010;1(1):2-10. Epub 2010/02/01.
- Hankinson SE, Eliassen AH. Endogenous Estrogen, Testosterone, and Progesterone Levels in Relation to Breast Cancer Risk. *J Steroid Biochem Mol Biol*. 2007; 106(1-5):24-30.
- Harris RE, Casto BC, Harris ZM. Cyclooxygenase-2 and the inflammation of breast cancer. *World journal of clinical oncology*. 2014;5(4):677-92. Epub 2014/10/11.
- Helzlsouer et al., 1992; Relationship of Prediagnostic Serum Levels of Dehydroepiandrosterone and Dehydroepiandrosterone Sulfate to the Risk of Developing Premenopausal Breast Cancer'. *Cancer research* 52,1-4.
- Helzlsouer, K. J., G. B. Gordon, A. J. Alberg, T. L. Bush, & G. W. Comstock. (1992). Relationship of prediagnostic serum levels of dehydroepiandrosterone and dehydroepiandrosterone sulfate to the risk of developing premenopausal breast cancer. *Cancer research*, 52(1), 1-4.
- Helzlsouer, Kathy J., et al. "A prospective study of endogenous hormones and breast cancer." *Cancer detection and prevention* 18.2 (1993): 79-85.

- Hernandez-Valero MA, Thomson CA, Hernandez M, Tran T, Detry MA, Theriault RL, et al. Comparison of baseline dietary intake of Hispanic and matched non-Hispanic white breast cancer survivors enrolled in the Women's Healthy Eating and Living study. *Journal of the American Dietetic Association*. 2008;108(8):1323-9. Epub 2008/07/29.
- Hickey M, Peate M, Saunders CM, Friedlander M. Breast cancer in young women and its impact on reproductive function. *Human reproduction update*. 2009;15(3):323-39. Epub 2009/01/29.
- Holmes, Michelle D., et al. "Association of dietary intake of fat and fatty acids with risk of breast cancer." *Jama* 281.10 (1999): 914-920.
- Hoover, Kathleen L., Laurie H. Barbalinardo, and Maria Pia Platia. "Delayed lactogenesis II secondary to gestational ovarian theca lutein cysts in two normal singleton pregnancies." *Journal of Human Lactation* 18.3 (2002): 264-268.
- Hu, J., Z. Zhang, W.-J. Shen, & S. Azhar. (2010). Cellular cholesterol delivery, intracellular processing and utilization for biosynthesis of steroid hormones. *Nutrition & metabolism*, 7(1), 47.
- Indrati, Rini. Faktor-faktor risiko yang berpengaruh terhadap kejadian kanker payudara. 2005. Tesis : Universitas Diponegoro.
- Iyengar NM, Hudis CA, Gucalp A. Omega-3 fatty acids for the prevention of breast cancer: an update and state of the science. *Current breast cancer reports*. 2013;5(3):247-54. Epub 2013/09/28.
- Jayasinghe Y. Preventive care and evaluation of the adolescent with a breast mass. *Seminars in plastic surgery*. 2013;27(1):13-8. Epub 2013/02/01.
- Jenkins, D. J. (2008). Fish oil and omega-3 fatty acids. *Canadian Medical Association Journal*, 178(2), 150.
- Jiang W, Zhu Z, McGinley JN, El Bayoumy K, Manni A, Thompson HJ. Identification of a molecular signature underlying inhibition of mammary carcinoma growth by dietary N-3 fatty acids. *Cancer Res*. 2012;72:3795-806.
- Jourdan M-L, Mahéo K, Barascu A, Goupille C, De Latour MP, Bougnoux P, et al. Increased BRCA1 protein in mammary tumours of rats fed marine -3 fatty acids. *Oncol Rep*. 2007;17:713-9.
- Kabuto, Michinori, et al. "A prospective study of estradiol and breast cancer in Japanese women." *Cancer Epidemiology and Prevention Biomarkers* 9.6 (2000): 575-579.
- Kang, K. S., P. Wang, N. Yamabe, M. Fukui, T. Jay, & B. T. Zhu. (2010). Docosahexaenoic acid induces apoptosis in MCF-7 cells in vitro and in vivo via reactive oxygen species formation and caspase 8 activation. *PLoS One*, 5(4), e10296.
- Karmali, R., S. Welt, H. Thaler, & F. Lefevre. (1983). Prostaglandins in breast cancer: relationship to disease stage and hormone status. *British journal of cancer*, 48(5), 689.

- Kobayashi et al;2012;Reproductive history and Breast cancer; Breast cancer. 19:302-308
- Kobayashi, S., H. Sugiura, Y. Ando, N. Shiraki, T. Yanagi, H. Yamashita, & T. Toyama. (2012). Reproductive history and breast cancer risk. *Breast Cancer*, 19(4), 302-308.
- Kobayashi, Shunzo, et al. "Reproductive history and breast cancer risk." *Breast Cancer* 19.4 (2012): 302-308.
- Kossiakoff, Anthony A. "The structural basis for biological signaling, regulation, and specificity in the growth hormone–prolactin system of hormones and receptors." *Advances in protein chemistry* 68 (2004): 147-169.
- Kuriki K, Hirose K, Wakai K, Matsuo K, Ito H, Suzuki T, et al. Breast cancer risk and erythrocyte compositions of n-3 highly unsaturated fatty acids in Japanese. *Int J Cancer*. 2007;121:377–85.
- Lagiou P, Samoli E, Lagiou A, Zourna P, Barbouni A, Georgila C, et al. A comparison of hormonal profiles between breast cancer and benign breast disease: a case-control study. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO*. 2013;24(10):2527-33. Epub 2013/06/01.
- Lands B. Consequences of essential fatty acids. *Nutrients*. 2012;4(9):1338-57. Epub 2012/11/01.
- LaPensee, Elizabeth W., and Nira Ben-Jonathan. "Novel roles of prolactin and estrogens in breast cancer: resistance to chemotherapy." *Endocrine-Related Cancer* 17.2 (2010): R91-R107.
- Lee SH, Akuete K, Fulton J, Chelmow D, Chung MA, Cady B. An increased risk of breast cancer after delayed first parity. *Am J Surg*. 2003;186(4):409–12.
- Lelievre SA, Weaver CM. Global nutrition research: nutrition and breast cancer prevention as a model. *Nutrition reviews*. 2013;71(11):742-52. Epub 2014/01/23.
- Leong, Stanley PL, et al. "Is breast cancer the same disease in Asian and Western countries?." *World journal of surgery* 34.10 (2010): 2308-2324.
- Lewis-Wambi JS, Jordan VC. Estrogen regulation of apoptosis: how can one hormone stimulate and inhibit? *Breast cancer research : BCR*. 2009;11(3):206. Epub 2009/06/13.
- Ling PR, De Leon CE, Le H, Puder M, Bistrrian BR. Early development of essential fatty acid deficiency in rats: fat-free vs. hydrogenated coconut oil diet. Prostaglandins, leukotrienes, and essential fatty acids. 2010;83(4-6):229-37. Epub 2010/08/03.
- Linos E, Holmes MD, Willett WC. Diet and breast cancer. *Curr Oncol Rep* 2007;9:31–41.
- Linos, E., W. C. Willett, E. Cho, & L. Frazier. (2010). Adolescent diet in relation to breast cancer risk among premenopausal women. *Cancer Epidemiology and Prevention Biomarkers*, 1055-9965. EPI-1009-0802.

- Litton JK, Theriault RL. Breast cancer and pregnancy: current concepts in diagnosis and treatment. *The oncologist*. 2010;15(12):1238-47. Epub 2010/12/15.
- Llaverias G, Danilo C, Mercier I, Daumer K, Capozza F, Williams TM, et al. Role of cholesterol in the development and progression of breast cancer. *The American journal of pathology*. 2011;178(1):402-12. Epub 2011/01/13.
- Makarem N, Chandran U, Bandera EV, Parekh N. Dietary fat in breast cancer survival. *Annu Rev Nutr*. 2013; 33 : 1-28.
- Manjer, Jonas, et al. "Postmenopausal breast cancer risk in relation to sex steroid hormones, prolactin and SHBG (Sweden)." *Cancer Causes and Control* 14.7 (2003): 599-607.
- Manjer, Jonas, et al. "Postmenopausal breast cancer risk in relation to sex steroid hormones, prolactin and SHBG (Sweden)." *Cancer Causes and Control* 14.7 (2003): 599-607.
- Marasco, Lisa, Chele Marmet, and Ellen Shell. "Polycystic ovary syndrome: a connection to insufficient milk supply?." *Journal of Human Lactation* 16.2 (2000): 143-148.
- Marten, B., M. Pfeuffer, & J. Schrezenmeir. (2006). Medium-chain triglycerides. *International Dairy Journal*, 16(11), 1374-1382.
- Martin, Lisa J., et al. "Serum lipids, lipoproteins, and risk of breast cancer: a nested case-control study using multiple time points." *Journal of the National Cancer Institute* 107.5 (2015): djv032.
- Meeske K, Press M, Patel A, Bernstein L. Impact of reproductive factors and lactation on breast carcinoma in situ risk. *Int J Cancer* 2004;110:102-9
- Menendez JA, Vazquez-Martin A, Ropero S, Colomer R, Lupu R: HER2 (erbB-2)-targeted effects of the omega-3 polyunsaturated fatty acid, alpha-linolenic acid (ALA; 18:3n-3), in breast cancer cells: the 'fat features' of the 'Mediterranean diet' as an 'anti-HER2 cocktail'. *Clin Transl Oncol*. 2006, 8: 812-820.
- Meng, Jianping, Chon-Hwa Tsai-Morris, and Maria L. Dufau. "Human prolactin receptor variants in breast cancer." *Cancer research* 64.16 (2004): 5677-5682.
- Miura Y. The biological significance of omega;-oxidation of fatty acids. *Proceedings of the Japan Academy, Series B*. 2013;89(8):370-82.
- Monninkhof, Evelyn M., et al. "Physical activity and breast cancer: a systematic review." *Epidemiology* 18.1 (2007): 137-157.
- Murff, Harvey J., et al. "Dietary polyunsaturated fatty acids and breast cancer risk in Chinese women: a prospective cohort study." *International journal of cancer* 128.6 (2011): 1434-1441.
- Nagata C, Hu YH, Shimizu H. Effects of menstrual and reproductive factors on the risk of breast cancer: meta-analysis of the case-control studies in Japan. *Jpn J Cancer Res*. 1995;86(10):910-5.
- Narod, Steven A. "Breast cancer in young women." *Nature reviews Clinical oncology* 9.8 (2012): 460-470.

- Nicol, M., C. Willis, C. Yiangou, D. Sinnett, & S. Shousha. (2002). Relationship between serum prolactin levels and histology of benign and malignant breast lesions: a detailed study of 153 consecutive cases. *The breast journal*, 8(5), 281-285.
- Nouhi, Zaynab, et al. "Defining the role of prolactin as an invasion suppressor hormone in breast cancer cells." *Cancer research* 66.3 (2006): 1824-1832.
- Obi N, Vrieling A, Heinz J, Chang-Claude J. Estrogen metabolite ratio: Is the 2-hydroxyestrone to 16alpha-hydroxyestrone ratio predictive for breast cancer? *International journal of women's health*. 2011;3:37-51. Epub 2011/02/23.
- Osborne MP. Breast anatomy and development. In *Disease of the breast*. 3 Ed. Lippincott Williams & Wilkins (2010):3-14.
- Otto, C., U. Kaemmerer, B. Illert, B. Muehling, N. Pfetzer, R. Wittig, H. U. Voelker, A. Thiede, & J. F. Coy. (2008). Growth of human gastric cancer cells in nude mice is delayed by a ketogenic diet supplemented with omega-3 fatty acids and medium-chain triglycerides. *BMC cancer*, 8(1), 122.
- Papamandjaris, A. A., D. E. Macdougall, & P. J. Jones. (1998). Medium chain fatty acid metabolism and energy expenditure: obesity treatment implications. *Life sciences*, 62(14), 1203-1215.
- Park B, Ma SH, Shin A, Chang MC, Choi JY, Kim S, et al. Korean risk assessment model for breast cancer risk prediction. *PloS one*. 2013;8(10):e76736. Epub 2013/11/10.
- Parker, J. S., M. Mullins, M. C. Cheang, S. Leung, D. Voduc, T. Vickery, S. Davies, C. Fauron, X. He, & Z. Hu. (2009). Supervised risk predictor of breast cancer based on intrinsic subtypes. *Journal of clinical oncology*, 27(8), 1160-1167.
- Peck, Amy R., et al. "Low levels of Stat5a protein in breast cancer are associated with tumor progression and unfavorable clinical outcomes." *Breast Cancer Research* 14.5 (2012): R130.
- Perou, C. M., T. Sørlie, M. B. Eisen, M. van de Rijn, S. S. Jeffrey, C. A. Rees, J. R. Pollack, D. T. Ross, H. Johnsen, & L. A. Akslen. (2000). Molecular portraits of human breast tumours. *nature*, 406(6797), 747-752.
- Pike MC, Spicer DV, Dahmouch L, Press MF: Estrogens, progestogens, normal breast cell proliferation, and breast cancer risk. *Epidemiol Rev* 1993, 15:17
- Rakha, E., D. Soria, A. R. Green, C. Lemetre, D. G. Powe, C. C. Nolan, J. M. Garibaldi, G. Ball, & I. O. Ellis. (2014). Nottingham Prognostic Index Plus (NPI+): a modern clinical decision making tool in breast cancer. *British journal of cancer*, 110(7), 1688-1697.
- Rasmussen, Louise Maymann, et al. "Prolactin and oestrogen synergistically regulate gene expression and proliferation of breast cancer cells." *Endocrine-related cancer* 17.3 (2010): 809-822.
- Regan MM, Pagani O, Fleming GF, Walley BA, Price KN, Rabaglio M, et al. Adjuvant treatment of premenopausal women with endocrine-responsive early breast cancer: design of the TEXT and SOFT trials. *Breast*. 2013;22(6):1094-100. Epub 2013/10/08.

- Renehan AG, Zwahlen M, Minder C, O'Dwyer ST, Shalet SM, Egger M. Insulin-like growth factor (IGF)-I, IGF binding protein-3, and cancer risk: systematic review and meta-regression analysis. *The Lancet*. 2004;363(9418):1346-53.
- Riset Kesehatan Dasar. (2013). Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Ross, J. S., & J. A. Fletcher. (1998). The HER-2/neu Oncogene in Breast Cancer: Prognostic Factor, Predictive Factor, and Target for Therapy. *Stem cells*, 16(6), 413-428.
- Ruebner, B., G. Van Leeuwen, & L. Korngold. (1960). HUMAN FÆTAL THYROGLOBULIN: WITH PARTICULAR REFERENCE TO THE ÆTIOLOGY OF HASHIMOTO'S DISEASE. *The Lancet*, 275(7134), 1108-1109.
- Scherr, R., & M. Chellino. (2016). Nutrition and Health Info Sheet: Omega-3 Fatty Acids.
- Shannon J, King IB, Moshofsky R, Lampe JW, Gao DL, Ray RM, et al. Erythrocyte fatty acids and breast cancer risk: a case-control study in Shanghai. *China Am J Clin Nutr*. 2007;85:1090-7.
- Shilkaitis, A., A. Green, V. Punj, V. Steele, R. Lubet, & K. Christov. (2005). Dehydroepiandrosterone inhibits the progression phase of mammary carcinogenesis by inducing cellular senescence via a p16-dependent but p53-independent mechanism. *Breast Cancer Research*, 7(6), R1132.
- Shivalinga, S. (2006). Clinical Study of Benign Breast Diseases. RGUHS.
- Shivalinga. Clinical study of benign breast diseases; Dissertation Submitted to Rajiv Gandhi University of Health Sciences, Karnataka, Bengalore; 2006.
- Sieri S, Krogh V, Ferrari P, et al. Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr*. 2008;88(5):1304-1312.
- Simonsen, N., P. van't Veer, J. J. Strain, J. M. Martin-Moreno, J. K. Huttunen, J. F.-C. Navajas, B. C. Martin, M. Thamm, A. F. Kardinaal, & F. J. Kok. (1998). Adipose tissue omega-3 and omega-6 fatty acid content and breast cancer in the EURAMIC study. *American Journal of Epidemiology*, 147(4), 342-352.
- Simopoulos AP: The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomed Pharmacother* 2002;56:365-379.
- Simopoulos, A. (2003). The importance of the ratio of omega-6/omega-3 essential fatty acids. *Alternative Medicine Review*, 8(1), 83-84.
- Simopoulos, A. P. (2016). Evolutionary Aspects of the Dietary Omega-6/Omega-3 Fatty Acid Ratio: Medical Implications Evolutionary Thinking in Medicine (pp. 119-134): Springer.
- Soria G, Ofri-Shahak M, Haas I, Yaal-Hahoshen N, Leider-Trejo L, Leibovich-Rivkin T, et al. Inflammatory mediators in breast cancer: coordinated expression of TNFalpha & IL-1beta with CCL2 & CCL5 and effects on epithelial-to-mesenchymal transition. *BMC cancer*. 2011;11:130. Epub 2011/04/14.

- Sorlie T, Perou CM, Tibshirani R, et al. 2001. Gene expression patterns of breast carcinomas distinguish tumor subclasses with clinical implication. *Proc Natl Acad Sci USA*; 98(19): 10869-74.
- St-Onge, M.-P., & P. J. Jones. (2002). Physiological effects of medium-chain triglycerides: potential agents in the prevention of obesity. *The Journal of nutrition*, 132(3), 329-332.
- St-Onge, M., & P. Jones. (2003). Greater rise in fat oxidation with medium-chain triglyceride consumption relative to long-chain triglyceride is associated with lower initial body weight and greater loss of subcutaneous adipose tissue. *International journal of obesity*, 27(12), 1565-1571.
- Stanczyk FZ: Steroid hormones. In: *Mishell's Textbook of Infertility, Contraception, and Reproductive Endocrinology*. 4th edition. Edited by Lobo RA, Mishell DR, Paulson RJ, Shoupe D. Oxford: Blackwell Science; 1997:47-66.
- Suba Z. Triple-negative breast cancer risk in women is defined by the defect of estrogen signaling: preventive and therapeutic implications. *OncoTargets and therapy*. 2014;7:147-64. Epub 2014/02/01.
- Takeuchi, H., S. Sekine, K. Kojima, & T. Aoyama. (2008). The application of medium-chain fatty acids: edible oil with a suppressing effect on body fat accumulation. *Asia Pacific journal of clinical nutrition*, 17(S1), 320-323.
- Takeuchi, H., S. Sekine, K. Kojima, & T. Aoyama. (2008). The application of medium-chain fatty acids: edible oil with a suppressing effect on body fat accumulation. *Asia Pacific journal of clinical nutrition*, 17(S1), 320-323.
- Tan, Donyong, et al. "Prolactin increases survival and migration of ovarian cancer cells: importance of prolactin receptor type and therapeutic potential of S179D and G129R receptor antagonists." *Cancer letters* 310.1 (2011): 101-108.
- Terry PD, Rohan TE, Wolk A. Intakes of fish and marine fatty acids and the risks of cancers of the breast and prostate and of other hormone-related cancers: a review of the epidemiologic evidence. *Am J Clin Nutr*. 2003;77:532-43.
- Terry PD, Rohan TE, Wolk A. Intakes of fish and marine fatty acids and the risks of cancers of the breast and prostate and of other hormone-related cancers: a review of the epidemiologic evidence. *Am J Clin Nutr*. 2003;77:532-43.
- Thiébaud, A., V. Chajès, M. Gerber, M. C. Boutron-Ruault, V. Joulin, G. Lenoir, F. Berrino, E. Riboli, J. Bénichou, & F. Clavel-Chapelon. (2009). Dietary intakes of h-6 and o-3 polyunsaturated fatty acids and the risk of breast cancer. *International Journal of Cancer*, 124(4), 924-931.
- Tikk, K., D. Sookthai, T. Johnson, S. Rinaldi, I. Romieu, A. Tjønneland, A. Olsen, K. Overvad, F. Clavel-Chapelon, & L. Baglietto. (2014). Circulating prolactin and breast cancer risk among pre-and postmenopausal women in the EPIC cohort. *Annals of Oncology*, 25(7), 1422-1428.
- Toniolo PG. Endogenous estrogens and breast cancer risk: the case for prospective cohort studies. *Environ Health Perspect*. 1997;105(Suppl 3):587-592.

- Travis RC, Key TJ. Oestrogen exposure and breast cancer risk. *Breast cancer research* : BCR. 2003;5(5):239-47. Epub 2003/08/21.
- Trichopoulos D: Hypothesis: does breast cancer originate in utero? *Lancet* 1990, 335:939-940.
- Turk HF, Chapkin RS. Membrane lipid raft organization is uniquely modified by n-3 polyunsaturated fatty acids. *Prostaglandins Leukot Essent Fatty Acids*. 2013;88:43-7.
- TwoRoger, Shelley S., et al. "A 20-year prospective study of plasma prolactin as a risk marker of breast cancer development." *Cancer research* 73.15 (2013): 4810-4819.
- Van't Veer, L. J., H. Dai, M. J. Van De Vijver, Y. D. He, A. A. Hart, M. Mao, H. L. Peterse, K. van der Kooy, M. J. Marton, & A. T. Witteveen. (2002). Gene expression profiling predicts clinical outcome of breast cancer. *nature*, 415(6871), 530-536.
- Vannice, G., & H. Rasmussen. (2014). Position of the academy of nutrition and dietetics: dietary fatty acids for healthy adults. *Journal of the Academy of Nutrition and Dietetics*, 114(1), 136-153.
- Veech, R. L. (2004). The therapeutic implications of ketone bodies: the effects of ketone bodies in pathological conditions: ketosis, ketogenic diet, redox states, insulin resistance, and mitochondrial metabolism. *Prostaglandins, leukotrienes and essential fatty acids*, 70(3), 309-319.
- Wambach, Karen, and Jan Riordan, eds. *Breastfeeding and human lactation*. Jones & Bartlett Publishers, 201
- Wang, D. Y., et al. "Relationship of blood prolactin levels and the risk of subsequent breast cancer." *International journal of epidemiology* 21.2 (1992): 214-221.
- Wang, Dingzhi, and Raymond N. DuBois. "Eicosanoids and cancer." *Nature Reviews Cancer* 10.3 (2010): 181-193.
- Warner ET, Colditz GA, Palmer JR, Partridge AH, Rosner BA, Tamimi RM. Reproductive factors and risk of premenopausal breast cancer by age at diagnosis: are there differences before and after age 40? *Breast cancer research and treatment*. 2013;142(1):165-75. Epub 2013/10/19.
- Weigel, M. T., & M. Dowsett. (2010). Current and emerging biomarkers in breast cancer: prognosis and prediction. *Endocrine-related cancer*, 17(4), R245-R262.
- Yang B, Ren XL, Fu YQ, Gao JL, Li D. Ratio of n-3/n-6 PUFAs and risk of breast cancer: a meta-analysis of 274135 adult females from 11 independent prospective studies. *BMC Cancer*. 2014;14:105.
- Yang, Bo, et al. "Ratio of n-3/n-6 PUFAs and risk of breast cancer: a meta-analysis of 274135 adult females from 11 independent prospective studies." *BMC cancer* 14.1 (2014): 105.
- Yu H, Shu XO, Shi R, Dai Q, Jin F, Gao YT, et al. Plasma sex steroid hormones and breast cancer risk in Chinese women. *International journal of cancer Journal international du cancer*. 2003;105(1):92-7. Epub 2003/04/03.

Yu SZ, Lu RF, Xu DD, Howe GR. A case-control study of dietary and nondietary risk factors for breast cancer in Shanghai. *Cancer Res* 1990;50:5017

Zhang L, Zhou F, ten Dijke P. Signaling interplay between transforming growth factor-beta receptor and PI3K/AKT pathways in cancer. *Trends in Biochemical Sciences*. 2013;38(12):612-20. Epub 2013/11/19.



