

DAFTAR KEPUSTAKAAN

- Asia and Pasific Coconut Community (2009) APCC quality standard virgin coconut oil. www.apccsec.org.
- Albert, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., Walter, P. (2002) *Molecular biology of the cell*, edisi keempat. New York: Garland Science.
- Arasu, M.V., Kim, D.H., Kim, P.I., Jung, M.W., Ilavenil, S., Jane, M., Lee, K.D., Al-Dhabi, N.A. dan Choi, K.C. (2013) *In vitro* antifungal, probiotic and antioxidant properties of novel *Lactobacillus plantarum* K46 isolated from fermented sesame leaf. *Annals of microbiology*. Tersedia dari <https://link.springer.com>.
- Arlee, R., Suanphairoch, S. dan Pakdeechanuan, P. (2013) Differences in chemical components and antioxidant-related substances in virgin coconut oil from coconut hybrids and their parents. *International food research journal*, 20 (5), h. 2103-2109.
- Atlas, R.M. (1998) *Microbiology fundamentals and application*, second edition. New York: McMillan Publishing Company, 106-110.
- Ausubel, F.M. *et al.* (2003) *Current protocols in molecular biology*. New York: John Wiley & Sons.
- Axelsson, L. (2004) *Lactic acid bacteria: classification and physiology*. In *advance in lactic acid bacteria: microbiological and functional aspect*. Editor: Salminen, S., Von Wright, A. dan Ouweland A. Edisi ketiga. New York: Marcel dekker, Inc.
- Badan Standardisasi Nasional (2008) *SNI 7381:2008, minyak kelapa virgin (VCO)*. Jakarta: Badan Standardisasi Nasional.
- Barla *et al.* (2016). The gamma-aminobutyric acid-producing ability under low pH conditions of lactic acid bacteria isolated from traditional fermented foods of Ishikawa Prefecture, Japan, with a strong ability to produce ACE-inhibitory peptides. *Biotechnology reports*, 10 (2016), h. 105-110.
- Baumann, J., Wurn, G. dan Bruchlausen, F.V. (1979). Prostaglandin synthetase inhibiting O₂-radical scavenging properties of some flavonoids and related phenolic compounds. *Archives pharmacology*, 308, h. 27-32.
- Carandang, E.V. (2008) Health benefits of virgin coconut oil. *Indian coconut journal*, h. 8-12.
- Chen, L., Zhao, H., Zhang, C., Lu, Y., Zhu, X. dan Lu, Z. (2016) γ -aminobutyric acid-rich yogurt fermented by *Streptococcus salivarius* subsp. *thermophiles*

fmb5 appears to have anti-diabetic effect on streptozotocin-induced diabetic mice. *Journal of functional foods*, 20, h.-267-275.

Chen, Z., Tang, J., Sun, Y.Q. dan Xie, J. (2013) Protective effect of γ -aminobutyric acid on antioxidation function in intestinal mucosa of Wenchang chicken induced by heat stress. *The journal of animal and plant sciences*, 23 (6), h. 1634-1641.

Corcoran, B.M., Stanton, C., Fitzgerald, G.F. dan Ross, R.P. (2007) Growth of probiotic lactobacilli in the presence of oleic acid enhances subsequent survival in gastric juice. *Microbiology*, 153, h. 291-299.

Cotter, P.D. dan Hill, C. (2003) Surviving the acid test: responses of Gram-positive bacteria to low pH. *Microbiology and molecular biology reviews, American Society for Microbiology Journal*, 67 (3), 429-453.

Das, D. dan Goyal, A. (2014) Antioxidant activity and γ -aminobutyric acid (GABA) producing ability of probiotic *Lactobacillus plantarum* DM5 isolated from Marcha of Sikkim. *LWT-Food science and technology*, h. 1-6.

De Man, J.C., Rogosa, M. dan Elisabeth Sharpe, M. (1960). A medium for the cultivation of lactobacilli. *Journal of applied bacterial*, 23 (1), 130-135.

Di Cagno, R., Mazzacane, F., Rizzello, C.G., De Angelis, M., Guilani, G., Meloni, M., De Servi, B. dan Gobetti, M. (2010). Synthesis of gamma aminobutyric acid (GABA) by *Lactobacillus plantarum* DSM19463: functional grape must beverage and dermatological applications. *Applied microbiology biotechnology*, 86: 731-741.

Dia, V.P., Garcia, V.V., Mabesa, R.C. dan Tecson-Mendoza, E.M. (2005) Comparative physicochemical characteristics of virgin coconut oil produced by different methods. *Philippine agricultural sciences*, 88, h. 462-475.

Diana, M., Quilez, J. dan Rafecas, M. (2014) Gamma-aminobutyric acid as a bioactive compound in foods: a review. *Journal of functional foods*, 10, h. 407-420.

Do, K. (2013) Neuron loss in schizophrenia and depression prevented with an antioxidant. *Biological psychiatry*, 73 (6), published by Elsevier.

Fajrilah, B.R, Indrayani, U.D. dan Djam'an, Q. (2013) Pengaruh pemberian madu terhadap kadar malondialdehyde (MDA) plasma darah pada tikus yang diinduksi alloxan studi experimental pada tikus putih jantan galur wistar. *Sains medika*, 5 (2), h. 98-100.

Food and Agriculture Organization of the United Nations (2014) Production of coconuts: top 10 producers. www.fao.org/faostat/en/#data/QC/visualize.

- Gomaa, E.Z. (2015). Enhancement of gamma-aminobutyric acid production by co-culturing of two lactobacilli strains. *Asian journal of biotechnology*, 7 (3), h. 108-118.
- Hamsi, M.A., Othman, F., Das, S., Kamisah, Y., Thent, Z.C., Qodriyah, H.M.S., Zakaria, Z., Emran, A., Subermaniam, K. dan Jaarin, K. (2015) Effect of consumption of fresh and heated virgin coconut oil on the blood pressure and inflammatory biomarkers: an experimental study in *Sprague Dawley* rats. *Alexandria journal of medicine*, 51, h. 53-63.
- Han, Q., Kong, B., Chen, Q., Sun, F. dan Zhang, H. (2017) *In vitro* comparison of probiotic properties of lactic acid bacteria isolated from Harbin dry sausages and selected probiotics. *Journal of functional foods*, 32, h. 391-400.
- Hardy, J. (2016) Gram's serendipitous stain. CLS, SM (ASCP). Santa Maria, CA.
- Himedia. (2015) *Technical data lactobacillus MRS Broth (MRS Broth)*. Mumbai, India: HiMedia Laboratories.
- Holt, J.G. *et al.* (1994). *Bergey's manual of determinative bacteriology*, nine edition. USA: The William & Wilkim Co. Inc.
- Husmaini (2012) *Potensi Lactococcus plantarum isolat limbah pengolahan virgin coconut oil (blondo) sebagai probiotik dan aplikasinya untuk meningkatkan performans unggas*. Padang: Program pascasarjana Universitas Andalas.
- Husmaini, Abbas, M.H., Purwati, E., Yuniza, A. dan Alimon, A.R. (2011) Growth and survival of lactic acid bacteria isolated from byproduct of virgin coconut oil as probiotic candidate for poultry. *International journal of poultry science*, 10 (4), h. 309-314.
- Innis, M.A. dan Gelfand, D.H. (1990). Optimization of PCRs. Dalam Innis, Michael A. PCR Protocols: a guide to methods and applications. San Diego: Academic Press Inc., 3-11.
- Ji, K., Jang, N.Y. dan Kim, Y.T. (2015). Isolation of lactic acid bacteria showing antioxidative and probiotic activities from *kimchi* and infant feces. *Journal of microbiology and biotechnology*, 25, h. 1568-1577.
- Kim, Y., Lee, M.Y., Ji, G.E., Lee, Y.S. dan Hwang, K.T. (2009). Production of gamma aminobutyric acid in black raspberry juice during fermentation of *Lactobacillus brevis* GABA100. *International journal of food microbiology*, 130, h. 12-16.
- Komatsuzaki, N., Shima, J., Kawamoto, S., Momose, H. dan Kimura, T. (2005). Production of gamma-aminobutyric acid (GABA) by *Lactobacillus paracasei* isolated from traditional fermented foods. *Food mictobiology*, 22 (2005), h. 497-504.

- Krnjevic, K. (1974). Chemical nature of synaptic transmission in vertebrates, 54, h. 419-540.
- Ku, B.S., Mamuad, L.L, Kim, S-H, Jeong, C.D., Soriano, A.P., Lee, H-I., Nam, K-C., Ha, J.K. dan Lee, S.S. (2013) Effect of γ -aminobutyric acid (GABA) producing bacteria on *in vitro* rumen fermentation, biogenic amine production and anti-oxidation using corn meal as substrate. *Asian-australasian journal animal science*, 26 (6), h. 804-411.
- Kumalaningsih, S. dan Padaga, M. (2012) The utilization of microorganisms isolated from fermented coconut milk for the production of virgin coconut oil. *Journal of basic and applied scientific research*, 2 (3), h. 2286-2290.
- Kuntari, C. (2007) *Uji aktivitas penangkapan radikal hidroksil oleh ekstrak etanol the hijau dan the hitam dengan metode deoksiribosa*. Yogyakarta: Fakultas Farmasi Universitas Sanata Dharma.
- Lee, J., Hwang, K., Chung, M., Cho, D. dan Park, C. (2005). Resistance of *Lactobacillus casei* KCTC 3260 to reactive oxygen species (ROS): role for a metal ion chelating effect. *Journal food science*, 70, h. 388-391.
- Lee, B-J., Kim, J-S., Kang, Y. M., Lim, J-H., Kim, Y-M., Lee, M-S., Jeong, M-H., Ahn, C-B. dan Je, J-Y. (2010) Antioxidant activity and γ -aminobutyric acid (GABA) content in sea tangle fermented by *Lactobacillus brevis* BJ20 isolated from traditional fermented foods. *Food chemistry*, 122, h. 271-276.
- Li, H., Qiu, T. dan Cao, Y. (2010). Pre-staining thin layer chromatography method for amino acid detection. *African journal of biotechnology*, 9 (50), h. 8679-8681.
- Li, H. dan Cao, Y. (2010). Lactic acid bacterial cell factories for gamma-aminobutyric acid. *Amino acids*, 39, h. 1107-1116.
- Li, H., Qiu, T., Cao, Y., Yang, J. dan Huang, Z. (2009). Pre-staining paper chromatography method for quantification of γ -aminobutyric acid. *Journal of chromatography A*, 1216, h. 5057-5060.
- Lin, Q., Li, D. dan Qin, H. (2017) Molecular cloning, expression, and immobilization of glutamate decarboxylase from *Lactobacillus fermentum* YS2. *Electronic journal of biotechnology*, 27 (2017), h. 8-13.
- Lin, S-D., Mau, J-L. dan Hsu, C-A. (2012) Bioactive components and antioxidant properties of γ -aminobutyric acid (GABA) tea leaves. *LWT-food science and technology*, 46, h. 64-70.
- Lorenzo, A.D., Nabavi, S.F., Sureda, A., Moghaddam, A.H., Khanjani, S., Arcidiaco, P., Nabavi, S.M. dan Daglia, M. (2016) Antidepressive-like effects and antioxidant activity of green tea and GABA green tea in a mouse model

- of post-stroke depression. *Molecular nutrition and food research*, 60, h. 566-579.
- Marina, A.M., Man, Che Man, Y.B. dan Amin, I. (2009) Virgin coconut oil: emerging functional food oil. *Trends in food science and technology*, 20, h. 481-487.
- Matlock, B.C., Beringer, R.W., Ash, D.L. Allen, M.W. dan Page, A.F. (____) Analyzing differences in bacterial optical density measurements between spectrophotometers. www.thermoscientific.com/nanodrop.
- Nevin, K.G. dan Rajamohan, T. (2006) Virgin coconut oil supplemented diet increases the antioxidant status in rats. *Food chemistry*, 99, h. 260-266.
- Oliveira *et al.* (2014) Evaluation of antiradical assays used in determining the antioxidant capacity of pure compounds and plant extracts. *Quim. Nova*, 37 (3), h. 497-503.
- Purwaningsih, S. (2012) Anktivitas antioksidan dan komposisi kimia keong matah merah (*Cerithidea obtusa*). *Ilmu kelautan*, 17 (1), h. 39-48.
- Purwati, E., Syukur, S. dan Z. Hidayat. 2005. *Lactobacillus* sp. isolasi dari Biovicophitomega sebagai probiotik. Di dalam proceeding LIPI, Jakarta 24-25 Januari 2005.
- Ringo, E., Bendiksen, H.R., Gausen, S.J., Sundsfjord, A. dan Olsen, R.E. (1998) The effect of dietary fatty acids on lactic acid bacteria associated with the epithelial mucosa and from faecalia of Arctic charr, *Salvelinus alpinus* (L.). *Journal of applied microbiology*, 85, h. 855-864.
- Sambrook, J. dan Russel, D.W. (2001). *Molecular cloning a laboratory manual*, third edition. New York: Cold Spring Harbor Laboratory Press.
- Satya Narayan, V. dan P.M. Nair. (1990) Metabolism, enzymology and possible roles of 4-aminobutyrate in higher plants. *Phytochemistry*, 2 (2), h. 367-375.
- Sayuti, K. dan Yenrina, R. (2015) *Antioksidan alami dan sintetik*. Padang: Andalas University Press.
- Seneviratne, K.N., Hapuarachchl, C.D. dan Ekanayake, S. (2009) Comparison of the phenolic-dependent antioxidant properties of coconut oil extracted under cold and hot conditions. *Food chemistry*, 114, h. 1444-1449.
- Setiadi, B. dan Prayugo S. (2006) *Membuat VCO berkualitas tinggi*. Jakarta: Penebar Swadaya.
- Shelp, B.J., Bown, A.W. dan McLean, M.D. (1999). Metabolism and functions of gamma aminobutyric acid. *Trends plant science*, 4, h. 446-452.

- Shimamura, S., Abe, F., Ishibashi, N., Miyakawa, H., Yaeshima, T., Araya, T. dan Tornita, M. (1992). Relationship between oxygen sensitivity and oxygen metabolism of *Bifidobacterium* species. *Journal of dairy science*, 75, h. 3296-3306.
- Stamer (1979). The lactic acid bacteria: microbes of diversity. *Food technology*, 33 (1), h. 60-65.
- Suryani, Dharma, A., Manjang, Y., Arief, S., Munaf, E. dan Nasir, N. Antimicrobial and antifungal activity of lactic acid bacteria isolated from coconut milk fermentation. *RJPBCS*, 5 (6), h. 1587-1595.
- Suryani (2014) *Purifikasi dan karakterisasi bakteriosin dari bakteri asam laktat yang diisolasi pada proses fermentasi santan kelapa menjadi VCO (virgin coconut oil)*. Padang: Program Pascasarjana Universitas Andalas.
- Syukur, S., Syafrizayanti, Zulaiha, S., Ismet, M. dan Fachrial, E. (2017) Virgin coconut oil increase high density lipoprotein (LDL), lower triglyceride and fatty acids profile (C6-C18) in blood serum of *Mus musculus*. *RJPBCS*, 8 (2), h. 1077-1081.
- Syukur, S., Aziz, H. dan Fachrial, E. (2016) Probiotics and strong antimicrobial of buffalo milk fermentation (dadih) from different places in West Sumatera Indonesia. *RJPBCS*, 7 (6), h. 386-392.
- Syukur, S., Yolanda, S., Jamsari dan Fachrial, E. (2015) Isolation, antimicrobial activity and bioremediation of heavy metal Cadmium (Cd) by using lactic acid bacteria from Dadih Origin Lareh Sago Halaban, Payakumbuh, West Sumatera, Indonesia. *JOCPR*, 7 (9), h. 235-241.
- Syukur, S., Rijal, F., Jamsari dan Purwati, E. (2014) Isolation and molecular characterization of lactic acid bacteria by using 16s rRNA from fermented buffalo milk (dadih) in Sijunjung, West Sumatera. *RJPBCS*, 5 (6), h. 871-876.
- Syukur, S., Bisping, B., Noli, Z.A. dan Purwati, E. (2013) Antimicrobial properties and lactase activities from selected probiotic *Lactobacillus brevis* associated with green cacao fermentation in West Sumatra, Indonesia. *Probiotics & health*, 1 (4), h. 1-4.
- Szydlowska, H. dan Kauza, J. (1976). Attempts at inhibition of autooxidation of catecholamines in vitro. *Folia Histochemica et Cytochemica*, 14, 257.
- Ugantsetseg, E. dan Batjargal, B. (2014). Antioxidant activity of probiotic lactic acid bacteria isolated from Mongolian airag. *Mongolian journal of chemistry*, 15 (41), h. 73-78.
- Villegas, J.M., Brown, L., de Giori, G.S. dan Hebert, E.M. (2016) Optimization of batch culture conditions for GABA production by *Lactobacillus brevis* CRL 1942, isolated from quinoa sourdough. *LWT-food science and technology*, 67, h. 22-26.

- Vysakh, A., Ratheesh, M., Rajmohanam, T.P., Pramod, C. Premlal, S., Girish Kumar, B. dan Sibi, P.I. (2014) Polyphenolics isolated from virgin coconut oil inhibits adjuvant induced arthritis in rats through antioxidant and anti-inflammatory action. *International immunopharmacology*, 20, h. 124-130.
- Watanabe, N., Fujimoto, K. dan Aoki, H. (2007) Antioxidant activities of the water-soluble fraction in tempeh-like fermented soybean (GABA-tempeh). *International journal of food sciences and nutrition*, 58 (8), h. 577-587.
- Williams, W.L., Broquist, H.P. dan Snell E.S. (1947) Oleic acid and related compounds as growth factors for lactic acid bacteria. *Journal of biological chemistry*, 170, h. 619-630.
- Winfrey, M.R., Rott, M.A. dan Wortman, A.T. (1997), *Unraveling DNA: molecular biology for the laboratory*. New Jersey: Prentice Hall Inc.
- Woraharn, S., Lailerd, N., Sivamaruti, B.S., Wangcharoen, W., Sirisattha, S. dan Chaiyasut, C. (2014) Screening and kinetics of glutaminase and glutamate decarboxylase producing lactic acid bacteria from fermented Thai foods. *Food science and technology*, 34 (4), h. 793-799.
- Wu, Q. dan Shah, N.P. (2016) High gamma-aminobutyric acid production from lactic acid bacteria: emphasis on *Lactobacillus brevis* as a functional dairy starter. *Food science and nutrition*, accepted manuscript.
- Wu, Q. dan Shah, N.P. (2014) Gas release-based prescreening combined with reversed-phase HPLC quantification for efficient selection of high- γ -aminobutyric acid (GABA)-producing lactic acid bacteria. *Journal of dairy science*, 98, h. 1-8.
- Xie, Z., Xia, S. dan Le, G-W. (2014a) Gamma-aminobutyric acid improves oxidative stress and function of the thyroid in high-fat diet fed mice. *Journal of functional foods*, 8C, 76-86.
- Xie, Z.X., Xia, S.F., Qiao, Y., Shi, Y.H. dan Le, G.W. (2014b) Effect of GABA on oxidative stress in the skeletal muscles and plasma free amino acids in mice fed high-fat diet. *Journal of animal physiology and animal nutrition*, h. 1-9.
- Yamamoto (2009). Identification of antioxidant(s) from lactic acid bacteria screening of high antioxidative strain(s). *NISR Research Grant*.
- Yokoyama, S., Hiramatsu, J. dan Hayakawa, K. (2002). Production of gamma-aminobutyric acid from alcohol distillery lees by *Lactobacillus brevis* IFO 12005. *Journal of bioscience and bioengineering*, 93 (1), 95-97.
- Zareian, M., Oskoueian, E., Forghani, B. dan Ebrahimi M. (2015) Production of a wheat-based fermented rice enriched with γ -aminobutyric acid using *Lactobacillus plantarum* MNZ and its antihypertensive rats. *Journal of functional foods*, 16, h. 194-203.