

DAFTAR PUSTAKA

- Abbas AK, Linchtman AH, 2009. Basic Immunology : Funnctions and Disorders of The Immune System. 3nded. Philadelphia, London, Toronto : Saunders Co, pp 23-44, 67-88.
- Agustina W, Fitri LE, Raras TYM, Siswanto B, Prawiro SR, 2012. Antibody Protein Hemagglutini Sibunit Pili with 49.8kDa, Shigella dysenteriae can inhibit Shigella dysenteriae adhesion on mice enterocyte. IOSR Journal of Pharmacy;2(5):13-20
- Attwood TK, Campbell JH, Parish AD, Smith JL. Stirling, 2006. Oxford Dictionary of Biochemistry and Molecular Biology, Revised Edition, Oxford University Press, pp 103-24.
- Baratawidjaya GK, 2004. Antigen-Antibodi. Imunologi Dasar. Edisi VI, cetakan I, Jakarta. Balai PenerbitFKUI,pp 73-90.
- Black RE, 2001. Diarrheal disease. In: Nelson KE, William CM, Graham NMH, editors. Infectious disease epidemiology, theory and practice. Aspen Publication, Maryland, pp 497-517.
- Brandzaeg P, 2013. Secretory immunity with special reference to the oral cavity. Journal of Oral Microbiologi Vol. 5.
- Burkis C and Ashwood. 1999. Tietz Texbooks of Clinical Chemistry. 3rd edition, Saunders, Philadelphia, pp 150-225.
- Brooks, GF, Butel JS, 2004. Medical Microbiologi 23th Edition. United State: The McGraw-hill companies, pp 85-123.
- CDC, 2003. The Management of Acute Diarrhea in Children: Oral Rehydration, Maintenance, and Nutritional Therapy, U.S, Department of Health and Human Services Public Health Services Centers for Disease Control and Prevention (CDC) Atlanta, Georgia, 52, 1-13.
- Ciesla WP, Guerrant RL, 2003. Infectious Diarrhea. In: Wilson WR, Drew WL, Henry NK, et al editors. Current Diagnosis and Treatment in Infectious Disease. New York: Lange Medical Books, P. 225 - 68.
- DuttaS, DuttaD,2003. Shigella dysentriiae Serotype 1, Kolkatta, India. EmergencyInfectious Disease, (11): 1471-1474.
- Geo FB, Janet SB dan Stephen AM, 2001. Mikrobiologi Kedokteran. Diterjemahkan oleh Edi Mudihardi MS,SpMK. Bagian mikrobiologi FK UNAIR. Surabaya. Penerbit Buku-Buku Kedokteran. Hal 362-364.

- Greenwood, 2010. Medical Microbiology: A Guide to Microbial Infections, 16th ed, UK, Churchill Livingstone, pp 251-259.
- Graps, 2005. Westernblotting Handbook and Troubleshooting Gude. Piercenet.com.
- GuytonAC, Hall JE, 2008. Fisiologi Kedokteran. Jakarta: EGC: pp 450-472.
- Herwana E, Surjawidjaja JE, Salim OC, 2010. Shigella-associated diarrhea in children in South Jakarta, Indonesia. Southeast Asian J Trop Med Public Health. p 418-25.
- Islam D, Christensson B, 2000. Disease dependant changes in T-cell populations in patients with shigellosis. APMIS 108, 251–260.
- Iijima, 2001. Mucosal immune network in the gut for the control of infectious diseases. Rev. Med. Virol. 11, 117–133.
- Jawetz, Melnick, dan Adelberg, 2005. Medical Microbiologi. Salemba Medica, pp 303-306
- Fajariah IN, 2009. Uji Aktivitas Antibakteri Fraksi Etil Asetat Ekstrak Etanol Kayu Secang (*Caesalpinia sappan L.*) terhadap *Staphylococcus aureus* dan *Shigella dysentriiae* serta Bioautografinya, Makalah, 1, Fakultas Farmasi, Universitas Muhammadiyah Surakarta, Surakarta.
- Friskawati, 2001. Daya Kerja Anti Bacterial Lipopolisakarida (LPS) Asal Dinding sel Bakteri *Vibrio harveyi* Terhadap Bakteri Lingkungan. Bogor: Fakultas Kedokteran Hewan IPB.
- Kosek M, Bern C, Guerrant RI, 2003. The global burden of diarrheal disease, as estimated from studies published between 1992-2000. Bull World Health Organ, pp 197-204.
- Kusnadi, dkk, 2003. Mikrobiologi, Common Textbook (Edisi Revisi), JICA. Bandung: FMIPA Universitas Pendidikan Indonesia.
- Kresno, Siti Boedina, 2010. IMUNOLOGI Diagnosis dan Prosedur Laboratorium, Jakarta : Balai Penerbit FKUI. hlm 40-65
- Levine, 2000. Shigellosis in custodial institutions. III. Prospective clinical and bacteriologic surveillance of children vaccinated with oral attenuated *Shigella* vaccines. J. Pediatr. 84, 803–806.
- Maia AHN, Abakerli RB, Durrant LR, 2008. Degradation of the herbicide sulfentrazone in a Brazilian typic hapludox soil. Soil Biology & Chemistry 40:879-886
- Mandal Bk, EGL Wilkins, EM Dunbar, dan RT Mayon, 2008. penyakit Infeksi. Erlangga,Surabaya.

Magdarina DA, Soeharno R, Lesmana M, 2007. The burden of diarrhoea, shigellosis, and cholera in North Jakarta, Indonesia: findings from 24 months surveillanceBMC Infectious Diseases, p. 7:1

Miller VL, Beer KB, Heusipp G, Young BM, Wachtel MR, 2001. "Identification of regions of Ail required for the invasion and serum resistance phenotypes". Mol. Microbiol. 41 (5): 1053–62

Mufida DC, 2007. Protein Hemaglutinin 35,2 kda Pili Proteusmirabilis P355 sebagai Adhesin pada Epitel Vesika Urinaria Kelinci,Jurnal Ilmu Dasar, 8 (1), 68-74.

Nathania D, 2008. Shigella dysentriæ.

<http://www.mikrobia.files.wordpress.com/>

2008/05/devi-nathania-0781141271.pdf diakses tanggal 6 Januari 2013

Notoatmojo S, 2005. Metodelogi Penelitian Kesehatan, Cetakan-3 edn, Rineka Cipta, Jakarta.

Procop GW, Cockerill F, 2003. Enteritis Caused by Escherichia coli & Shigella&Salmonella Species. In: Wilson WR, Drew WL, Henry NK,et al, Editors. Current Diagnosis and Treatment in Infectious Disease, New York: Lange Medical Books, pp 584 - 66.

Philpott DJ, 2000. Thepathogenesis of Shigella flexneri infection: lessons from in vitro and in vivo studies. Philos. Trans. R. Soc. Lond. B. Biol. Sci. 355, 575–586.

Pore D, Mahata N, Pal A, Chakrabarti MK, 2010. 34 kDa MOMP of Shigella flexneri promotes TLR2 mediated macrophage activation with the engagement of NF-κB and p38 MAP kinase signaling. Mol Immunol 47(9): 1739–1746.

Phalipon A, Sansonetti PJ and Corthesy B, 2002. Secretory component: a new role in secretory IgA-mediated immune exclusion in vivo. Immunity 17, 107–115.

Rantam FA, 2003. Methods Immunology, Airlangga University Press. Surabaya, hlm 155-163.

Rani HAA. 2002. Masalah Dalam Penatalaksanaan Diare Akut pada Orang Dewasa. Dalam: Setiati S, Alwi I, Kasjmir YI, dkk, Editor. Current Diagnosis and Treatment in Internal Medicine 2002. Jakarta: PusatvInformasi Penerbitan Bagian Penyakit Dalam FK UI, pp 49-56.

- Raqib R and Andersson J, 2002. Delayed and reduced adaptive humoral immune responses in children with shigellosis compared with in adults. *Scand. J. Immunol.* 55, 414–423.
- Rozalski A, Sidorczyk Z, Kotelko K, 1997. Potential Virulence Factors of *Proteus* bacilli. *Microbiology and Molecular Biology* 61: 65-89.
- Ryan, Kenneth James; Ray, C. George, eds. 2004. *Sherris medicalmicrobiology an introduction to infectious diseases* (4th ed.). McGraw-Hill Professional Med/Tech. ISBN 978-0-8385-8529-0.
- Sadikin ZD, 2011. Penggunaan Obat Rasional, *J Indon Med Assoe*, Departemen Farmakologi Fakultas Kedokteran Universitas Indonesia, Jakarta, 61(4), 145-147.
- Seidman JG, Smith JA, Struhl K, 2002. *Short Protocols in Molecular Biology*. 5rd Ed. John Wiley & Sons. pp 202-254
- Sakaguchi T and Reinecker H, 2002. *Shigella flexneri* regulates the tight junction-associated proteins in human intestinal epithelial cells. *Cell. Microbiol.* 4, 367–381
- Sumarno RP, Uun Y, Winarsih S, Santoso Sand Islam S, 2004. Detection of molecule adhesion sub-unit pili 48 kDa *Salmonella Typhi* by immunochemistry method using sera patients suffering from typhoid fever. *J. Basic. Appl. Sci. Res.*
- Sudhana IW, Suwitra K, Sumarno, 2009. Characteristics of pili hemagglutinin protein and it role in the pathogenesis of urinary tract infection with uropathogenic *Escherichia coli* *Indonesian Journal of Biomedical Science*. 3: 1-7.
- Soto GE dan Hultgren SJ, 1999. Assembly of Bacterial adhesins across the Outer membrane via the chaperone-usher pathway, in : Broome-Smith JK(ed). *Transport of Molecules Across Microbial Membranes*. Cambridge University Press. p.124-137
- Sumarno RP, AS Avanita, SSugiri, Winarsih S, Hidayat and DY Nurhidayati, 2015. Haemagglutination of *Shigella dysenteriae* subunit pili protein with anti-haemagglutination of *S. dysenteriae* subunit pili protein as a molecule adhesion in mouse enterocytes. *Afr J Med Res.* 9 (11) :781-787
- Sugiri, 2004. Analisa Imunoglobulin G (IgG) Serum Penderita Tuberkulosis Paru terhadap Antigen 52 kDa *Micobacterium tuberculosis* Menggunakan Metode ELISA INDIRECT (Enzyme-linked Immunosorbent Assay) dan DOT BLOTTING. Tugas Akhir.

Sudoyo, Aru W, 2007. Buku Ajar Ilmu penyakit Dalam. Edisi 4, Jilid 1.Jakarta : Departemen Ilmu Penyakit Dalam FKUI. p. 50-87

SoewondoES, 2002. Penatalaksanaan diare akut akibat infeksi (Infectious Diarrhoea). Dalam : Suharto, Hadi U, Nasronudin, editor. Seri Penyakit Tropik Infeksi Perkembangan Terkini Dalam Pengelolaan Beberapa penyakit Tropik Infeksi. Surabaya : Airlangga University Press.p. 34 – 40.

Subekti D, Oyoto BA, Tjaniadi P, Corwin AL, Larasati W, Putri M, Simanjuntak CH, 2001.“ Shigella spp, Surveillance in Indonesia: the Emergence or reemergence of *S. dysenteriae*”, Emerging infectious diseases 7 (1):137-40.dot: 10.320/ eid 0701.700137.

Sumarno RP, Susanto A, Ismanoe G and Winarsih S, 2011. Combinations of Protein Sub-Unit PILI 37.8 kDaV Cholerae with Cholera Toxin Sub-Unit B V. Cholerae Can Protect Come Out of the Solution in the IntestinalMice. J. Pharm. Biomed. Sci.

Salah Benaessa Mohamed Salah, Kusworini Handono, Sumarno RP, 2014. Sensitivity and Specificity of OMP Acinetobacter baumannii Antigen Dot Blot to Detect Secretory-IgA in Urine of Patients with Acinetobacterbaumannii Infection. IOSR Journal of Pharmacy and Biological Sciences. 9: (5), 06-15

Thielman NM, Guerrant RL, 2004. Acute Infectious Diarrhea. The new England journal of medicine, pp 38-47.

Taiz L, E Zeiger, 2002. Plant Physiology. 3rd Edition. Sinauer Associates. Sunderland, pp 116-119.

Tjokroprawiro, Askandar, 2007. Buku Ajar Ilmu Penyakit Dalam. Surabaya: Airlangga University Press. Hal 93-134.

Tjaniadi P, MLesmana, DSybekti, NMachpud, SKomalarini, WSantoso, 2003. Antimicrobial Resistance of Bacterial Pathogens Associait with Diarrheal Patients in Indonesia. Am. J. ed Trop. Med. Hyg. 68(6): 666 – 670.

Van der Ploeg CA, Viñas MR, Terragno R, 2010. Laboratory Protocol: “Serotyping of *Shigella* spp.” WHO Global Foodborne Infections Network. pp 1-24

Victoria CG, Bryce J, Fantaine O, Memasch R, 2000. Reducing deaths from throughoral rehydration therapy. Bull World Health Organ, pp 78: 1246-55.

Van Nhieu GT and Sansonetti PJ, 2000. Cell adhesion molecule s and bacterial pathogens. In: Cellular Microbiology. ASM PRESS Washington DC. 97-111

- Walker J, 2010. Principles and techniques of biochemistry and molecular biology. Seventh edition. Cambridge University Press. New York. pp 65-79
- Way SS, Borczuk AC, Dominitz R and Goldberg MB, 1998. An essential role for gamma interferon in innate resistance to *Shigella flexneri* infection. *Infect. Immun.* 66,1342–1348.
- World Health Organization, 2010. Guidelines for the control of shigellosis, including epidemics due to *Shigella dysenteriae* type 1.
- World Health Organization, 2009. Pelayanan Kesehatan Anak di Rumah Sakit. Jakarta. pp 1-5.
- World Health Organization, 2005. Treatment Plan A : home therapy to prevent dehydration and malnutrition. pp 8-9.
- World Health Organization, 2011. Intestinal worms, soil transmitted helminths. Dalam http://www.who.int/intestinal_worms/en. Diakses pada tanggal 20 Sepetember 2016.
- Yang Z, 1990. "A new serotype of *Shigella boydii*". Wei Sheng Wu Xue Bao (in Chinese). 30 (4): 284–95.
- Yoshimura F, Murakami Y, 2009, Surface Components of *Phorpyromonas Gingivalis*. *J Periodontol.* Vol.44: 1- 12.
- Zhang J and Stanley SL, 2001. *Shigella* infection in a SCID mouse–human intestinalxenograft model: role for neutrophils in containing bacterialdissemination in human intestine. *Infect. Immun.* 69, 3240–3247.

rsitas Andalas. Padang

