

DAFTAR PUSTAKA

- Alladin, AA., Harrison, Melinda. (2012). Preeclamsia: Systemic Endothelial Damage Leading to Increased Activation of The Blood Coagulation Cascade. *Journal of Biotech Research*. vol. 4, pp. 26-43
- Anderson, JAM., Weitz, JI. (2011). *Hypercoagulable States*. Clinics in Chest Medicine. vol. 31, no. 4.
- Badan Pusat Statistik. (2005). *Survey Demografi Kesehatan Indonesia (SDKI) 2002-2003*.
- Badan Pusat Statistik. (2012). *Survey Demografi Kesehatan Indonesia (SDKI) 2012*.
- Bastani, P., Kobra, H., Hossein, N. (2008). Risk Factors for Preeclampsia in Multigravida Woman. *Research Journal of Biological Sciences*. vol.3, no. 1, pp. 148-153.
- Bender, RM., Ryan, GL. (2013). *Pre-Eclamsia and Eclampsia : Global Challenges in Low Resource Settings Complete with Proposed Interventions in Rural Haiti*. Proceedings in Obstetrics and Gynecology. vol.3. no.1.
- Bener, A., Saleh, NM., Al-Hamaq, A., (2011). Prevalence Of Gestational Diabetes And Associated Maternal And Neonatal Complications In A Fast-Developing Community: Global Comparisons. *International Journal of Women's Health*. vol.3, pp.367-373.
- Berezky, Z., Kovács, KB., Muszbek, L. (2010). *Protein C And Protein S Deficiencies: Similarities And Differences Between Two Brothers Playing In The Same Game*. Clin Chem Lab Med: 48(Suppl 1): S53-66.
- Birawa, AD., Hadisaputro, H., Hadijono, S. (2009). 'Kadar D-dimer Pada Ibu Hamil Dengan Preeklamsia Berat dan Normotensi di RSUP Dr. Kariadi'. *Obstetri Ginekologi Indonesia*. vol. 33, no.2. pp.65-79
- Brandes, RP. (2014). Endothelial Dysfunction and Hypertension. *Hypertension*. vol.64, pp. 924-928
- Comp, PC., Thurnau, GR., Welsh, J., Esmon, CT. (1986). Functional and immunologic protein S levels are decreased during pregnancy. *Blood*. vol. 68, no. 881-885.
- Cunningham, FG., Leveno, KJ., Bloom SL., Spong, CY., Dashe JS., Hoffman, BL., et al. (2014). *Hypertensive Disorders. Williams Obstetrics (24th edn)*. New York: Mc Graw-Hill Education. Pp. 728-740

- D'Ursi, P., Marino, F., Caprera, A., Milanese, L., Faioni, EM., Rovida, E. (2007). *ProCMD: a Database and 3D Web Resource for Protein C Mutants*. BMC Bioinformatics. vol. 8, Suppl 1, pp. S11
- Dadelszen, Pv., Magee, LA., Roberts, JM. (2003). Subclassification of Preeclampsia. *Hypertension in Pregnancy*. vol.22, no.2, pp.143-148
- Dahlan, MS. (2006). Seri Evidence Based Medicine (Seri 2). Dalam : *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta : Arkans. Hal: 59-63
- Dahlback, B. (2005). Blood Coagulation And Its Regulation By Anticoagulant Pathways: Genetic Pathogenesis Of Bleeding And Thrombotic Diseases. *Journal of Internal Medicine*. Vol.257, pp.209–223
- Dahlback, B. (2007). The Tale Of Protein S And C4b-Binding Protein, A Story Of Affection. *Thrombosis and Haemostasis*. Vol. 98, pp.90–96
- Dahlback, B., Villoutreix, BO. (2005). The Anticoagulant Protein C Pathway. *Federation of European Biochemical Societies*. Vol.579, pp.3310–3316.
- Daniel, G., Remick, MD. (2007). Biological Perspectives: Pathophysiology of Sepsis. *The American Journal of Pathology*. Vol. 170, no.5, pp.1435-1444.
- Davison, J., Homuth, V., Jeyahalan, A., Conrad, K., Karumanchi, S., Quaggin, S. (2004). New Aspect In The Pathophysiology of Preeclampsia. *Journal of the American Society of Nephrology*. Vol.15, pp. 2440-2448
- Dehkordi, MA., Solemani, A., Haji-Gholami, A., Vardanjani, AK., Dehkordi, SA. (2014). Association of Deficiency of Coagulation Factors (Prc, Prs, ATIII) and FVL Positivity with Preeclampsia and/or Eclampsia in Pregnant Women. *International Journal of Hematology-Oncology and Stem Cell Research*. Vol.8, no. 4.
- Demir, C and Dilek, I. (2010). Natural Coagulation Inhibitor and Active Protein C Resistance in Preeclampsia. *Clinics (Sao Paulo)*. Vol. 65, no. 11, pp. 1119-1122.
- Denantika, O., Serudji, J., Revilla, G. (2015). Hubungan Status Gravida dan Usia Ibu Terhadap Kejadian Preeklamsia di RSUD Dr.M. Djamil Pdang Tahun 2012-2013. *Jurnal Kesehatan Andalas*. Vol. 4, no. 1, pp.212-217
- Dharma, R., Wibowo, N., Raranta, HPT. (2005). 'Disfungsi Endotel Pada Preeklamsia'. *Makara Kesehatan*, Desember. Vol.9, no.2, pp. 63-69
- Dinas Kesehatan Kota Padang. (2015). *Laporan Tahunan Tahun 2014*. Padang : Dinas Kesehatan Kota Padang.

- Dinas Kesehatan Provinsi Sumatera Barat. (2015). *Profil Kesehatan 2014*. Sumatera Barat : Dinas Kesehatan Provinsi Sumatera Barat.
- Djannah, SN dan Arianti, IS. (2010). *Gambaran Epidemiologi Kejadian Preeklamsia/ Eklamsia Di RSUD Muhammadiyah Yogyakarta Tahun 2007-2009*. Buletin Penelitian Sistem Kesehatan: 13:4:378-385
- Elabscience. *Assay Procedure: User Manual Elisa Kit*. www.elabscience.com
- Esmon, CT. (2003). The Protein C Pathway. *Chest*. Vol. 124, pp. 26S–32S.
- Faranita, T., Trisnawati, Y., Lubis, M. (2011). Gangguan Koagulasi Pada Sepsis. *Sari Pediatri*. Vol. 13, no. 3, pp. 226-232
- Frontieres, MS. (2012). Maternal Death : The Avoidable Crisis. *Medecins Sans Frontieres*.
- Frutos, PG., Fuentes-Prior, P., Hurtado, B., Sala, N. (2007). Molecular Basis of Protein S Deficiency. *Thrombosis and Haemostasis*. Vol. 98. pp. 543-556.
- Furuya, M., Kurasawa, K., Nagahama, K., Kawachi, K., Nozawa, A., Takahashi., *et al.* (2011). Disrupted Balance of Angiogenic and Antiangiogenic Signalings in Preeclampsia. *Journal of Pregnancy*
- Gasim, T. (2012). Gestational Diabetes Mellitus : Maternal And Perinatal Outcomes In 220 Saudi Women. *Oman Medical Journal*. Vol. 27, no. 2, pp.140–144.
- Goldenberg, NA., Manco-Johnson, MJ. (2008). Protein C Deficiency. *Haemophilia*. Vol. 14, pp. 1214-1221
- Gomez, K., Tuddenham, EG., McVey, JH. (2011). *Normal Hemostasis. Postgraduate Haematology, 6th Edition*. Blackwell Publishing Ltd. pp.746-771
- Guyton, AC., Hall, JE. (2007). *Hemostasis dan Pembekuan Darah. Buku Ajar Fisiologi Kedokteran (Edisi 11)* (Terjemahan : Irawati, Dian Ramadhani, Fara Indriyani, Frans Dany, Imam Nuryanto, Srie Sisca PR, Titiek Resmisari, dan Joko Suryono). Singapura : Elsevier. Hal: 480-492
- Han, L., Liu, X., Li, H., Zou, J., Yang, Z., Han, J., *et al.* (2014). Blood Coagulation Parameters and Platelet Indicaes: Changes in Normal and Preeclamptic Pregnancies and Predictive Values for Preeclampsia. *Plos ONE*. Vol.9, no.12, pp. e114488
- Hackeng, TM., Maurissen, LFA., Castoldi, E., Rosing, J. (2009). Regulation of TFPI Function by Protein S. *Jurnal Thrombosis and Haemostasis*. Vol.7, no.1, pp. 165-168.

- Heilmann, LMD., Rath WMD., Pollow, KMD. (2007). Hemostatic Abnormalities in Patients With Severe Preeclamsia. *Clinical and Applied Thrombosis/Hemostasis*. Vol.13, no. 3, pp. 285-291.
- Hoffbrand, AV., Pettit, JE., Moss, PAH. (2005). *Trombosit, Pembekuan Darah, dan Hemostasis. Kapita Selekta: Hematologi* Edisi 4. Jakarta : EGC. Hal: 221-231.
- Holmes, VA., Wallace, JM. (2005). Haemostasis in Normal Pregnancy : a Balancing act?. *Biochemical Society Transactions*. Vol. 33, Part. 2, pp. 428-432
- Houghton, J. (2009). *Protein C Deficiency: A Review for Clinicians*. Washington State University, College of Nursing. Diakses pada tanggal 1 Juni 2016. https://research.libraries.wsu.edu/xmlui/bitstream/handle/2376/3561/J_Houghton_010990626.pdf?sequence=1.
- Isermann, B., Sood, R., Pawlinski, R., Zogg, M., Kalloway, S., Degen, JL., *et al.* (2003). The Thrombomodulin-Protein C System is Essential for The Maintenance of Pregnancy. *Nature Medicine*. Vol. 9, no. 3
- Kate, MKT., Meer, JVD. (2008). Protein S Deficiency: A Clinical Perspective. *Haemophilia*. Vol. 14, pp. 1222–1228.
- Katz, D., Beilin, Y. (2015). Disorders of Coagulation in Pregnancy. *British Journal of Anaesthesia*. Vol. 115, no. S2, pp. ii75-ii88
- Koenderman, JS., Reitsma, PH. (2011). Inherited thrombophilia: Past, present and future research. In: *Thrombophilia. Tranquilli*. pp.3-22.
- Lam, C., Lim, KH., Karumanchi, SA. (2005). Circulating Angiogenic Factors in the Pathogenesis and Prediction of Preeclampsia. *Hypertension*. Vol. 46, pp.1077-1085.
- Lambert, G., Brichant, JF., Hartstein, G., Bonhomme, V., Dewandre, PY. (2014). Preeclampsia : An Update. *Acta Anaesthesiologica Belgica*. Vol. 65, pp. 137-149.
- Lamminpaa, R., Vehvilainen-Julkunen, K., Gissler, M., Heinonen, S. (2012). Preeclampsia Complicated by Advanced Maternal Age: a Registry-Based Study on Primiparous Women in Finland 1997-2008. *BMC Pregnancy and Childbirth*. Vol.12, no.47.
- Leeman, L., Fontaine, P. (2008). Hypertensive Disorders of Pregnancy. *American Family Physician*. Vol. 78, no. 1, pp. 93–100.
- Levi, M., Schultz, M., Poll, T. (2010). Disseminated Intravascular Coagulation in Infectious Disease. *Semin Thromb Hemost*. Vol. 36, pp. 367-377

- Levine, RJ., Maynard, SE., Qian, C, Lim, KH., England LJ., Yu, KF., *et al.* (2004). Circulating Angiogenic Factors And The Risk Of Preeclampsia. *The New England Journal of Medicine*. Vol. 350, pp. 672–83
- Lockwood, CJ., MHCM., Huang, SJ., Krikun, G., Caze, R., Rahman, M., *et al.* (2011). Decidual Haemostasis, Inflammation, and Angiogenesis in Pre-Eclampsia. *Semin Thromb Hemost.* Vol. 37, no. 2.
- Lusiana, Novita. (2015). Faktor-Faktor yang Berhubungan dengan Kejadian Preeklamsia pada Ibu Bersalin di Ruang Camar II RSUD Arifin Achmad Provinsi Riau Tahun 2014. *Jurnal Kesehatan Komunitas*. Vol. 3, no. 1
- Mangayun, E. (2016). *Kadar IL-1 β dan Kortisol Bebas pada Sepsis sebagai Marker Prognostik*. Disertasi. Universitas Negeri Surakarta. Surakarta.
- Mantik, MFJ. (2004). Gangguan Koagulasi. *Sari Pediatri*. Vol. 6, no. 1, pp. 60-67
- Marlar, RA., Gausman, JN. (2011). Protein S Abnormalities: a Diagnostic Nightmare. *American Journal of Hematology*. Vol. 86, pp. 418-421
- Mello, G., Parretti, E., Marozio, L., Pizzi, C., Lojacono., Fruca, T., *et al.* (2005). Thrombophilia Is Significantly Associated With Severe Preeclampsia. *Hypertension*. Vol. 46, pp. 1270-1274
- Middeldorp, S. (2007). Thrombophilia and Pregnancy Complications: Cause or Association?. *Journal of Thombosis and Haemostasis*. Vol. 5, no. 1, pp. 276-282
- Mondal, R., Nandi, M., Dhibar, T. (2010). Protein C and Protein S Deficiency Presenting as Deep Venous Thrombosis. *Indian Pediatrics*. Vol. 47, pp. 188-189.
- Mosnier, LO., Zlokovic, BV., Griffin, JH. (2006). The Cytoprotective Protein C Pathway. *Blood*: 109(8): 3161-3172.
- Novianti, Hinda. (2016). Pengaruh Usia dan Paritas Terhadap Kejadian Preeklamsia di RSUD Sidoarjo. *Jurnal Ilmiah Kesehatan*. Vol. 9, no. 1, pp. 25-31
- O'brien, LA., Gupta, A., Grinnell, BW. Activated Protein C and Sepsis. *Frontiers in Bioscience*. Vol.11, pp.676-698
- Osmanagaoglu, MA., Topcuoglu, K., Ozeren, M., Bozkaya, H. (2005). Coagulation Inhibitor in Preeclamptic Pregnant Women. *Arch Gynecol Obstetric*. Vol.271, pp. 227-230.
- Parelsnoer Initiatief. Diakses pada tanggal 18 Juni 2016. https://www.helmholtzmuenchen.de/fileadmin/AME/SOP/PSI_Biomaterial_PSI_BED.pdf.

- Persson, KE., Stenflo, J., Linse, S., Stenberg, Y., Preston, RJS., Lane, DA *et al.* (2006). Calcium Binding to Anticoagulant Protein S. Role of The Fourth EGF Module. *Biochemistry*. Vol.45, no.35, pp. 10682-10689.
- Pinheiro, MB., Gomes, KB., Dusse, LMS. (2013). Fibrinolytic System in Preeclampsia. *Clinica Chimica Acta*. Vol. 416, pp. 67-71
- Powe, CE., Levine, RJ., Karumanchi, SA. (2011). Preeclampsia, A Disease Of The Maternal Endothelium: The Role Of Antiangiogenic Factors And Implications For Later Cardiovascular Disease. *Howard Hughes Medical Institute. Circulation*. Vol.123, no.24.
- Prisco, D., Ciuti, G., Falciani, M. (2005). Hemostatic and Pregnancy : Hemostatic Changes In Normal Pregnancy. *Haematologica reports*. Vol.1, no.10, pp.1-5
- Rezende, SM., Simmonds, RE., Lane, DA. (2004). Coagulation, inflammation, and apoptosis: Different roles for protein S and the protein S-C4b Binding Protein Complex. *Blood*. Vol. 103, no.4, pp. 1192-201
- Roberts, JM., Gammill HS. (2005). Preeclampsia: recent insights. *Hypertension*. Vol.46, pp.1243–1249
- Roberts, MJ., Pearson, G., Cutler, J., Lindheimer, M. (2003). Summary of the NHLBI Working Group On Research On Hypertension During Pregnancy. *Hypertension*. Vol.41, pp. 437-445
- Rubilar, M., Chavez, S. (2014). Hypertension in Preeclampsia. *Advances in Hypertension Research*. Chapter 3, pp.69
- Saghafi, N., Vatanchi, AM., Tara, F., Pourali, L., Dadgar, S. (2014). Evaluation of Selected Thrombotic Factors Among Pregnant Women With Preeclampsia and Normal Pregnant Women. *Iran Journal of Reproductive Medicine*. Vol.12, no.12, pp.793-798.
- Sastroasmoro, S. (2011). *Pemilihan Subyek Penelitian. Dasar-Dasar Metodologi Penelitian Klinis* Jakarta : Sagung Seto. Hal: 99.
- Sastroasmoro, S. (2011). *Perkiraan Besar Sampel. Dasar-Dasar Metodologi Penelitian Klinis* Jakarta : Sagung Seto. Hal: 376.
- Sherwood, L. (2012). *Pembuluh Darah dan Tekanan Darah. Dalam: Fisiologi Manusia dari Sel ke Sistem* (Edisi 6).(Terjemahan: Brahm U. Pendit). Jakarta : EGC. Hal: 382.
- Smith, SA. (2009). The Cell-Based Model of Coagulation. *Journal of Veterinary Emergency and Critical Care*. Vol.19, no.1, pp. 3-10.

- Suharti, C. (2007). *Dasar-Dasar Hemostasis. Buku Ajar Ilmu Penyakit Dalam. Jilid II. Edisi 4*. Jakarta: Departemen Ilmu Penyakit Dalam FKUI. Hal: 749-754
- Suliarni. (2003). *Aktifitas Faktor VII Pada Sepsis*. Diakses pada tanggal 12 Juni 2016. <http://library.usu.ac.id/download/fk/patologi-suliarni.pdf>.
- Sumarni, S., Hidayat, S., Mulyadi, E. (2014). Hubungan Gravida Ibu Dengan Kejadian Preeklamsia. *Jurnal Kesehatan Wiraraja Medika*. Vol. 4, no.1
- Swiatkiewicz, A., Jurkowski, P., Kotschy, M., Ciecierski, M., Jawien, A. (2002). Level of Antitrombin III, Protein C, Protein S, and Other Selected Parameters of Coagulation and Fibrinolysis in the Blood of the Patients with Recurrent Deep Venous Thrombosis. *Med Sci Monit*. Vol. 8, no.4, pp. CR263-268
- Tchaikovski, SN., Thomassen, MCLGD., Costa, S., Peeters, LLH., Rosing, J. (2011). Role of Protein S and Tissue Factor Pathway Inhibitor in the Development of Activated Protein C Resistance Early in Pregnancy in Women with a History of Preeclampsia. *Thrombosis and Haemostasis*. Vol.106, no.5.
- Toricelli, M., Sabatini, L., Florio, P., Scaccia, V., Voltolini, C., Biliotti, G., et al. (2009). Level of Antibodies Against Protein C and Protein S in Pregnancy and in Preeclampsia. *The Journal of Maternal-Fetal and Neonatal Medicine*. Vol. 22, no.11, pp. 993-999
- Utama, Sri Yun. (2008). Faktor Risiko yang Berhubungan dengan Kejadian Preeklamsia Berat pada Ibu Hamil di RSD Raden Mattaher Jambi Tahun 2017. *Jurnal Ilmiah Universitas Batanghari Jambi*. Vol. 8, no. 2, pp.71-79
- Uzan, J., Carbonnel, M., Piconnel, O., Asmar, R., Ayoubi, JM. (2011). Preeclampsia: Pathophysiology, Diagnosis, and Management. *Vascular Health and Risk Management*. Vol.7, pp.467-474.
- Wang, A., Rana, S., Karumanchi, SA. (2009). Preeclampsia: The Role of Angiogenic Factors in Its Pathogenesis. *Physiology*. Vol.24, pp. 147-158.
- Wypasek, E., Undas, A. (2013). Protein C and Protein S Deficiency- Practical Diagnostic Issues. *Adv Clin Exp Med*. Vol. 22, no.4, pp. 459-467.
- Young, BC., Levine, RJ., and Karumanchi, SA. (2010). Pathogenesis of Preeclampsia. *The Annual Review of Pathology: Mechanisms of Disease*. Vol.5, pp.173-92.