

## DAFTAR PUSTAKA

- Amir. 2002. *Kumbang Lembing Pemangsa Coccinellidae (Coccinellidae) di Indonesia*. Bogor: Puslit Biologi-LIPI.
- Anshary, Wahid. 2001. Keragaman fenotipe serangga kumbang Coccinellidae (Ordo Coleoptera) yang bersifat predator pada tanaman kedelai di Sulawesi Tengah. *Jurnal Agroland*. 8 (2): 144-149
- Arnett RHJ. 1967. *Recent and future systematic of the Coleoptera in North America*. Amerika: Ann. Entomol. Soc.
- Burhanuddin. 1993. Survei musuh alami Coccinellidae di Maros, Sulawesi Selatan. *Jurnal Agroland*.3 (2): 950-979
- Burgio G, Ferrari R, Pozzati M, Boriani L. 2004. The role of ecological compensation areas on predator populations: an analysis on biodiversity and phenology of Coccinellidae (Coleoptera) on non-crop plants within hedgerows in Northern Italy. *Bulletin of Insectology*. 57 (1): 1-10.
- Buzas, M.A., and T.G. Gibson. 1969. Species Diversity: Benthonic Foraminifera In Western North Atlantic. *Science* 163: 72-75.
- Davies K. 2010. Diversity and abundance on the Coccinellidae different land use systems of Leyte Philipines. *Entomol. Res.* 15: 25-43.
- De Oleivera R, Amancio E, Lauman RA, Gomes L. 2003. Natural enemies of aphids (Gennadius) B biotype and *Trialeurodes vaporariorum* (Westwood) (Hemiptera: Aleyrodidae). *American Entomol. Soc.* 2: 45-52.
- Dixon AFG. 2000. *Insect Prey Predator Dynamics Ladybird Beetles and Biological Control*. New York: Cambridge University Press.
- Effendi MS. 2010. Keanekaragaman Coccinellidae predator pada ekosistem pertanian organik dan konvensional di Sumatera Barat. [Skripsi]. Padang. Universitas Andalas.
- Fiaboe KKM, Gondim MGC, de Moraes GJ, Ogoland CK, Knapp M. 2007. Bionomics of the acarophagus ladybird beetle *Stethorus tridens* fed *Tetranychus evansi*. *J. Appl. Entomol.* 131: 355-361.
- Foltz JL. 2002. Coleoptera: Coccinellidae. Dept of Entomology and Nematology. University of Florida.
- Funasaki GY, Loi PY, Nakahara ML. 1990. Status of natural enemies for biological control of leucena psyllids in Thailand. In Proceeding of an Internasional Workshop held in Bogor, Indonesia.

- Furlong MJ, Zalucki MP. 2010. Exploiting predators for pest management: the need for sound ecological assessment. *Entomologia Experimentalis et Applicata*. 1(35):225-236.
- Hamid H. 2009. Komunitas serangga herbivore penggerek polong legume dan parasitoidnya: studi kasus di daerah Palu dan Toro, Sulawesi Tengah. [Disertasi]. Bogor. Institut Pertanian Bogor.
- Hawkeswood T. 1987. *Beetles of Australia*. Sydney: Augus and Robertson.
- Hildrew AG, Townswend CR. 1982. Predator and prey patchy environment a freshwater study. *J. Animal Ecol.* 51: 797-815.
- Hull, J.C. 2008. Encyclopedia of Ecology. Elsevier B. V. Netherland
- Hodek I, Chakrabarti S, Rejmanek M. 1984. The effect of prey density on food intake by adult *Cheiromenes sulphurea* (Coleoptera: Coccinellidae). *Entomophaga*. 29: 179-184.
- Jumar. 2000. *Entomologi Pertanian*. PT Rineka Cipta. Jakarta. 237 hal.
- Krebs, C.J. 1989. *Ecological Methodology*. Second Edition. New York: An Imprint of the Addition Wesley Longman
- Krebs, CJ. 1997. Program for ecological Methodology [Software]. Second Edition. New York: An Print Of The Wesley Longman, Inc. 444-445 hal.
- Krebs, CJ. 1999. Ecological Methodology. Second Edition. New York: An imprint of Addison Wesley Longman, Inc.
- Kruess A, Tscharntke T. 2000. Species richness and parasitism in a fragmented landscape: experiments and field studies with insects on *Vicia sepium*. *Oecologia* 122: 129-137.
- Lawton, J.H. 1998. *Plant Architecture and The Diversity of Phytophagous Insect*. Annu. Rev. Entomol. 28-23-29.
- Magundijojo, S., Mahrub, E., and J. Warrow. 1990. Endemic natural enemies of the leucenapsyllids in Indonesia. In Proceeding of an Internasional Workshop held in Bogor, Indonesia.
- Montgomery ME, Yao D, Wang H. 2010. Chinese coccinellidae for biological control of the hemlock wolly adelgid: description of native habitat. Chinese Academy of Forestry. Research Institute of Forest Environment and Protection.

- Nelly N, Suardi G, Kartika FL. 2008. Biologi kumbang coccinellidae predator dengan pakan beberapa jenis kutu daun yang berasal dari tanaman yang berbeda. Laporan penelitian. Padang. Universitas Andalas.
- Odum, E. P. 1971. *Fundamentals of Ecology*. W. B Sounders Company Ltd. Philadelphia.
- Odum, E. P. 1998. *Dasar-Dasar Ekologi Edisi Ketiga*. Gajah Mada University press:Yogyakarta. 697 hal.
- Oka, I.D. 2005. *Pengendalian Hama Terpadu dan Implementasinya di Indonesia*. Yogyakarta: Gadjah Mada University Press.
- Omkar G, Mishra S, Srivastava AK, Gupta, Singh SK. 2005. Reproductive performance of four aphidophagus ladybirds on cowpea aphid, *Aphis craccivora* Koch. *J. Appl. Entomol.* 129 (4): 217-220.
- Prakash C, Joshi, Pushpendra, Sharma. 2008. First records of coccinellid beetles (Coccinellidae) from the Haridwar, (Uttarakhand), India. *The Natural History Journal of Chulalongkorn University*. 8 (2): 157-167.
- Price, P.W. 1975. *Insect Ecology*. 3rd edition. New York: John Wiley and Sons, Inc. 474-511 hal.
- Primack RS. 1998. Biologi Konservasi. Jakarta: Yayasan Obor Indonesia.
- Rahatullah, Haq F, Mehmood SA, Saeed K, Rehman S.2011. Diversity and distribution of ladybird beetles in District Dir Lower, Pakistan. *International Journal of Biodiversity and Conservation*.
- Rattanatip J, Siri N, Chandrapatya A. 2008. Comparative biology and life table of *Stethorus pauperculus* (Weise) and *S. Siphonulus Kapur* (Coleoptera: Coccinellidae) fed on *Tetranychus urticae* Koch (Acari: Tetranychidae) in Thailand. *Thai Journal of Agricultural Science*. 41(3): 117-126.
- Relay. 2010. Lady beetles (“Ladybugs”) of Texas. *American Entomol. Soc.* 5: 73-80.
- Rogers, D. J. 1972. Random search and insect population models. *Journal. Anim. Ecol.* 41: 569-383.
- Rojas T, Vargas R. 2009. Life table parameters and consumtion rate of *Cydnodromus picanus* Ragusa, *Amblyseius graminis* Chant, and *Galendormus occidentalis* (Nesbitt) on avocado red mite *Oligonychus yothersi* (Mc Gregor) (Acari: Phytoseiidae; Tetranychidae). *Chile journal of Agricultur research*. 5: 18-24.

- Saragih, A. 2008. Indeks Keanekaragaman Jenis Serangga Pada Tanaman Stroberi (Flagriasp.) di Lapangan. Universitas Sumatera Utara, Medan.
- Simon RL, Cooke RCA, Fellower MDE, Rombe R. 1999. Distribution and abundance og ladybirds (Coleoptera: Coccinellidae) in no crop habitats. *Eur. J. Entomol.* 96: 23-27.
- Slipniski A. 2007. Australian ladybird beetles (Coleoptera: Coccinellidae). Australian: Biological Resources Study.
- Smith, R. L. 1992. *Element of Ecology*. Third Edition. Chapman and Hall. New York.
- Speight MR, Hunter MD,Watt AD. 1999. *Ecology of insect*. California: University of California.
- Soegianto, A. 1994. *Ekologi Kuantitatif*. Penerbit Usaha Nasional. Surabaya. 173 hal.
- Syahrawati My, Hamid H. 2010. Diversitas Coccinellidae predator pada tanaman sayuran di kota padang. Laporan penelitian. Padang. Universitas Andalas.
- Tatchel. 2010. An estimate of the potential economic losses to some crops due to aphids in Britain. AFRC Institute of Arable Crops Research. Rothamsted Experimental Station.
- Thamrin M, Asikin. 2009. Pengendalian hama walang sangit (*Leptocoris oratorius* F) di tingkat petani lahan lebak Kalimantan Selatan. Laporan Penelitian. Banjarmasin Balai Penelitian Pertanian Lahan Rawa (Balitra).
- Vandenberg NJ. 2009. The new world genus cycloneda (Coleoptera: Coccinellidae: Coccinellini): Historical review, new diagnosis, new generic and specific synonyms, and an improved key to North American species. *Entomological Society of Washington*. 104 (1): 221-236.
- Wagiman FX, Prabaningrum L, Simanjuntak D. 2009. Eksplorasi, karakterisasi dan potensi musuh alami *Bemisi tabaci* di ekosistem cabai. Laporan penelitian. Yogyakarta. Universitas Gadjah Mada.
- Yaherwandi. 2005. Keanekaragaman hymenoptera parasitoid pada beberapa lanskap pertanian di daerah aliran sungai (DAS) Cianjur Kabupaten Cianjur Jawa Barat. [Disertasi]. Bogor. Institut Pertanian Bogor.
- Zahooor M, Anwar M. 2003. Biodiversity of Predaceous Coccinellids and their role as bioindicators in an Agro-ecosystem. *International Journal of Agriculture and Biology*. 5 (4): 555-559.