

DAFTAR PUSTAKA

- Agoest, G. 2007. *Teknologi Bahan Alam*. Bandung: Penerbit ITB.
- Akbar, S. 2016. *Skrining Aktivitas Inhibitor Tirosinase Ekstrak Etil Asetat Jamur Symbion Spon Laut Haliclona fascigera dari Perairan Pesisir Selatan Sumatera Barat*. [Skripsi]. Padang : Universitas Andalas.
- Arai, M., Sobou, M., Vilcheze, C., Baughn, A., Hashizume, H., Pruksakorn, P., Ishida, S., Matsumoto, M., Jacobs, WR., and Kobayashi, M. 2008. Halicyclamine A, a marine spongean alkaloid as a lead for antituberculosis agent. *Bioorg & Med. Chem.* 16(14) : 6732-6736.
- Arora, DS. and Bhardwaj. 1997. Antibacterial activity of some medicinal plants. *Geo. Bios.* 24 : 127-131.
- Aulia, H., Rasyid, W., Hermansyah, dan Desri, A. 2015. *Kajian senyawa anti tuberkulosis dari Jamur Candida sp asal spon laut Haliclona fascigera*. Laporan Akhir Program Kreativitas Mahasiswa.
- Balasubraman, G., Hanumegowda, U., and Reddy, CS. 2000. Secalonic Acid D Alters the nature of and inhibit the binding of the transcription factor to the phorbol 12-*o*-tetradecanoate-13 acetate-response element in the developing murine secondary palate. *Toxic. and Appli. Pharm.* 169(2):142-150.
- BioWeb. 2008. MRSA. Diakses pada 18 Januari 2017 dari http://bioweb.uwlax.edu/bio203/s2008/seubert_heid/Classification.htm
- Center for Disease Control and prevention (CDC). 2013. Antibiotic resistance threats in the United States. Diakses pada 15 November 2016 dari <http://www.cdc.gov/drugresistance/threat-report-2013>.

Clinical and Laboratory Standar Institute. 2012. Peformance Standards for Antimikrobiaal Susceptibility Testing ; Twenty-Second Information supplement. *CLSI doc.M100-S22*. 32 (3).

Collin, CH., Lyne, PM., and Grange JM. 1995. *Microbiological Methods*. London : Butterworth-Heinermann.

Currie, JN., and Thom, C., 1915. An Oxalic Acid Producing *Penicillium*. *J. Bio. Chem.* 22(2): 287-293.

Dachriyanus. 2004. *Analisis Struktur Senyawa Organik Secara Spektroskopi* (Ed.I). Padang: CV. Trianda Anugrah Pratama.

Djamal, R. 2010. *Kimia Bahan Alam: Prinsip-Prinsip Dasar Isolasi dan Identifikasi*. Padang: Universitas Baiturrahmah.

Ely, R., Supriya, T., and Naik, CG. 2004. Antimicrobial activity of marine organism collected off the coast of South East India. *Elsivier Sci.* 309(1): 121-127.

Franki. 2010. *Isolasi, Elusidasi Struktur dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman Calophyllum macrophyllum Scheff: [Thesis]*. Depok : Universitas Indonesia.

Gandjar, IG., dan Rohman, A. 2007. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.

Gillespie, SH. 2000. *Medical Microbiology And Infection At A Glance*. Blackwell Science Ltd.

Gritter, RJ., Bobbit, JM., dan Schwarting, AE.1991. *Pengantar Kromatografi*. Bandung : ITB Press.

Handayani , D., Ornando, R., and Rustini, R . 2016 . Antimicrobial activity screening of symbiotic fungi from marine sponge *Petrosia nigrans* collected

- from South Coast of West Sumatera, Indonesia. *Int. J. Pharmacog. Phytochem. Res.* 8(4): 623-626.
- Harborne, JB. 1987. *Phytochemical Methods (Ed 3)*. Bandung : Institut Teknologi Bandung.
- Hoffmann, F., Larsen, O., Thiel, V., Rapp, H. T., Pape, T., Michaelis, W., and Reitner, J. 2005. An anaerobic world in sponge. *J. Geomicrobiol.* 22(2): 1-10.
- Kjer, J., Debbab, A., Aly, AH., and Proksch, P. 2010. Methods for isolation of marine derived endophytic fungi and their bioactive Secondary Products. *Nat. Protocol.* 5(3): 479-490.
- Lee, Dae-Sung., Eom, Sung-Hwan., Lee, Myung-Suk., dan Kim, Young-Mog. 2013. Marine bacteria are an attractive source to overcome the problems of antibiotic-resistant *Staphylococcus aureus*. In: Kim SK, ed. *Mar Microbiol: Bioactive compound and biotechnological application*. Germany: Wiley-VCH GmbH & Co. KGaA.
- Lee, Yoo-Kyung., Lee, Jung-Hyun., and Lee, Hong-Kum. 2001. Minireview- Microbial Symbiosis in Marine Sponges. *J. Microbiol.* 39(4): 254-264.
- Liu, Bing., Wang, Hai-Feng., Zhang, Li-Hua., Liu, Fang., He, Feng-Jun., Bai, Jiao., Hua, Hui-Ming., Chen, Gang., and Pei, Yue-Hu. 2016. Isolation of a new compound from *Penicillium oxalicum*. *Chem. Nat. Compounds.* 52(5): 821-823.
- Li, Zhiyong. 2009. Advances in marine microbial symbionts in the China sea and related pharmaceutical metabolites. *Mar. Drug.* 7(2): 113-129.
- Mardiastuti, H. W., Karuniawati, A., Kiranasari, A., Ikaningsih, I., dan Kadarsih, R. 2007. Emerging Resistance Pathogen: Situasi terkini di Asia, Eropa, Amerika Serikat, Timur Tengah dan Indonesia. *Majalah Kedokteran Indonesia*, 57(3): 75-79.

- Mayers, P., Espinosa, R., Parr, CS., Jones, T., Hammond, GS., dan Dewey, TA. 2017. *The Animal Diversity Web*. Diakses pada 15 Januari 2017 dari <http://animaldiversity.org>
- Nurkusuma, D. 2009. *Faktor yang berpengaruh terhadap Metichillin-Resistant Staphylococcus aureus (MRSA) pada kasus infeksi luka pasca operasi di ruang perawatan bedah Rumah Sakit Dokter Kariadi Semarang*. [Tesis]. Semarang: Universitas Diponegoro.
- Pérez, MJ., Falqué, E., and Domínguez, IH . 2016. Antimicrobial Action of Compounds from Marine Seaweed. *Mar. Drugs*. 14(3): 52
- Pratiwi, S. 2008. *Mikrobiologi Farmasi*. Jakarta. Gelora Aksara Pratama.
- Rasyid, W. 2015. *Penapisan Aktivitas Sitotoksik Ekstrak Etil Asetat Jamur Symbion dari Spon Laut Haliclona fascigera dengan Metode Brine Shrimp Lethality Test (BSLT)*. [Skripsi]. Padang : Universitas Andalas
- Saleem, M., Ali, MS., Hussain, S., Asharaf, M., and Lee, YS. 2007. Marine natural products of fungal origin. *J. Nat. Prod. Rep.* 24(5): 42-52.
- Samson, RA., Hoekstra, ES., Frisvad, JC. 2004. Introduction to food- and airborne fungi. Diakses pada tanggal 18 Januari 2017 dari <http://www.mycobank.org/BioloMICS.aspx?TableKey=14682616000000061&Rec=21834&Fields=All>
- Sastrohamidjojo, H. 1992. *Spektroskopi Inframerah*. Yogyakarta: Liberty.
- Shaikh, S., Fatima, J., Shakil, S., Rizvi, SMD., and Kamal, MA. 2015. Antibiotic resistance and extended spectrum beta-lactamases: Types, epidemiology and treatment. *Saudi. J. Bio. Sci.* 22(2): 90–101.
- Shen, Shuo., Li, Wei., and Wang, Jian. 2013. A novel and other bioactive secondary metabolites from a marine fungus *Penicillium oxalicum* 0312F₁. *Nat. Prod Res.* 27(24): 37-41

- Steyn, PS. 1970. The isolation, structure and absolute configuration of Secalonic acid D, the toxic metabolite of *Penicillium oxalicum*. *Tetrahedron*. 26(1): 51-57.
- Sulistyaningsih. 2010. *Uji Kepekaan Beberapa Sediaan Antiseptik terhadap Bakteri Staphylococcus aureus dan Staphylococcus aureus Resisten Metisilin (MRSA)*. [Tesis]. Bandung: Universitas Padjajaran.
- Taylor, MW., Radax, R., Steger, D., and Wagner, M. 2007. Sponge-Associated Microorganisms: Evolution, Ecology, and Biotechnological Potential. *Microbial molecularbiol rev.* 71(2): 295–347.
- Valgas, C., Souza, SM., Smania, EF., and Smania, A. 2007. screening methods to determine antibacterial activity of natural products. *Brazilian. J. Microbiol*, 38(4): 369-380.
- VanderMolen, KM., Raja, HA., Elimat, TE., dan Oberlies, NH. 2013. Evaluation of culture media for the production of secondary metabolites in a natural products screening program. *AMB Express*. 3(1): 71-77.
- Van Soest, RWM. 1989. The Indonesian Sponges Fauna: A Status Report. *Netherland. J. Sea Res.* 23(2): 223-230.
- Vasanthabharathi, V., and Jayalakshmi, S. 2012. Bioactive potential of symbiotic bacteria and fungifrom marine sponges. *African. J. Biotechnol.* 11(29): 7500-7511.
- Warsa, AG. 1994. *Buku Ajar Mikrobiologi Kedokteran (Ed.Revis)*. Jakarta: Binarupa Aksara.
- Wattanadilok, R., Sawangwong, P., Rodrigues, C., Cidade, H., Pinto, M., and Pinto, E. 2007. Antifungal activity evaluation of the constituent of *Haliclona baeri* and *Haliclona cymaeformis* collected from the gulf of Thailand. *Mar. Drugs*. 5(2): 40-51.

Weerdt, WH and Van Soest, RWM. 2001. *Haliclona (Halichoelona) vanderlandi* spec. nov (Porifera: Demospongiae: Haplosclerida) from Indonesia. *Zool. Verh. Leiden*. 334:189-194.

World Health Organizatio. 2014. *Antimicrobial resistance global report on surveillance*. France

Yang, Liping., Xie, Jiatao., Jiang, Daohong., Fu, Yanping., Li, Guaqing., and Lin, Fangean. 2008. Antifungal substances produced by *Penicillium oxalicum* strain PY-1—potential antibiotics against plant pathogenic fungi. *World. J. Microbiol. Biotechnol.* 24(7): 909–915

