

## DAFTAR PUSTAKA

- Agoes, A. (2010). *Tanaman obat indonesia* (buku 2). Jakarta: Salemba Medika.
- Abdel-Rhaman, M. S., Soliman, W., Habib, F., & Fathalla, D. (2012). A new long-acting liposomal topical antifungal formula: human clinical study. *Cornea*, 31(2), 126–129.
- Anabousi, S., Laue, M., Lehr, C. M., Bakowsky, U., Ehrhardt, C. (2005). Assessing transferrin modification of liposomes by atomic force microscopy and transmission electron microscopy. *Eur. J. Pharm. Biopharm.*, 60(2), 295-303.
- Andhale, V. A., Patil, P. R., Dhas, A. U., Chauhan, P. D., & Desai, S. V. (2016). Liposome: an emerging tool in drug carrier system. *Int. J. Pharm. Technol.*, 8(1), 10982–11011.
- Anwekar, H., Patel, S., & Singhai, A. K. (2011). Liposome- as drug carriers. *Int. J. of Pharm. & Life Sci.*, 2(7), 945–951.
- Argan, N., Harikumar, S. L., & Nirmala. (2012). Topical liposomal gel : a novel drug delivery system. *Int. J. Res. Pharm. Chem.*, 2(2), 383–391.
- Aukunuru, J., Joginapally, S., Gaddam, N., Burra, M., Bonepally, C. R., & Prabhakar, K. (2009). Preparation, characterization, and evaluation of hepatoprotective activity of an intravenous liposomal formulation of bis-demethoxy curcumin analogue (BDMCA). *Int J.Drug Dev. & Res.*, 1(1), 37–46.
- Badami, S., Moorkoth, S., Rai, S. R., Kannan, E., & Bhojraj, S. (2003). Antioxidant activity of Caesalpinia sappan heartwood. *Biol. Pharm. Bull.*, 26(11), 1534–1537.
- Bangham, A. D., & Horne, R. W. (1964). Negative staining of phospholipids and their structural modification by surface-active agents as observed in the electron microscope. *J. Mol. Biol.*, 8(5), 660–668.
- Batubara, I., Mitsunaga, T., & Ohashi, H. (2010). Brazilin from Caesalpinia sappan wood as an antiacne agent. *J. Wood. Sci.*, 56(1), 77–81.
- Chen, G., Li, D., Jin, Y., Zhang, W., Teng, L., Bunt, C., & Wen, J. (2014). Deformable liposomes by reverse-phase evaporation method for an enhanced skin delivery of (+)-catechin. *Drug. Dev. Ind. Pharm.*, 40(2), 260–265.
- Chen, R. H., Win, H. P., & Fang, H. J. (2001). Vesicle size, size distribution, stability, and rheological properties of liposomes coated with water-soluble

- chitosans of different molecular weights and concentrations. *J. Liposome Res.*, 11(2&3), 211–228.
- Departemen Kesehatan Republik Indonesia. (1979). *Farmakope indonesia* (edisi III). Jakarta: Departemen Kesehatan Republik Indonesia.
- Dua, J. S., Rana, A. C., & Bhandari, A. K. (2012). Liposome: methods of preparation and applications. *IJPSPR*, 3(2), 14–20.
- Elorza, B., Elorza, M. A., Frutos, G., & Chantres, J. R. (1993). Characterization of 5-fluorouracil loaded liposomes prepared by reverse-phase evaporation or freezing-thawing extrusion methods: study of drug release. *BBA - Biomembranes*, 1153(2), 135–142.
- Farhana, H., Maulana, I. T., & Kodir, R. A. (2015). *Perbandingan pengaruh suhu dan waktu perebusan terhadap kandungan brazilin pada kayu secang (Caesalpinia sappan Linn.)*. Bandung: Prosiding Penelitian Sivitas Akademika Unisba.
- Giulio, A. Di, Maurizi, G., Odoardi, P., Saletti, M. A., Amicosante, G., & Oratore, A. (1991). Encapsulation of ampicillin in reverse-phase evaporation liposomes: a direct evaluation by derivative spectrophotometry. *Int. J. Pharm.*, 74(2–3), 183–188.
- Gupta, S., Singh, R. P., Lokwani, P., Yadav, S., & Gupta, S. K. (2011). Vesicular system as targeted drug delivery system: an overview. *Int. J. Pharm. Technol.*, 3(2), 987–1021.
- Hariana, A. (2006). *Tumbuhan obat dan khasiatnya* (seri 3). Jakarta: Penebar Swadaya.
- Harjit, K., Amini, M. H., & Suttee, A. (2016). Evaluation of antioxidant and anthelmintic properties of Caesalpinia sappan L. leaves. *IJPPR*, 8(2), 362–368.
- Hathout, R. M., Mansour, S., Mortada, N. D., & Guinedi, A. S. (2007). Liposomes as an ocular delivery system for acetazolamide: in vitro and in vivo studies. *AAPS Pharm. Sci. Tech.*, 5(8), E1–E12.
- Hemalatha, K., Kiran, A. S., Bannappa, U., & Satyanarayana, D. (2007). Analgesic activity of Caesalpinia sappan heartwood. *Pharm. Biol.*, 45(5), 360–362.
- Hu, J., Yan, X., Wang, W., Wu, H., Hua, L., & Du, L. (2008). Antioxidant activity in vitro of three constituents from Caesalpinia sappan L. *Tsinghua Sci. Technol.*, 13(4), 474–479.

- Hung, T. M., Dang, N. H., & Dat, N. T. (2014). Methanol extract from Vietnamese Caesalpinia sappan induces apoptosis in HeLa cells. *Biological Research*, 47(20), 1–5.
- Kalepu, S., Sunilkumar, K. T., Betha, S., & Mohanvarma, M. (2013). Liposomal drug delivery system - a Comprehensive Review. *Int. J. Drug Dev. & Res.*, 5(4), 62–75.
- Kebo, G. U., & Guizhi, S. U. N. (2014). Effects of Caesalpinia Sappan and its extracts on malignant tumors. *Curr. Opin. Complement. Alternat. Med.*, 1(1), 23–27.
- Khamsita, R., Hermawan, A., Putri, D. D. P., & Meiyanto, E. (2012). Ethanolic extract of secang (Caesalpinia sappan L.) wood performs as chemosensitizing agent through apoptotic induction on breast cancer MCF-7 cells. *IJCC*, 3(3), 445–450.
- Kulkarni, P. R., Yadav, J. D., & Vaidya, K. A. (2011). Liposomes: a novel drug delivery system. *Int. J. Curr. Pharm. Res.*, 3(2), 10–18.
- Laouini, A., Maalej, C. J., Blouza, I. L., Sfar, S., Charcosset, C., & Fessi, H. (2012). Preparation , characterization and applications of liposomes: state of the art. *J. Colloid Sci. Biotechnol.*, 1(2), 147–168.
- Leadley, D. (2010). *Transmission Electron Microscopy (TEM)*. Warwick, 20 Juni 2017,  
<https://www2.warwick.ac.uk/fac/sci/physics/current/postgraduate/registrar/mpags/ex5/techniques/structural/tem/>
- Liu, A. L., Shu, S. H., Qin, H. L., Lee, S. M. Y., Wang, Y. T., & Du, G. H. (2009). In vitro anti-influenza viral activities of constituents from Caesalpinia sappan. *Planta Med.*, 75(4), 337–339.
- Marripati, S., Umashankar, K., & Reddy, P. J. (2014). A review on liposomes. *IJRPNs*, 3(3), 159–169.
- Mishra, N., Gupta, P. N., Mahor, S., Khatri, K., Goyal, A. K., & Vyas, S. P. (2007). Liposomes as adjuvant for combination vaccines. *Indian J. Exp. Biol.*, 45(3), 237–241.
- Moghimpour, E., & Handali, S. (2013). Liposomes as drug delivery systems: properties and applications. *Research Journal of Pharmaceutical, Biological and Chemical Sciences Liposomes*, 4(1), 169–185.

- Moscho, A., Orwar, O., Chiu, D. T., Modi, B. P., Zare, R. N. (1996). Rapid preparation of giant unilamellar vesicles. *Proc. Natl. Acad. Sci.*, 93(21), 11443–11447.
- Naeem, S., Kiew, L. V., Chung, L. Y., Ashraf, M. A., & Misran, M. Bin. (2016). Liposomes as amphiphilic carriers: encapsulation and stability aspects. *Sains Malaysiana*, 45(1), 71–77.
- Nidhin, M., Indumathy, R., Sreeram, K. J., & Nair, B. U. (2008). Synthesis of iron oxide nanoparticles of narrow size distribution on polysaccharide templates. *Bull. Mater. Sci.*, 31(1), 93–96.
- Nirmal, N. P., Prasad, R. G. S. V., & Keokitichai, S. (2014). Wound healing activity of standardized brazilin rich extract from Caesalpinia sappan heartwood. *J. Chem. Pharm. Res.*, 6(10), 195–201.
- Nirmal, N. P., Rajput, M. S., Prasad, R. G. S. V., & Ahmad, M. (2015). Brazilin from Caesalpinia sappan heartwood and its pharmacological activities: a review. *Asian Pac. J. Trop.*, 8(6), 421–430.
- Parmar, J. J., Singh, D. J., Hegde, D. D., Lohade, a a, Soni, P. S., Samad, A., & Menon, M. D. (2010). Development and evaluation of inhalational liposomal system of budesonide for better management of asthma. *Indian J. Pharm. Sci.*, 72(4), 442–448.
- Pecora, R. (2000). Dynamic light scattering measurement of nanometer particles in liquids. *J. Nano. Res.*, 2(2), 123–131.
- Pentak, D., Sulkowski, W. W., Maslanka, S., Wolinska, A., Duber, S., & Sulkowska, A. (2006). Characteristic of liposomes prepared by the modified reverse-phase evaporation method 31P-NMR and TEM study. *Macromol. Symp.*, 245(1), 476–484.
- Permana, A. D., Utami, R. N., Ramadhani, A., Dewy, M., & Sugara, B. (2015). Formulation and evaluation microcapsules Of Caesalpinia Sappan Linn . using emulsion solvent evaporation method. *Int. J. Technol. Enhanc. Merg. Eng. Res.*, 3(7), 121–125.
- Popovska, O., Simonovska, J., Kavrakovski, Z., & Rafajlovska, V. (2013). Methods for preparation and characterization of liposomes as drug delivery systems. *Int. J. Pharm. Phytopharm. Res.*, 3(2), 13–20.
- Prathyusha, K., Muthukumaran, M., & Krishnamoorthy, B. (2013). Liposomes as targetted drug delivery systems present and future prospectives: a review. *J. Drug Deliv. Ther.*, 3(4), 195–201.

- Rathore, G. S., Tanwar, Y. S., & Sharma, A. (2015). Fluconazole loaded ethosomes gel and liposomes gel: an updated review for the treatment of deep fungal skin infection. *Pharmaceutical and Chemical Journal*, 2(1), 41–50.
- Rina, O., Chandra, U. W., & Ansori. (2012). Efektifitas ekstrak kayu secang (*Caesalpinia Sappan L.*) sebagai bahan pengawet daging. *Jurnal Penelitian Pertanian Terapan*, 12(3), 181–186.
- Santhana, R. L., Paramsavaran, S., Koay, B., Izan, S. A., & Siti, A. N. (2016). Modification of the uranyl acetate replacement staining protocol for transmission electron microscopy. *Int J Med Nano Res*, 3(1), 1–3.
- Schwendener, R. A. (2014). Liposomes as vaccine delivery systems: a review of the recent advances. *Ther. Adv. Vaccines*, 2(6), 159–182.
- Sedona, O. (2017). *Karakterisasi simplisia dan ekstrak, dan penentuan kadar fenolik total serta uji aktivitas antioksidan ekstrak etanol kayu secang (Caesalpinia sappan L.).* (Skripsi). Padang: Universitas Andalas.
- Shafaa, M. W., Dayem, S. A., Elshemey, W. M., & Osman, H. M. (2008). In vitro antibacterial activity of liposomal cephalexin against *Staphylococcus aureus*. *Romanian J. Biophys*, 18(4), 293–300.
- Shashi, K., Satinder, K., & Bharat, P. (2012). A complete review on: liposomes. *IJRP*, 3(7), 10–16.
- Sipai, A. B. M., Yadav, V., Mamatha, Y., & Prasanth, V. V. (2012). Liposomes: an overview. *JPSI*, 1(1), 13–21.
- Sirisha, V. N. L., Harika, I. B., Sruthi, B., Namrata, M., Kirankumar, P., Kiran, Y., ... Rao, O. U. M. (2012). Liposomes – the potential drug carriers. *IOSR-PHR*, 2(5), 26–38.
- Son, H. Le, Linh, N. L. Q., & Minh, T. Van. (2015). Isolation and in vitro anticancer activity of flavonoids from *Caesalpinia sappan Linn.*. *Journal Science*, 3(3), 24–30.
- Srilakshmi, V. S., Vijayan, P., Raj, P. V., Dhanaraj, S. A., & Chandrashekhar, H. R. (2010). Hepatoprotective properties of *Caesalpinia sappan Linn.* heartwood on carbon tetrachloride induced toxicity. *Indian J. Exp. Biol.*, 48(9), 905–910.
- Srinivasan, R., Selvam, G. G., Karthik, S., Mathivanan, K., Baskaran, R., Karthikeyan, M., & Gopi, M. (2012). In vitro antimicrobial activity of *Caesalpinia sappan L.* *Asian Pac. J. Trop. Biomed.*, 2(1), 136–139.

- Sriraman, S. K., Salzano, G., Sarisozen, C., & Torchilin, V. (2016). Anti-cancer activity of doxorubicin-loaded liposomes co-modified with transferrin and folic acid. *Eur. J. Pharm. Biopharm.*, 105, 40–49.
- Subash, C. M. P., & Pandey, V. P. (2016). Formulation and evaluation of glimepiride-loaded liposomes by ethanol-injection method. *Asian J. Pharm. Clin. Res.*, 9(4), 192–195.
- Sunitha, V. S., Sunil, M. A., Radhakrishnan, E. K., & Mathew, J. (2015). Immunomodulatory activity of Caesalpinia sappan L . extracts on peritoneal macrophage of albino mice. *IJSR*, 4(12), 449–452.
- Sunny, M., Bharat, P., Deepti, P., Varun, T., & Vishal, P. (2012). Liposomes – a unique transdermal drug delivery system. *IJPDS*, 1(3), 875–884.
- Tewtrakul, S., Tungcharoen, P., Sudsai, T., Karalai, C., Ponglimanont, C., & Yodsaoue, O. (2015). Antiinflammatory and wound healing effects of Caesalpinia sappan L. *Phytother. Res.*, 29(6), 850–856.
- Tseng, L. P., Liang, H. J., Chung, T. W., Huang, Y. Y., & Liu, D. Z. (2007). Liposomes incorporated with cholesterol for drug release triggered by magnetic field. *J. Med. Biol. Eng.*, 27(1), 29–34.
- Verawaty, Halim, A., & Febriyenti. (2016). Efektivitas sistem penghantaran liposom pada katekin sebagai antioksidan. *Jurnal Sains Farmasi & Klinis*, 2(2), 176–182.
- Wang, Y.-Z., Sun, S.-Q., & Zhou, Y.-B. (2011). Extract of the dried heartwood of Caesalpinia sappan L . attenuates collagen-induced arthritis. *J. Ethnopharmacol.*, 136(1), 271–278.
- Yang, S., Chen, J., Zhao, D., Han, D., & Chen, X. (2012). Comparative study on preparative methods of DC-Chol/DOPE liposomes and formulation optimization by determining encapsulation efficiency. *Int. J. Pharm.*, 434(1–2), 155–160.