

DAFTAR PUSTAKA

- Adcock AH, and Powell, T. (2015). *Word Prematurity Day: House Of Commons Library.* Diakses 20 Desember 2015. <<http://www.parliament.uk/commons-library>>
- Agrawal V and Emmet H, (2011). Intrauterine infection and preterm labor. *Semin Fetal Neonatal Med..* Vol 17 (1): p12–19.Doi:10.1016/j.siny.2011.09.001
- Ananth CV, and Vintzileos AM. (2006). Epidemiology of Preterm Birth and its Clinical Subtypes. *The Journal of Maternal- Fetal and Neonatal Medicine.* Vol 19: pp 773-782.
- Ariana DN, Sayono, Erna K. (2014). *Faktor Risiko Kejadian Persalinan Prematur (Studi Di Bidan Praktek Mandiri Wilayah Kerja Puskesmas Geyer Dan Puskesmas Toroh Tahun 2011).*Diakses pada tanggal 28 April 2017. <http://jurnal.unimus.ac.id>.
- Bahar AM, Ghalib HW, Moosa RA, Zakim MS, Thomas C, Nabri OA. (2003). Maternal Serum Interleukin-6, Interleukin-8, Tumor Necrosis Factor-and Interferon-Gamma Preterm Labor. *Acta Obstet Gynecol Scand.* 82 :pp 543–549
- Bakhtiar UJ, Khan Y, Nasar R, (2007). *Relationship Between Maternal Hemoglobin and Perinatal Outcome.* Department of Obstetrics and Gynecology Islamic International Medical College Trust, Railway Hospital, Rawalpindi.
- Behrman RE, and Butler AS. (2007). *Preterm Birth. Causes, Consequences, And Prevention.* The National Academies Press. Washington DC.
- Bitzer EM, Schneider A, Wenzlaff P, Hoyme UB, Schultze ES. (2011). Self-Testing of Vaginal pH to Prevent Preterm Delivery. A Controlled Trial. *Deutsches Ärzteblatt International.* 108(6): pp 81–6. DOI: 10.3238/arztebl.2011.0081
- Bhatnagar S, Natchu UCM, Wadhwa N, Lodha R, Sommerfelt H. (2012). Correspondence. Reducing preterm births. *The Lancet.* Vol 380.
- Blencowe, H.Cousens, S. Chou, D. Oestergaard, MZ. Sat, L. Moller, AB et al. (2013).15 Million Preterm Births: Priorities For Action Based On National, Regional and Global Estimates. *Reproductive Health Journal.*Chapter 2. pp.16-31
- Calder PC. (2009). Polyunsaturated fatty acids and inflammatory processes: New twists in an old tale. *Biochimie.* Vol 91, pp 791–795
- Cunningham, FG. (2010). *Laboratory Values in Normal Pregnancy.* University of Texas Southwestern Medical Centre, Departement of Obstetrics and Gynecology Dallas, TX, USA.

Cunningham, FG. Leveno, KJ. Bloom, SL. Spong, CY. Dhase JS. Hoffman, BL *et al.* (2014). *William Obstetrics (24th edition)*. New York : Mc Graw Hill Education.

Conde AA, Bermúdez AY, Goeta ACK. (2006). Birth Spacing and Risk of Adverse Perinatal OutcomesA Meta-analysis. *JAMA*. Vol 295, No. 15.

Dahlan Sopiyudin, M. (2010). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Edisi 3. Jakarta : Salemba Medika.

Dey I, Lejeune M, Chadee K. (2006). Prostaglandin E2 receptor Distribution and Function in the Gastrointestinal Tract. *British Journal of Pharmacology*. Vol 149, pp 611–623. Doi:10.1038/sj.bjp.0706923.

Dinkes Provinsi Sumatera Barat. (2012). *Profil Kesehatan Provinsi Sumbar Tahun 2012*. Diakses pada tanggal 14 Juli 2016. <http://www.dinkes.sumbarprov.go.id>.

Donal JS, Michael WO, Anne MF, John JM. (2004). Functional effects of 17alpha-hydroxyprogesterone caproate (17P) on human myometrial contractility in vitro. *Reproductive Biology and Endocrinology Ireland*. Vol 2, No 80. Doi:10.1186/1477-7827-2-80.

Dubicke A. (2009). *Preterm and Term Cervical Ripening*. Karolinska Institutet. Stockholm.

Dubicke A, Fransson E, Centini G. (2010). Proinflammatory and Anti-inflammatory Cytokines in Human Preterm and Term Cervical Ripening. *Journal of Reproductive Immunology*. Vol 84, No 2, pp176-85.

Effendi JS. (2005). *Perbedaan Kadar Elastase Kanalis Servikalis Antara Kehamilan Dengan Ancaman Persalinan Preterm Dan Kehamilan Normal*. Bagian Obstetri dan Ginekologi Fakultas Kedokteran Universitas Padjadjaran/RSHS. Bandung

Elmer, P. (2009). *Preterm Birth: Challenges and Opportunities in Prediction and Prevention*, Perkin Elmer Inc. diakses 12 Juli 2015 .<http://www.efcni.org>

Endjun J, Affandi B. (2013). *Kardiotokografi*. KOGI CTG Buku Acuan

Farina L, Winkelmann C. (2005). A Review of the Role of Proinflammatory Cytokines in Labor and Noninfectious Preterm Labor. *Biological Research For Nursing*. Vol.6 No.3, pp 230-238. DOI: 10.1177/1099800404271900

Gandevani SB, Garshasbi A, Zadeh SF, Ghazanfari T. (2011). The Value of Interleukin-8 and Interleukin-6 in Cervical Secretions as Predictors of Preterm Delivery. *Iranian Journal of Pathology*. Vol. 6, No.1, pp 20-26.

Geisinger, HS. (2016). *Blood Specimen Collection and Processing*, Geisinger Medical Lab. diakses 19 Mei 2016. <https://www.geisingermedicallabs.com/catalog/blood_specimens.shtml>

Gien L. (2004). Infections, Antibiotics and Preterm Labour. *Perinatal Outreach Education. Research Outcome Practice*. Vol 26.

Goldenberg RL. (2002). The Management of Preterm Labor. *American College of Obstetricians and Gynecologists*. Vol. 100, No. 5. Part 1. pp 1020-1037.

Goldenberg RL, Culhane JF, Iams JD, Romero R. (2008). Epidemiology and Causes Of Preterm Birth. *The Lancet*. Vol. 371, No. 9606. pp.75-84

Gondo dan Tjokorda. (2011). *Ultrasonografi Buku Ajar Obstetrik Ginekologi*. Jakarta: EGC.

Gondo HK. (2012). Ultrasonografi sebagai Prediktor Persalinan Preterm. CDK. Vol. 39, No. 8, p 567-572.

Grandi C, Meritano J, Trungadi M. (2010). Maternal Periodontal Disease and Preterm birth: a Casecontrol Study. *Rev Pan-Amaz Saude* 2010; Vol. 1, No. 2, pp 41-48.

Health Technology Assessment Indonesia (HTAI). (2010). *Prediksi Persalinan Preterm*. Diakses 12 Juli 2016 <http://buk.depkes.go.id/index>.

Hebisch G, Wagner PMN, Huch R, Mandach UV. (2004). Maternal Serum Interleukin 1 β , 6, and 8 Levels and Potential Determinants in Pregnancy and Peripartum. *J. Perinat. Med.* Vol. 32, pp 475-480. DOI 10.1515/JPM.2004.131

Hintz SR, Kendrick DE, Vohr BR, Poole WK, and Higgins RD (2005). Changes in Neurodevelopmental Outcomes at 18 to 25 Months' Corrected Age Among Infants of Less than 25 Weeks' Gestational Age Born in 1993-1999. *Pediatrics*. Vol. 115, No.6, pp 1645-1651.

Hidayat ZZ, Ajiz EA, Achadiyani, Krisnadi SR. (2016). Risk Factors Associated with Preterm Birth at Hasan Sadikin General Hospital in 2015. *Open Journal of Obstetrics and Gynecology*. Vol. 6, pp 798-806 DOI: 10.4236/ojog.2016.613098

Hole JW, Tresser TB. (2001). Management of Preterm Labor. *JAOA*. Vol. 101 No. 2, pp 14-17.

Holst, RM. (2009). Cervical and Intra-amniotic Markers of Preterm Birth and Infection. *Perinatal Center Department of Obstetrics and Gynecology Institute for Clinical Sciences The Sahlgrenska Academy: University of Gothenburg Sweden*

Honest H, Forbes CH, Durée KH, Norman G, Duffy SB, Tsourapas A, et al. (2009). Screening to prevent spontaneous preterm birth: systematic

- reviews of accuracy and effectiveness literature with economic modeling. *Health Technology Assessment*. Vol. 13, No. 43. DOI: 10.3310/hta13430 pp 1-627.
- Iam, JD. (2003). Prediction and Early Detection of Preterm Labor. *The American College of Obstetricians and Gynecologists*. Vol. 101, No. 2, pp 402-412.
- Ikatan Dokter Anak Indonesia. 2008. *Buku Ajar Neonatologi*. ISBN 978-979-8421-30-3
- Jacobsson B. (2003). *Infectious and Inflammatory mechanisms in preterm Birth and cerebral palsy*. Goteborg University
- Kemenkes RI, (2013). Katalog dalam Terbitan Kementerian Kesehatan RI Indonesia. *Kementerian Kesehatan. Pusat Data dan Informasi Profil Kesehatan Indonesia 2012*, Jakarta.
- Koucky, M. Germanova, A. Hajek, Z. Parizek, A. Kalousova, M and Kopecky, P. (2009). Pathophysiology of Preterm Labour. *Department of Gynaecology and Obstetrics Journal*. Vol.110, No. 1, p.13–24.
- Krisnadi SR, Effendi JS, Pribadi A. (2009). *Prematuritas*. Bandung. Refika Aditama
- Lessy S. (2011). *The Risk Factor Of Premature Labor In Rskd Ibu Dan Anak Siti Fatimah Makassar On 2011*. Program Studi Kesehatan Masyarakat Fakultas Kesehatan Masyarakat Universitas Muslim Indonesia Makassar.
- Lookwood, J and Charles.(2007).Biochemical Markers of Preterm Delivery. *The Society for Gynecologic Investigation*.
- Lopez, NG. Guilbert, LJ and Olson, DM. (2010). Invasion Of The Leukocytes Into The Fetal-Maternal Interface During Pregnancy. *Journal of Leukocyte Biology* . Vol.88, No. 4. pp.625-633.
- Manuaba Fajar, 2012. *Kadar Interleukin-8 Serum Ibu pada Kehamilan Preterm Dengan Ketuban Pecah Spontan dan Ketuban Tidak Pecah*. Diakses 12 Juli 2016. Ojs.Unud.ac.id
- Manktelow B, Smith L, Seaton S, Taylor P, Kurinczuk J. (2016). *MBRRACE Perinatal Mortality Surveillance Report*. Department of Health Sciences. University of Leicester.
- Martin JA, Hamilton BE, Osterman MJK, Curtin SC, Mathews TJ. (2016). Births: *Preliminary Data for 2015. National Vital Statistics Reports*. Vol. 65, No. 3, pp 1-65.
- Martin JA, Hamilton BE, Osterman MJK, Curtin SC, Mathews TJ. (2015). Final Data for 2013. *National Vital Statistics Reports*. Vol. 64, No.1, pp 1-64

- Marlow N, Hennessy EM, Bracewell MA, and Wolke D. (2007). Motor and Executive Function at 6 years of age after extremely preterm birth. *Pediatrics*. Vol. 120, No. 4, pp 793-804.
- Menon R, Fortunato SJ, Milne GL, Lina Brou L, Carnevale C, Shancez SC, et al. (2011). Amniotic Fluid Eicosanoids in Preterm and Term Births: Effects of Risk Factors for Spontaneous Preterm Labor. *National Institutes of Health*. Vol. 118, No. 1., doi:10.1097/AOG.0b013e3182204eaa. pp 121-134.
- Muthayya S. (2009). Maternal nutrition & low birth weight what is really important. *Indian J Med Res*. Vol. 130, pp 600-608.
- Musilova I, Andrys C, Drahosova M, Hornychova H, Jacobsson B, Menon R, et al. (2015). Amniotic fluid prostaglandin E2 in pregnancies complicated by preterm prelabor rupture of the membranes. *The Journal of Maternal-Fetal & Neonatal Medicine*. DOI: 10.3109/14767058.2015.1112372. pp 1-9.
- Nama, V and Arulkumaran, S. (2009). *Best Practice in Labour and Labor; Uterine Contractions (Chapter 5)*. Cambridge: Cambridge University Press.
- Nikolaos V, Karavolos S, Iliodromiti Z, Sifakis S, Siristatidis C, Mastorakos G, et al. (2012). Impact of Mediators Present in Amniotic Fluid on Preterm Labour. *In vivo*. Vol. 26, pp 799-812.
- Norwitz, ER and Caughey, AB. (2011). Progesterone Supplementation and The Prevention of Preterm Birth. *Journal Obstetrics & Gynecology NCBI*. Vol.4, No. 2, pp 60-72. Doi: 10.3909/riog0163
- Nold C, Anton L, Brown A, Elovitz M. (2012). Inflammation Promotes a Cytocine Response and Disrupts the Cervical Epithelial Barrier : a Possible Mechanism of Premature Cervical Remodeling and Preterm Birth. *AJOG*. pp 206:208. Doi: 10.1016/j.ajog.2011.12.036
- Offiah I, O'Donoghue K, Kenny L. (2012). *Clinical Risk Factors for Preterm Birth*. Anu Research Centre, Cork University Maternity Hospital. Ireland.
- Peltier Peltier, MR. 2003. Immunology of Term and Preterm Labor. *Reproductive Biology and Endocrinology*. pp. 1-11
- Perkumpulan Obstetri dan Ginekologi Indonesia. (2011). *Panduan Pengelolaan Persalinan Preterm Nasional*. Bandung : Himpunan Kedokteran Fetomaternal
- Prawirohardjo S. (2009). *Ilmu Kebidanan*; Jakarta; Yayasan Bina Pustaka Sarwono Prawirohardjo
- Prawirohardjo S. (2014). *Ilmu Kebidanan*; Jakarta; Yayasan Bina Pustaka Sarwono Prawirohardjo

Ritonga Baurlina. 2014. *Pengaruh Faktor Ibu Terhadap Kelahiran Prematur Di Rumah Sakit Umum Daerah Kota Padangsidimpuan*. Diakses 7 Juni 2017. <http://www.repositoryusu.ac.id>

Romero R and Chaiworapongsa T. (2002). Preterm Labor, Intrauterine Infection, and the Fetal Inflammatory response Syndrome . *Neo Reviews*. Vol.3 No.5 pp 73-85. DOI: 10.1542/neo.3-5-e73.

Romero, R. Espinoza, J. Kusanovic, JP. Gotsch, F. Hassan, S. Erez, O et al. (2006).The Preterm Parturition Syndrome. *BritishJournal Of Obstetrics and Gynaecology*.Vol. 113, Suppl 3. pp. 17–42

Romero, R. Hassan, SS. Gajer, P. Tarca, AL. Fadrosh, DW. Bieda, J et al. (2014).The Vaginal Microbiota Of Pregnant Women WhoSubsequently Have Spontaneous Preterm Labor and Labor and Those With A Normal LaborAt Term. *Microbiome*. Vol. 22:18

Sadiq AM, Aljarah DM, Sadiq D. (2014). Maternal serum Interleukine-6 and Interleukine-8 levels in preterm labor. *Medical Journal of Al-Muthanna*. Vol. 1, No. 1, pp 7-11.

Saglam, A. Ozgur, C. Derwig, I. Unlu, BS. Gode, F and Mungan, T. (2013). The Role Of Apoptosis In Preterm Premature Rupture Of The HumanFetal Membranes. *Arch Gynecol Obstet*. Vol. 288. pp. 501–505. doi 10.1007/s00404-013-2774-3

Schlembach D, Mackay L, Shi L, Maner WL, Garfield RE, Hogler M. (2009). Cervical Ripening and Insufficiency : From Biochemical and Molecular Studies to In Vivo Clinical Examination. *European J Obstet Gyneco*. Vol. 144, Suppl 1, pp 70-76.

Schmidler, C. (2016). *Risk Factors for Preterm Birth*.diakses 18 Februari 2016 <<http://www.healthpages.org/>>

Survei Demografi dan Kesehatan Indonesia. (2012).*Survei Demografi dan Kesehatan Indonesia 2012*. Jakarta : Badan Kependudukan dan Keluarga Berencana Nasional, Badan Pusat Statistik dan Kementerian Kesehatan.

Settem B. (2015). *Preterm Labour in Malawi. Prevention, Treatment, Compilations*. Thesis. University of Troms.

Shahgheibi S, Afkhamzadeh A, Noori N. (2013). Role of Cervical IL-6 and IL-8 Levels in Preterm Labor in Nulliparous Pregnant Women. *Zahedan Journal of Research in Medical Sciences*. Vol. 15, No. 2, pp 11-13.

Shannon LG, Christian LM, Neal JL. (2015). A proposed bio-panel to predict risk for spontaneous preterm birth among Africa American women. *Medical Hypotheses*. Vol. 85, pp 558-564.

- Shaikh K, Premji SS, Rose MS, Kazi A, Khowaja S, Tough S. (2011). The association between parity, infant gender, higher level of paternal education and preterm birth in Pakistan: a cohort study. *BMC Pregnancy Childbirth*. Doi: 10.1186/1471-2393-11-88.
- Smith R. (2007). Mechanisms of Disease Parturition. *The new england journal of Medicine*. Vol. 356, No. 3, pp 271-83
- Siregar GA. (2013). *Hubungan Helicobacter pylori dengan sitokin TNF- α , IL-6, dan IL-8*. Divisi Gastroentero-Hepatologi, Departemen Ilmu Penyakit Dalam, Fakultas Kedokteran Universitas Sumatera Utara / RSUP H. Adam Malik Medan
- Sudarsana P. (2014). *Kajian Biomolekuler Pada Persalinan Preterm Akibat Infeksi*. Bagian /Smf Obstetri Dan Ginekologi. FK Unud/Rsup Sanglah Denpasar.
- Suwardewa TGA. (2013). *Mekanisme Infeksi dan Inflamasi Pada Persalinan Preterm*.
- Tarannum F, Faizuddin M, Madaiah H. (2011). Gingival Crevicular Fluid Prostaglandin E2 Level as a Predictor of Preterm Low Birth Weight: a Pilot Investigation. *Journal of Oral Science*. Vol. 53, No.3, pp 293-300.
- Tomblom, SA. 2005. *Mediators of Cervical Ripening in Preterm Birth: Experimental and Clinical Investigation*. Karolinska Institutet. Stockholm
- Torbe,A.Czajkz, R. Kordek, A.Rzepka,R. Kwiatkowski,S. Rudnicki, J. (2007). Maternal Serum Proinflammatory CytokinesIn Preterm Labor With Intact Membranes: Neonatal Outcome and Histological Associations. *Eur.Cytokine Netw*.Vol. 18.No, 2.pp. 102-7. doi: 10.1684/ecn.2007.0092.
- Tuck, MK. Chan, DW. Chia, D. Godwin, AK. Grizzle, W E. Krueger, KE et al.(2009).Standard Operating Procedures for Serum and Plasma Collection: Early Detection Research Network Consensus Statement; Standard Operating Procedure Integration Working Group. *Journal Proteome PMC*. Vol. 8, No. 1. pp. 113-117.
- Vincer MJ, Allen AC, Joseph KS, Stinson DA, Scott H, and Wood E. (2006). Increasing Prevalence of Cerebral Palsy Among Very Preterm Infants: a Population-Based Study. *Pediatrics*. Vol. 118, No. 6. pp 1621-1626
- Vogel I, Goepfert AR, Thorsen P, Skogstrand K, Hougaard DM, Curry AH, et al. (2007). Early Second Trimester Inflammatory Markers and Short Cervical Length and the Risk of Recurrent Preterm Birth. *Journal of Reproductive Immunology*. Vol. 75, pp 133-40.
- Wahyuni AS. (2007). *Aspek Bioseluler Dan Biomolekuler Mekanisme Fisiologis Persalinan*. Sumber: The New England Journal of Medicine

World Bank, (2015). *Infant Mortality Rate*. Diakses 12 Juli 2016. data.worldbank.org/indicator

World Health Organization (2015). Media Center : *Preterm Birth*. diakses 12 Juli 2016. <http://who.int/mediacentre>.

