

DAFTAR PUSTAKA

- Afrika Region Human Development, The world Bank Group (2005). Nigeria Health Nutrition, and Population Country Status Report. Nigeria: The Federal Ministry of Health.
- Agedew E, Chane T (2015). Prevalence of Stunting among Children Aged 6–23 Months in Kemba Woreda, Southern Ethiopia: A Community Based Cross-Sectional Study. Hindawi Publishing Corporation.
- Ansori HA (2013). Faktor Risiko Kejadian Stunting pada Anak Usia 12-24 Bulan (Studi di Kecamatan Semarang Timur). Tesis. Semarang: Universitas Diponegoro.
- Arisman (2009). Gizi Dalam Daur Kehidupan: Buku Ajar Ilmu Gizi. Jakarta: Buku Kedokteran ECG.
- Asfaw M, Wondaferash M, Taha M, Dube L (2015). Prevalence of undernutrition and associated factors among children aged between six to fifty nine months in Bule Hora district, South Ethiopia. BMC Public Health, vol. 15, no. 1, p. 41.
- Atmarita (2005). Nutrition Problems in Indonesia. An Integrated International Seminar and Workshop on Lifestyle- Related Diseases. Yogyakarta. Gadjah Mada University, 19-20 Maret 2005. Yogyakarta: UGM.
- Badan Perencanaan Pembangunan Nasional (2012). Laporan Pencapaian Tujuan Pembangunan Milenium di Indonesia 2011. Jakarta: Kementerian Perencanaan Pembangunan Nasional/ Badan Perencanaan Pembangunan Nasional (BAPPENAS).
- Berkman DS, Lescano AG, Gilman RH, Lopez SL, Black MM (2002). Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: a follow-up study. Lancet. Vol.16;359(9306):564-71.
- Black RE, Victoria CG, Walker SP, Bhutta ZA, Christian P, de Onis M, Ezzati M, et.al. (2013). Maternal and child undernutrition and overweight in low-income and middle-income countries. The Lancet Journal: Volume 382, No. 9890, p427-451.
- Boeree GC (2003). Intelligence and IQ. Shippensburg University in website <http://webpace.ship.edu/cgboer/intelligence.html> - Diakses 25 Maret 2016.

- Bose K, Binsai S (2008). Prevalence of Underweight and Stunting among School Children in West Bengal. *The Indian Journal of Pediatrics*. Vol.75, Issue 12, pp 1272-1272.
- Bukit P (1999). Dampak Penyakit infeksi Terhadap Status Gizi dan Respon Imun. Jakarta: Majalah Kedokteran FK-UKI XVII. No.14.
- Bryce J, Coitinho D, Damton HI, Pelletier D, Andersen PP (2008). Maternal and Child Undernutrition Study Group: Effective Action at National Level. *Lancet* 371 (9611): 510-26.
- Casmini (2007). Emotional parenting. Yogyakarta: Pilar Media.
- Castillo M, Ferraro P, Jordan JL, Petrie R (2011). The Today and Tomorrow of Kids: Time Preferences and Educational Outcomes of Children. *Journal of Public Economics*. Vol. 95. P. 1377–1385.
- Caulfield LE, de Onis M, Blossner M, Black RE (2004). Undernutrition as an underlying cause of child deaths associated with diarrhea, pneumonia, malaria, and measles. *Am J Clin Nutr*. Vol. 80:193–8.
- Caulfield LE, Stephanie A, Juan RA, Rivera, Musgrove P, Robert EB (2006). Stunting , Wasting , and Micronutrient Deficiency Disorders in Disease Control Priorities in Developing Countries, World Bank, Washington DC, pp. 551–567.
- Central Statistical Agency and ICF Macro (2012). Ethiopia Demographic and Health Survey 2011, Central Statistical Agency, Addis Ababa, Ethiopia. USA: ICF Macro, Calverton, Md.
- Chapparro C, Oot L, and Sethuraman K (2014). Overview of The Nutrition Situation in Seven Countries in Southeast Asia. Washington DC: Food and Nutrition Technical Assistance III Project (FANTA).
- Checkley W, Buckley G, Gilman RH, Assis AM, Guerrant RL, Morris SS, Mølbak K, et al (2008). Multi-country analysis of the effects of diarrhoea on childhood stunting. *Int J Epidemiol*. Vol. 37:816–30.
- Crookston BT, Dearden KA, Alder SC, Porucznik CA, Stanford JB, Merrill RM, Dickerson TT, Penny ME (2011). Impact of Early and Concurrent Stunting on Cognition. *Matern Child Nutrition*. Vol. 7(4):397-409. doi: 10.1111.
- Dahlan MS (2014). Statistik untuk Kedokteran dan Kesehatan. Jakarta: Salemba Medika.
- Dewey KG, Adu-Afarwuah S (2008). Systematic review of the efficacy and effectiveness of complementary feeding interventions in developing

- countries. In: *Maternal and Child Nutrition*. Davis, CA: Blackwell Publishing.
- Dewey KG, Mayers DR (2011). Early child growth: how do nutrition and infection interact? *Matern Child Nutr*. Vol.7 (suppl 3):129–42.
- De Onis M, Blossner M, Borghi E (2012). Prevalence and trends of stunting among pre-school children, 1990–2020. *Public Health Nutrition*: Vol. 15:142-8.
- Dinas Kesehatan Kota Padang (2015). *Tentang Gamabran Status Gizi Provinsi Sumatera Barat*.
- Dinas Kesehatan Provinsi Sumatera Barat (2015). *Tentang Gamabran Status Gizi Provinsi Sumatera Barat*.
- Depkes (2012). *Panduan Penyelenggaraan PMT Pemulihan bagi Balita Gizi Kurang dan Ibu Hamil KEK*. Dep Kes RI. Jakarta.
- Eckhardt CL, Gordon-Larsen P, Adair LS.(2005). Growth patterns of Filipino children indicate potential compensatory growth. *Ann Hum Biol* 32:3 – 14.
- Engelbrechtsen IM, Jackson D, Fadnes LT, Nankabirwa V, Diallo AH, Doherty T, et al (2014). Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. *BMC Public Health*. Vol. 14:633.
- Engle P, Lhotska L, Armstrong H (1997). *The Care Initiative: Assessment, Analysis and Action to Improve Care for Nutrition*. United Nations Children's Fund, Nutrition Section, New York.
- Eysenck MW (2001). *Principles of Cognitive Psychology*. East Sussex: Tj. International Lid.
- Fabiola RA (2005). *Tesis: Analisis Pengaruh Kecerdasan Intelektual, Kecerdasan Emosional dan Kecerdasan Spiritual Terhadap Kinerja Karyawan (Studi Kasus di hotel Horison Semarang)*. Semarang: Fakultas Psikologi Universitas Diponegoro.
- Feldman RS (2008). *Understanding Psychology*, Ed. 8th. New York: McGraw-Hill.
- Fenske N, Burns J, Hothorn T, Rehfues EA (2013). *Understanding Child Stunting in India: A Comprehensive Analysis of Socio-Economic,*

- Nutritional and Environmental Determinants Using Additive Quantile Regression. PLOS ONE. Volume 8. Issue 11. e78692.
- Food and Agriculture Organization (2006). The double burden of malnutrition: Case studies from six developing countries. Rome. p:84
- Food and Agriculture Organization (2015). International Fund for Agricultural Development, World Food Program: The State of Food Insecurity in the World 2014. Strengthening the enabling environment for food security and nutrition. Rome: FAO.
- Gibney MJ, Margetts BM, Kaerney JM, Arab L (2009). Gizi Kesehatan Masyarakat. Jakarta: Penerbit Buku Kedokteran EGC.
- Gibson RS (2005). Principles of Nutritional Assessment. Second Edition. Oxford University Press.
- Grantham-McGregor S, Cheung YB, Cueto S, Glewwe P, Richter L, Strupp B, The International Child Development Steering Group (2007). Lancet. Vol. 369(9555): 60–70.
- Hardy M, Hayes S (1988). Pengantar Psikologi. Jakarta : PT Erlangga.
- Headey D, Hoddinott J, Ali D, Tesfaye R, Dereje M (2015). The Other Asian Enigma: Explaining The Rapid Reduction of Malnutrition in Bangladesh. World Development, 66:749–761.
- Haider BA, Yakoob MY, Bhutta ZA (2011). Effect of multiple micronutrient supplementation during pregnancy on maternal and birth outcomes. BMC Public Health. 10.1186/1471-2458-11-S3-S19.
- Haile D, Azage M, Mola T, Rainey R (2016). Exploring Spatial Variations And Factors Associated With Childhood Stunting In Ethiopia: Spatial And Multilevel Analysis. BMC Pediatrics. Vol. 16:49 DOI 10.1186/s12887-016-0587-9.
- Heckman (2006). Skill formation and the economics of investing in disadvantaged children. Science 312:1900– 1902.
- Hoddinott J, Alderman H, Behrman JR, Haddad L, Horton S (2013). The Economic Rationale for Investing in Stunting Reduction. University of Pennsylvania Scholarly Commons: Grand Challenges Canada Economic Returns to Mitigating Early Life Risks Project.
- Hoffman DJ, Sawaya AL, Verreschi I, Tucker KL, Roberts SB (2000). Why are nutritionally stunted children at increased risk of obesity? Studies of metabolic rate and fat oxidation in shantytown children from São Paulo, Brazil. American Journal of Clinical Nutrition. Vol.72:702–7.

- Ijarotimi OS, Ijadunola KT (2007). Nutritional status and intelligence quotient of primary school children in Akure community of Ondo State, Nigeria. *Tanzania Health Research Bulletin*. 9: 69-76.
- Imdad A, Bhutta ZA (2011). Effect of balanced protein energy supplementation during pregnancy on birth outcomes. *BMC Public Health*. Vol.11 (suppl 3):S17.
- Irianto DP (2007). *Panduan Gizi Lengkap Keluarga dan Olahragawan*. Yogyakarta : Andi.
- Joseph G (1978). *Interpreting Psychological Test Data*. Vol.1. New York: *Vanguard Natural Resources*.
- Kar BR, Rao SL, Chandramouli BA (2008). Cognitive Development In Children With Chronic Protein Energy Malnutrition. *Biomed Central: Behavioral and Brain Functions*. Vol.4(31).
- Kartasapoetra G, Marsetyo (2008). *Ilmu Gizi: Korelasi Gizi, Kesehatan dan Produktifitas Kerja*. Jakarta: Rineka Cipta.
- Kasim A (2010). *Psikologi Pendidikan*. Program Pasca Sarjana Iniversitas Negeri Jakarta.
- Kementrian Kesehatan Republik Indonesia (2010). Peraturan Menteri Kesehatan Republik Indonesia Nomor 482/MENKES/SK/IV Tahun 2010: *Gerakan Akselerasi Imunisasi Nasional Universal Child*. Immunization 2010-2014 (GAIN UCI 2010-2014). Jakarta: Menteri Kesehatan Republik Indonesia.
- Kementrian Kesehatan Republik Indonesia (2012). *Pokok - Pokok Peraturan Pemerintah No. 33 Tahun 2012: Pemberian Air Susu Ibu Eksklusif*. Jakarta: Menteri Kesehatan Republik Indonesia.
- Kementrian Kesehatan Republik Indonesia (2014). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 41 Tahun 2014: Pedoman Gizi Seimbang*. Jakarta: Menteri Kesehatan Republik Indonesia.
- Khomsan A, Anwar F, Hernawati N, Suhandana NS, Warsito O, Herawati T (2013). Growth, Cognitive Development and Psychosocial Stimulation of Preschool Children in Poor Farmer and Non Farmer Households. *Mal J nutrition*. Vol. 19(3). 325-337.
- Levitsky DA, Strupp BJ (1984). Functional isolation in rats. In: J. Brozek and B. Schurch (Eds). *Malnutrition and behaviour: Critical assessment of key issues*, p. 411-420. Nestle Foundation. Lausanne, Switzerland.

- Lewit EM, Kerrebrock N (1997). Population-Based Growth Stunting. Summer-Fall;7(2):149-56.
- Lima AA, Moore SR, Barboza MS, Jr., Soares AM, Schleupner MA, Newman RD, Sears CL, et al (2000). Persistent diarrhea signals a critical period of increased diarrhea burdens and nutritional shortfalls: a prospective cohort study among children in northeastern Brazil. *J Infect Dis.* Vol.181:1643–51.
- Lutter CK, Daelmans BM, de Onis M, Kothari MT, Ruel MT, Arimond M, Deitchler M, et al (2011). Undernutrition, poor feeding practices, and low coverage of key nutrition interventions. *Pediatrics.* Vol.128:e1418–27.
- Mason JB, Shrimpton R, Saldanha LS, Ramakrishnan U, Victora CG, Girard AW, et al. The first 500 days of life: policies to support maternal nutrition. *Global Health Action.* 2014. doi: 10.3402/gha.v7.23623.
- Mata LJ, Kromal RA, Urrutia JJ, Garcia B (1977). Effect of infection on food intake and the nutritional state: perspectives as viewed from the village. *Am J Clin Nutr.* Vol. 30:1215–27.
- Mc Wayne C, Hampton V, Fantuzzo J, Cohen HL, Sekino Y (2004). A multivariate examination of parent involvement and the social and academic competencies of urban kindergarten children. *Psychology in the Schools.* 41, 363-375.
- Meilyasari F, Isnawati M (2014). Faktor Risiko Kejadian Stunting pada Balita Usia 12 Bulan di Desa Purwekerto, Kecamatan Patebon Kabupaten Kendal. Tesis. Semarang : Program Studi Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro. *Journal of Nutrition College* Vol 3 No. 2, Tahun 2014 page : 16- 25.
- Mendez MA, Adair LS (1999). Severity and timing of stunting in the first two years of life affect performance on cognitive tests in late childhood. *The Journal of Nutrition.* 129:1555-1562.
- Millennium Challenge Account Indonesia (2015). Stunting dan Masa Depan Indonesia. www.mca-indonesia.go.id - Diakses tanggal 25 Maret 2016.
- Moore SR, Lima AA, Conaway MR, Schorling JB, Soares AM, Guerrant RL (2001). Early childhood diarrhoea and helminthiasis associate with long-term linear growth faltering. *Int J Epidemiol.* Vol. 30:1457–64.

- Moustafa KS, Miller TR (2003). Too Intelligent For The Job: The Validity of Upper-Limit Cognitive Ability Test Scores In Selection. *Sam Advanced Management Journal*. Vol.68.
- Mupfasoni D, Karibushi B, Koukounari A, Ruberanziza E, Kaberuka T, Kramer MH, Mukabayire O, et al (2009). Polyparasite helminth infections and their association to anaemia and undernutrition in Northern Rwanda. *PLoS Negl Trop Dis*. Vol.3:ed517.
- Musa TH, Ali EA, Musa HH, Khan A (2013). Anthropometric parameters of malnutrition in children 5-15 years old in Khartoum State, Sudan. *Journal of Public Health and Epidemiology*. Vol. 5(8), pp. 313-318.
- Nasikhah R. dan Margawati A. (2012) Faktor Risiko Kejadian Stunting Pada Balita Usia 24-36 Bulan di Kecamatan Semarang Timur, *Journal of Nutrition College* (1)1:176-184.
- National Health and Nutrition Examination Survey (NHANES) (2004). *Anthropometry Procedures Manual* CDC. http://www.cdc.gov/nchs/data/nhanes/nhanes_03_04/BM.pdf - Diakses tanggal 1 April 2016.
- Neisser U, Boodoo G, Bouchard Jr.TJ, Boykin AW, Brody N, Ceci SJ, Halpern DF, *et al* (1996). Intelligence: Knowns and Unknowns. <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.134.1282&rep=rep1&type=pdf> – Diakses 1 April 2016.
- Olifin I, McDonald CM, Ezzati M, Flaxman S, Black RE, Fawzi WW, et.al. (2013). Associations of suboptimal growth with allcause and cause-specific mortality in children under five years: a pooled analysis of ten prospective studies. *PLoS One*. Vol.8:e64636.
- Opara DC, Ikpeme EF, Ekanem US (2010). Prevalence of Stunting, Underweight and Obesity in School Aged Children in Uyo, Nigeria. *Pakistan Journal of Nutrition*. Vol 9 (5): 459-466, 2010.
- Papalia DE, Olds SW, Feldman RD (2008). *Human Development (Psikologi Perkembangan) Bagian I s/d IV: Awal Kehidupan, Masa Kanak-Kanak Awal, Masa Kanak-Kanak Pertengahan, Masa Kanak-Kanak Akhir*. Ed.9th. Jakarta: Penerbit Kencana, pp: 231-232, 446-448, 460.
- Paudel R, Pradhan B, Wagle RR, Pahari DP, Onta SR (2012). Risk factors for stunting among children: a community based case control study in Nepal. *Kathmandu Univ Med J (KUMJ)*. Vol. 10(39):18-24.
- Pemantauan Status Gizi Kota Padang (2015). *Pemantauan Status Gizi (PSG) Anak Usia Sekolah di Puskesmas Kota Padang Tahun 2015*.

- Perignon M, Fiorentino M, Kuong K , Burja K , Parker M, Sisokhom S, Chamnan C, Berger J, Wieringa FT (2014). Stunting, Poor Iron Status and Parasite Infection Are Significant Risk Factors for Lower Cognitive Performance in Cambodian School-Aged Children. PLOS One. Vol. 9, Issue 11, e112605.
- Picauly I, Toy SM (2013). The Determinant Analysis and the Impact of Stunting for School Children School Performance in Kupang and Sumba Timur, NTT. Jurnal Gizi dan Pangan. Vol. 8(1): 55—62.
- Prendergast AJ, Humphrey JH (2014). The stunting syndrome in developing countries. Paediatrics and International Child Health. Vol.34 No.4 p:250-65.
- Prentice, et.al.(2013). Critical windows for nutritional interventions against stunting. Am J Clin Nutr 2013;97:911 – 8.
- Ramli, Agho KE, Inder KJ, Bowe SJ, Jacobs J, Dibley MJ (2009). Prevalence and Risk Factors for Stunting and Severe Stunting Among UnderFives in North Maluku Province of Indonesia, Research Article, BMC Pediatrics, 9:64.
- Raven J (2000). Raven's Progressive Matrices: Change and Stability Over Culture and Time. Cognitive Psychology. Vol. 41. p. 1-48.
- Raven J, Raven JC, Court JH (2003). *Manual for Raven's Progressive Matrices and Vocabulary Scales*. Section 2- Section 4. San Antonio, TX: Harcourt Assessment.
- Remans R, Flynn DFB, DeClerck F, Diru W, Fanzo J , Gaynor K, Lambrecht I, et.al. (2011). Assessing Nutritional Diversity of Cropping Systems in African Villages. PLoS ONE. Vol. 6| Issue 6, e21235.
- Renyoet BS (2013). Hubungan Pola Asuh dengan Kejadian Stunting Anak Usia 6-23 Bulan Di Wilayah Pesisir Kecamatan Tallo Kota Makassar. Makassar : Universitas Hasanuddin.
- Richard SA, Black RE, Gilman RH, Guerrant RL, Kang G, Lanata CF, Mølbaek K, et.al. (2012). Wasting Is Associated with Stunting in Early Childhood. American Society for Nutrition. Vol. 10.3945/jn.111.154922.
- Riset Kesehatan Dasar (2013). Laporan Hasil Riset Kesehatan Dasar 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan, Republik Indonesia.
- Santrock JW (2007). Perkembangan Anak Jilid 1 Edisi 11. Jakarta: Penerbit Erlangga, pp. 327-331.

- Sastroasmoro S dan Ismael S (2010). Dasar-Dasar Metodologi Penelitian Klinis. Ed. 3. In: Pemilihan Subyek Penelitian dan Desain Penelitian. Jakarta: Sagung Seto.
- Schmidt CW (2014). Beyond Malnutrition: The Role of Sanitation in Stunted Growth. *Environmental Health Perspectives*. Vol. 122 p. A 298- A 303.
- Sedgh G, Herrera MG, Nestel P, el Amin A, Fawzi WW (2000). "Dietary Vitamin A Intake and Nondietary Factors Are Associated with Reversal of Stunting in Children". *The Journal of Nutrition*. 130: 2520-2525. www.jn.nutrition.org - Diakses tanggal 21 Maret 2016.
- Sekartini, Rini (2005). Manfaat Poster Aksi Kelender Bulanan Bayi dan Balita Untuk Pemantauan Status Gizi. www.tempo.co.id/medika/arsip - Diakses tanggal 21 Maret 2016.
- Semba RD, de Pee S, Sun K, Sari M, Akhter N, Bloem MW (2008). Effect of Parental Formal Education on Risk of Child Stunting in Indonesia and Bangladesh: A Cross Sectional Study. *The Lancet Article*, 371: 322-328. www.lancet.com - Diakses tanggal 24 Maret 2016.
- Senbanjo IO, Oshikoya KA, Odusanya OO, Njokanma OF (2011). Prevalence and Risk Factor for Stunting Among School Children and Adolescence in Abeokuta, Southwest Nigeria. *Journal of Health, Population and Nutrition*. Vol.29 No.4:364-370.
- Senjaya S (2009). Pengertian Inteligensi. <http://sutisna.com/psikologi/inteligensi/pengertian-inteligensi/> - Diakses tanggal 20 April 2016.
- Shrimpton R, Victora CG, de Onis M, Lima RC, Blossner M, Clugston G (2001). Worldwide timing of growth faltering: implications for nutritional interventions. *Pediatrics*. Vol.107:E75.
- Sihadi, Djaiman SPH (2011). Faktor Risiko untuk mencegah stunted berdasarkan Perubahan Status Panjang/Tinggi Badan Anak Usia 6-11 Bulan Ke Usia 3-4 Tahun. *Buletin Penelitian Kesehatan*.
- Sihadi, Sudjasmin, Suhartato, Latifah T (2001). Gambaran Perubahan Status Gizi Anak Balita Gizi Buruk Pengunjung Klinik Gizi Bogor. In: Suparmanto, S,A,S, et al, eds. *Buletin Penelitian Kesehatan Vol 28*. Jakarta: Balai Penelitian dan Pengembangan Kesehatan Depkes RI.
- Simanjuntak B, Pasaribu IL (1984). Pengantar Psikologi Perkembangan. Bandung: CV Tarsito.
- Soetjiningsih CH (1995). Perkembangan Anak Sejak Masa Pertumbuhan Hingga masa Kanak-kanak Akhir. Jakarta: Pranada.

- Soetjiningsih CH, Suandi IKG (2002). Konsep Tumbuh dan Kembang. Dalam : Narendra, Moersintowarti B., et al.,2002. Tumbuh Kembang Anak dan Remaja. Sagung Seto, Jakarta : 22-50.
- Sukardi DK (1993). Bimbingan dan Penyuluhan Belajar di Sekolah. Surabaya: Penerbit Usaha Nasional.
- The World Bank (2014). Prevalence of stunting, height for age (% of children under 5). World Development Indicators.
- UNICEF (1998). The State of The World's Children 1998. United Kingdom: Oxford Univeesity Press.
- UNICEF (2008). MENA Regional Fact Sheet: World Breastfeeding Week 2008. New York.
- UNICEF (2009). Tracking Progress On Child and Maternal Nutrition: A Survival and Development Priority. New York.
- UNICEF (2013). Key Facts and Figures On Nutrition. www.unicef.org/UNICEF_Key_facts_and_figures_on_Nutrition.docx - Diakses tanggal 24 Maret 2016.
- UNICEF-WHO-WB (2015). Levels and Trends in Child Malnutrition: UNICEF-WHO-The World Bank Joint Child Malnutrition Estimates. Key findings of the 2015 edition.
- Vernon PA, Wickett JC, Bazana PG, Stelmack RM, Sterberg RJ (2000). The neuropsychology and psychophysiology of human intelligence. In Handbook of intelligence). New York: Cambridge University Press. Pp:23-27.
- Victoria CG, Adair L, Fall C, Hallal PC, Martorell R, Riecher I, Sachdev HS (2008). Maternal and Child Undernutrition: Consequences for Adult Health and Human Capital. Journal List Elsevier: 371(9609): 340–357.
- Walker S, McGregor SMG, Powell CA, Chang SM (2000). Effects of stunting in Early childhood on growth, IQ and cognition at age 11–12 years and the benefits of nutritional supplementation and psychological stimulation. Journal of Pediatrics. Vol. 137(1):36-41.
- Webb KE, Horton NJ, Katz DL (2005). Parental IQ and cognitive development of malnourished Indonesian children. Eur J Clin Nutr. Vol.59(4):618-20.
- Wibowo, Kusno RH, Rihati S (1995). Media Gizi Keluarga. Vol. 19(1) p.27-37. http://isisonline.litbang.depkes.go.id/otomasi/index.php?p=show_detail&i=454 - Diakses tanggal 4 April 2016.

- World Health Organization (2001). The Optimal Duration of Exclusive Breastfeeding: Report of the Expert Consultation. Geneva: WHO, 2001. http://www.who.int/nutrition/publications/infantfeeding/WHO_NHD_01.09/en/ - Diakses tanggal 1 April 2016.
- World Health Organization (2007). Nutrition for health and development. Geneva, Switzerland: World Health Organization.
- World Health Organization (2007). Growth reference 5-19 years. Geneva, Switzerland: World Health Organization.
- World Health Organization (2011). Guidelines for drinking-water quality. Ed. 4th. Geneva, Switzerland: World Health Organization.
- World Health Organization (2014). Global Nutrition Targets 2025 Stunting Policy Brief. Geneva, Switzerland: World Health Organization.
- World Health Organization (2014). World Health Statistics 2014. Geneva, Switzerland: World Health Organization.
- World Health Organization (2016). Nutrition Challenges <http://www.who.int/nutrition/challenges/en/> - Diakses tanggal 1 April 2016.
- World Health Organization, UNICEF (2003). Global Strategy For Infant and Young Child Feeding. Geneva, Switzerland: World Health Organization.
- Zelee DA, Gebreigziabher BG, Alene KA, Negatie BA, Kasahune TA (2014). Prevalence and Associated Factors of Stunting Among Schoolchildren, in Debre Markos Town and Gozamen Woreda, East Gojjam Zone, Amhara Regional State, Ethiopia, 2013. *Journal of Nutrition & Food Sciences*. S8: 007. doi:10.4172/2155-9600.S8-007.

