

DAFTAR PUSTAKA

- Abdurachim, Kiki N., Harmani Kalim, Basuni Radi. 2007. Quality of Life Evaluation After Coronary Artery. Bypass Graft Surgery in Patient who Underwent Phase III Rehabilitation Program. *J Kardiol Ind*; 28:189-196.
- Adikusuma, W., Perwitasari, D.A., & Supadmi, W. 2013. Evaluasi Kualitas hidup pasien Diabetes melitus tipe 2 Rumah Sakit Umum PKU Muhammadiyah Bantul. *J. Faculty of Pharmacy Ahmad Dahlan University*; 152-159.
- American Diabetes Association (ADA). 2010. Diagnosis and Classification of Diabetes Mellitus. Position Statement. *Diabetes Care*; 29: S43-8.
- Anas, Yance, Widy Astuti Rahayu, Tri Murti Andayani. 2008. Kualitas Hidup Pada Pasien Diabetes Melitus Tipe 2 Rawat Jalan Di Rumah Sakit Umum Tidar Magelang. *Jurnal Ilmu Farmasi Dan Farmasi Klinik*; 5(1):10-15.
- Andayani, T, M., Izham, M., Ibrahim, M dan Asdie, A, H. 2010. The Association of Diabetes-Related Factor and Quality of Life In Type 2 Diabetes Mellitus. *International Journal of Pharmacy and Pharmaceutical Sciences*; 2(1): 139-145.
- Andrews, M., Johnson, P.H., & Weinstock, D. 2005. Handbook of geriatric nursing care. Pennsylvania: Springhouse Corporation.
- Asakawa, K., Senthilselvan, A., Feeny, D., Johnson, J., & Rolfson, D. 2011. Trajectories of health-related quality of life differ by age among adults: results from an eight-year longitudinal study. *J Health Econ*; 3(1): 207-218.
- Awadalla, A.W., Ohaeri, J.U., Al-Awadi, S. A., & Tawfiq, A.M. 2006. Diabetes Mellitus patients 'Family Caregivers' Subjective Quality of Life. *Journal of The National Medical Association*; 98(5): 727-736.
- Borrott, N. & Bush, R. 2008. *Measuring Quality Of Life Among Those With Type 2 Diabetes In Primary Care.* (online), (<http://www.uq.edu.au/health/healthycomm/docs/QoL.pdf>, diakses 21 Januari 2015).
- Chaveepojnkamjorn, W., Pichainarong, N., Schelp, F.P., & Mahaweerawat, M.U. 2008. Quality of Life and Compliance among Type 2 Diabetic Patient. *Southeast Asian Journal Trop Med, Public Health*; 39(2); 328-334.

- Chyun, D.A., Melkus, G.D., Katten, D.M., Price, W.J., Davey, J.A., Grey, N., Heller, G., & Wackers, F.J.Th. 2006. The Association of Psychological Factors, Physical activity, Neuropathy and Quality of Life in type 2 Diabetes. *Biol Res Nurs*; 7(4): 279-288.
- Corwin, Elizabeth J. 2008. *Handbook of Pathophysiology Third Edition*. Jakarta: Penerbit Buku Kedokteran EGC.
- Dahlan, Muhamas Sopiudin. 2013. Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat dan Multivariat Dilengkapi dengan menggunakan SPSS Edisi 5. Jakarta: Salemba Medika.
- Departemen Kesehatan RI. 2005. *Pharmaceutical Care untuk Penyakit Diabetes Melitus*. Jakarta: Direktorat Bina Kefarmasian dan Alat Kesehatan Departemen Kesehatan RI.
- Dipiro JT, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM. 2005. *Pharmacotherapy A Pathophysiologic Approach 6th Edition*. New York: The Mcgraw-Hill.
- Fal, Andrzej, M., Beata Jankowska, Izabella Uchmanowicz, Mariola Sen, Bernard Panaszek, Jacek Polanski. 2011. Type 2 Diabetes Quality of Life Patients Treated with Insulin and Oral Hypoglycemic Medication. *Acta Diabetol*; 48: 237-242.
- Felicia, H., Tiffany, L., Kesha, B.R., Frederick L. 2005. Thirty-six Item Short Form Outcome Following a Randomized Controlled Trial in Type 2 Diabetes. *Diabetes Care*; 8: 28-32.
- Galicchio, L., Gromova, E.A., Gagulin, I.V., & Pilipenko, P.I. 2004. The relationship between gender, social support and health-related quality of life in a community-based study in Washington Country, Maryland. *Qual Life Res*; 16(5): 777-786.
- Gautam, Y., Sharma, A., Agarwal, A., Bhatnagar, M. and Trehan, R.R. 2009. A cross-sectional study of QOL of diabetic patients at tertiary care hospitals in Delhi. *Indian J Community Med*; 34(4): 346-350.
- Glasgow R.E., Ruggiero, L, Eakin, E.G., Dryfoos, J., Chobanian, L. 1997. Quality of Life and Associated Characteristics in a Large National Sample of Adults with Diabetes. *Diabetes Care*; 20:562-7.
- Grauw, W. J. C., E. H. van de Lisdonk, W. H. E. M. van Gerwen, H. J. M. van den Hoogen and C. van Weel. 2001. Insulin therapy in poorly controlled type 2 diabetic patients: does it affect quality of life?. *British Journal of General Practice*; 51: 527-532.

- Grigsby, A.B, Anderson. RJ, Freedland, K.E, Clouse, R.E, Lutsman, P.J. 2002. Prevalence of Anxiety in Adults with Diabetes: A Systemic Review, *Journal of Psychosomatic Research*; 53(6): 1053-1060.
- Gunawan, Sulistia Gan, Rianto Setiabudi, Nafrialdi dan Elysabeth. 2007. *Farmakologi dan Terapi Ed. 5*. Jakarta: Departemen Farmakologi dan Terapi Fakultas Kedokteran Universitas Indonesia.
- Hawks, J.H., & Black,J.M. 2005. *Medicalsurgical nursing: Clinical management for positive outcomes*. (7th). Philadelphia: Elsevier Saunders.
- Hopman, W.M, Harrison, M.B., Coo, H., Friedberg, E., Buchanan, M., & VanDenKerkhof, E.G. 2009. Associations between chronic disease, age and physical and mental health status. *Chronic Dis Can*; 29(3): 108-116.
- Huang, E.S., Brown, S.E., Ewigman, B.G., Foley, E.C. and Meltzer, D.O. 2007. Patient perceptions of quality of life with diabetes-related complications and treatments. *Diabetes Care*; 30(10): 2478-2483.
- IDF Diabetes Atlas Sixth Edition*. 2013. Brussels: International Diabetes Federation.
- IDF Global Guideline For Managing Older People With Type 2 Diabetes*. 2013. Brussels: International Diabetes Federation.
- Issa, BA., Baiyewu, O. 2006. Quality of Life of Patients with Diabetes melitus in a Nigerian Teaching Hospital. *Hong Kong J. Psychiatry*; 16: 27-33.
- Kamarul, I.M., Ismail, A.A., Naing, L. and Wan-Mohamad W.B. 2010. Type 2 Diabetes Mellitus Patients With Poor Glycaemic Control Have Lower Quality of Life Scores As Measured by the Short Form-36. *Singapore Med J*; 51(2):157.
- Katzung B.G. 2009. *Farmakologi Dasar Dan Klinik*, Edisi III. Surabaya: Bagian Farmakologi Fakultas Kedokteran Universitas Airlangga.
- Klein BE, Klein R, Moss SE. 1998. Self-rated health and diabetes of long duration. The Wisconsin Epidemiologic Study of Diabetic Retinopathy. *Diabetes Care*; 21: 236–240.
- Kusek, J.W., Greene, P., Wang, S.R. 2002. Cross-sectional study of helath-related Quality of life in African Americans with Chronic Renal Insufficiency: the African American study of Kidney Disease and Hypertension Trial. *Am J Kidney Dis*; 39(3): 513-524.

- Lau CY, Qureshi AK, Scott SG. 2004. Association between Glycaemic Control and Quality of Life in Diabetes Mellitus. *J Postgrad Med*; 50: 189-94.
- Lemos, Teixeira, Edite Sara Nunes, Frederico Teixeira and Flavio Reis. Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflammatory properties. *Biomed Central Cardiovascular Daibetology*; 10:1-15.
- Li,C. 2008. Diabetes and Anxiety in U.S Adults: Findings From the 2006 Behavioral Risk Faktor Surviellence Sistem. *Atlanta Diabetic Medicine*; 25(7): 878-881.
- Liu, Z., Fu, C., Wang, W., & Xu, B. 2010. Prevalence of Chronic Complications of Type 2 Diabetes Mellitus in Outpatients- a Cross-sectional Hospital Based Survey in Urban China. *Health and Quality of Life Outcome*; 8: 1-12.
- Luscombe, Faye A. 2000. Health-Related Quality Of Life Measurement In Type 2 Diabetes. *Value In Health*; 3(1): S-15-S-28.
- Maxwell O. Adibe. 2013. The Impact of Pharmaceutical Care Intervention on the Quality of Life of Nigerian Patients Receiving Treatment for Type 2 Diabetes. *International Society for Pharmacoeconomics and Outcomes Research (ISPOR)*.Elsevier Inc; 2: 240-247.
- Muhaimin, Toha. 2010. Measuring Children's Quality Of Life. *Jurnal Kesehatan Masyarakat Nasional*; 5(2).
- Mier, N., Alonso, A.B., Zhan, D., Zuniga, M.A., & Acosta, R.I. 2008. Health-related Quality of Life in a Binational Population with Diabetes at the Texas-Mexico Border. *Rev Panam Salud Publica*; 23(3): 154-163.
- Nilsson, E. 2012. *Aspects of Health Related Quality of Life: Associations with psychosocial and biological factors, and use as patient-reported outcome in routine health care*. Sweden: Linkoping University.
- Papadopoulos, Angelos, A., Nick, K., Aristidis, F., Emmanuel, I., and Dimitris, N. 2007. Predictors of health-related quality of life in type II diabetic patients in Greece. *BMC Public Health*; 7: 186.
- Perkumpulan Endokrinologi Indonesia. 2006. *Konsensus Pengelolaan Dan Pencegahan Diabetes Mellitus Tipe 2 Di Indonesia*. Jakarta: Balai Penerbit.
- Perkumpulan Endokrinologi Indonesia. 2011. *Konsensus Pengelolaan dan Pencegahan Diabetes melitus Tipe 2 di Indonesia*. Jakarta: Balai Penerbit.

- Peterson, S.J., Bredow, T.S. 2004. *Middle range theoriest: Aplication Nursing Research*. Philadelphia: Lippincott Williams dan Wilkins.
- Rahmawan, A. 2004. *Uji Kelayakan Short-Form-36*. Bagian Ilmu Penyakit Telinga, Hidung, dan Tenggorokan, FK UGM Yogyakarta.
- Rahmat, Wahyu Purwandi. 2010. Pengaruh Konseling Terhadap Kecemasan Dan Kualitas Hidup Pasien Diabetes Melitus Di Kecamatan Kebakkramat. *Tesis*. Program Pascasarjana Universitas Sebelas Maret Surakarta.
- RAND Corporation, Ware J. 1992. The Short Form-36 Item Short Form Health Survey (SF-36). I Conceptual Framework & Item Selection. *Med Care*; 473-83.
- Reis, J.F., Gomes, M., Rodrigues, J., Gosling, A., Fontana, A., Cunha, J. 2013. Pain And Its Consequences In Quality Of Life: A Study With Whoqol-Bref In Leprosy Patients With Neuropathic Pain. *Isrn Tropical Medicine*; 1-7.
- Sait, G., Kagan, G., Ali, S.C., Umit, K., Zehra, A., Gurcan, K., Oguz, D., Suleyman, T., Taha, H., Aysun, A., Afflin, C.K. and Ahmet, K. 2007. Comprehensive Analysis of Health Related Quality of Life in Patients with Diabetes: A Study From Konya Turkey. *Health Related Quality of Life in Diabetes. Turk Jem.*; 11: 81-88.
- Sarac, Zeliha Fulden, Pelin, T., Sebnem, P., Fusun, S., Candeger, Y. and Mehmet T. 2007. Quality of Life in Turkish Diabetic Patients. *Turk Jem*; 11: 48-53.
- Sari, Rafika Mutia, Jarir At Thobari dan Tri Murti Andayani. 2011. Evaluasi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Yang Diterapi Rawat Jalan Dengan Anti Diabetik Oral Di RSUP Dr. Sardjito. *Jurnal Manajemen dan Pelayanan Farmasi*; 1(1): 35-42.
- Shaheen, F., Khalid Abdul Basit, Musarrat Riaz, Asher Fawwad, M. Phil, Rubina Hakeem, Abdul Basit. 2014. Assesing Health related Quality of Life in Diabetic Subjects by SF 36 Questionnaire in a Tertiary Care Diabetes Unit of Karachi, Pakistan. *International Journal of Advanced Research*; 2(6): 13-17.
- Shen, W., Kotsanos, J.G., Huster, W.J., Mathias, S.D., Andrejasich, C.M., Patrick, D.L. 1999. Development and Validation of the Diabetes Quality of Life Clinical Trial Questionnaire. *Medical Care*; 37 (4): AS45-AS66.
- Smeltzer, S., & Bare. 2008. *Brunner & Suddarth's Textbook of Medical Surgical Nursing*. Philadelphia: Lippincott.

- Spasić, Ana, Radmila Veličković Radovanović, Aleksandra Catić Đorđević, Nikola Stefanović, Tatjana Cvetković. 2014. Quality of Life in Type 2 Diabetic Patients. *Scientific Journal of the Faculty of Medicine in Niš*; 31(3):193-200.
- Stanetić, Kosana, Suzana Savić, Maja Račić. 2012. The Quality of Life of Patients With Type 2 Diabetes Mellitus. *Оригинални радови*; 18(3-4): 70-77.
- Sudoyo, A. W. 2009. *Buku Ajar Ilmu Penyakit Dalam*. Jilid III. Edisi V. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam.
- Sukandar, Elin Yulinah. 2008. *ISO Farmakoterapi*. Jakarta : Ikatan Sarjana Farmasi Indonesia (ISFI).
- Taylor, C., Lillis, C., & Lemone, P. 2005. *Fundamental of nursing* (5th). Philadelphia: Lippincott Williams & Wilkins.
- Testa MA, Simondson DC. 1996. Assesment Of Quality Of Life Outcomes. *N Eng J Med*; 272:619-26.
- Thommasen, Harvey V., William Zhang, MSc, MA. 2006. Health-related quality of Life and Type 2 Diabetes: A Study of People Living in the Bella Coola Valley. *Bc Medical Journal*; 48 (6): 272-278.
- Triplitt, C.L., Reasner, C.A., & Isley, W.L., 2005. Diabetes Melitus. dalam Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke G.R., Wells, B.G., & Posey, L.M., (Eds.), *Pharmacotherapy: A Pathophysiologic Aproach*, 6th Ed., 1333 - 1364, USA: Appleton & Lange.
- U.S. Departement of Health and Human Services, Centers for Disease control and prevention (CDC). 2012. *Principle of Epidemiology in Public Health Practice*. Atlanta.
- Wändell, P.E. 2005. Quality of life of patients with diabetes mellitus. An overview of research in primary health care in the Nordic countries. *Scand J Prim Health Care*; 23(2): 68–74.
- Ware, Je., Snow, Kk., Kosinski, M., Gandek, B. 1992. *SF-36 Health Survey: Manual And Interpretation Guide*. Boston, Ma: The Health Institute, New England Medical Center.
- Ware JH, Sherbourne CD. 1992. *The MOS 36-Item Short Form Health Survey (SF-36)*. Conceptual framework and item selection. *Med Care*; 30:473–483.

- Wexler D, Grant R, Wittenberg E, Bosch J, Cagliero E, Delahanty L. 2006. Correlates of health-related quality of life in type 2 diabetes. *Diabetologia*, 49:1489-1497
- Woodcock, A.J., Julious, S.A., Kinmonth, A.L., Campbell, M.J. and Diabetes Care From Diagnosis Group. 2001. Problems with the performance of the SF-36 among people with type 2 diabetes in general practice. *Quality of Life Research*.; 10: 661–670.
- World Health Organization. 1994. *Management Of Diabetes Mellitus Standards Of Care And Clinical Practice Guidelines*. WHO Regional Office For The Eastern Mediterranean.
- World Health Organization. 1996. *WHOQOL-Bref: Introduction, Administration, Scoring And Generic Version Of The Assessment. Field Trial Version*. Programme On Mental Health. Geneva: World Health Organization.
- World Health Organization. 2013. *The Role Of Education In The Rational Use Of Medicines*. New Delhi. WHO.
- Yusra, Aini. 2011. Hubungan Antara Dukungan Keluarga Dengan Kualitas Hidup Pasien Diabetes Melitus Tipe 2 di Poliklinik Penyakit Dalam Rumah Sakit Umum Pusat Fatmawati Jakarta. *Tesis*. Depok: Fakultas Ilmu Keperawatan Universitas Indonesia.

