

**HUBUNGAN FAKTOR INTERNAL DAN EKSTERNAL BIDAN DENGAN
PELAYANAN ANTENATAL DI PUSKESMAS
KOTA PADANG TAHUN 2015**

Oleh : Silvia Adi Putri (1021219050)

(Dibawah bimbingan : Prof. Dr. dr. Delmi Sulastri, MS, SpGK dan
Dr. dr. Fauziah Elyta, M.Sc)

Abstrak

Keberhasilan upaya kesehatan ibu dapat dilihat dari indikator angka kematian ibu, Jumlah kematian ibu pada tahun 2016 meningkat dari tahun 2015 yaitu dari 17 orang menjadi 20 orang. Dalam upaya menurunkan angka kematian ibu tersebut perlu diupayakan pelayanan antenatal yang optimal. Tujuan dari penelitian ini adalah untuk melihat hubungan faktor internal dan eksternal bidan dengan pelayanan antenatal di Puskesmas kota Padang tahun 2015.

Jenis penelitian ini adalah kuantitatif dengan desain penelitian *cross sectional Study*. Populasi dalam penelitian ini adalah seluruh bidan yang bertugas di ruangan KIA di Puskesmas Rawatan kota Padang yaitu 40 orang . Teknik pengambilan sampel adalah *total sampling*. Pengumpulan data dilakukan pada bulan November 2015 sampai bulan Januari 2016. Analisa data adalah univariat, bivariat dan multivariat.

Hasil penelitian lebih dari separo responden telah melaksanakan pelayanan antenatal sesuai standar, tidak pernah mendapatkan pelatihan, bersikap baik, lama kerja lama, komitmen atasan kurang baik, penerimaan lingkungan kurang baik, dan separo responden dengan motivasi baik. Terdapat hubungan antara sikap bidan, motivasi, komitmen atasan dan penerimaan lingkungan dengan pelayanan antenatal, dan tidak terdapat hubungan antara pendidikan, pelatihan, dan lama bekerja dengan pelayanan antenatal.

Disimpulkan faktor internal yang berhubungan dengan pelayanan antenatal adalah sikap, motivasi, faktor eksternal yang berhubungan dengan pelayanan antenatal komitmen atasan dan penerimaan lingkungan. Disarankan kepada pimpinan puskesmas untuk berkomitmen yang tegas untuk terlaksananya pelayanan antenatal, untuk bidan disarankan untuk bersikap, motivasi baik dalam melaksanakan pelayanan antenatal sesuai standar.

Kata kunci : Faktor internal, faktor eksternal dan pelayanan antenatal

**CORRELATION BETWEEN INTERNAL AND EXTERNAL FACTORS OF
MIDWIVES WITH ANTENATAL CARE AT PADANG CITY COMMUNITY
HEALTH CENTERS IN 2015**

By : Silvia Adi Putri (1021219050)

(Under the tutelage of : Prof. Dr. dr. Delmi Sulastris, MS, SpGK and
Dr. dr. Fauziah Elyta, M.Sc)

Abstract

The success of maternal health efforts can be seen from the indicators of maternal mortality rate - The number of maternal deaths increases from 17 people in 2015 to 20 people by 2016. To reduce maternal mortality, optimal antenatal care is needed. The purpose of this study is to see the relationship between internal and external factors of midwives with antenatal care in community health centers of Padang city in 2015.

This research is of quantitative type with cross sectional study design. Population in this research includes all midwife who served in maternity wards at community health centers of Padang city, amounted to 40 people. The sampling technique used here is total sampling. Data collection was conducted in November 2015 until January 2016. Data analysis are univariate, bivariate and multivariate.

According to the results of the study, more than half of the respondents have provided antenatal care up to standards, were never professionally trained, were nice, had been working for long enough, lacking boss commitment, were not well-received by their work environment, and half of respondents have good motivation. There is a correlation between the midwife's attitudes, motivation, boss commitment and environmental acceptance with antenatal care, and no correlation between education, training, and length of service with antenatal care.

It is concluded that internal factors related to antenatal care are attitudes, motivation, external factors related to antenatal care, boss commitment and environmental acceptance. Community health center leaders are advised to truly commit to the implementation of antenatal care, while midwives are advised to adopt good behavior and motivation in implementing antenatal care according to the applicable standards.

Keywords : Internal factor, External factor and Antenatal Care