

Daftar Pustaka

- Abdou, H. M. 1989. *Dissolution, bioavailability and bioequivalence*. Pennsylvania: Mark Publishing Company Easton.
- Ansel, H. C. 2008. *Pengantar Bentuk Sediaan Farmasi*. Jakarta: Universitas Indonesia Press.
- Baghel, R. S., Singh, S., & Yadav, L. 2011. A review on solid dispersion. *Int J of Pharm & Life Sci*, 2, 1078-1095.
- Banakar, U. V. 1991. *Pharmaceutical dissolution testing*. New York: Marcel Dekker Inc.
- Chiou, W. L., & Riegelman, S. 1971. Pharmaceutical applications of solid dispersion systems. *Journal of pharmaceutical sciences*, 60(9), 1281-1302.
- Costa, E. M., Filho, J. M., Nascimento, T. G., & Macedo, R. O. (2002). Thermal Characterization of The Quercetin and Rutin Flavonoids. *Thermochimica Acta*, 392, 79–84.
- Costa, et.al. (2010). Quercetin-PVP K25 Solid Dispersions. *J.Therm Anal Calorim* 104 : 273-278.
- Dachriyanus. (2004). *Analisis struktur Senyawa organik secara spektroskopi*. Padang: Universitas Andalas Press
- David, B.T. (2005). *Remington.The Science and Practice of Pharmacy* Edisi 21. Philadelphia : Lippincot William
- Depkes RI. 1995. *Farmakope Indonesia Edisi IV*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dixit, RP. Singh, Stuti, S. (2012). Solid Dispersions : a Strategy for Improving the Solubility of Poorly Soluble Drugs. *IJRPBS*, 3 (2) : 960-966
- Gue, E., et.al. (2013). Accelerated Ketoprofen Release from Polymeric Matrices : Importance of the Homogeneity / Heterogeneity of Excipient Distribution. *Int. J. Pharm.*, 457 (1): 298-307

- Hollman, P. C. (2004). Absorption, Bioavailability, and Metabolism of Flavonoids. *Pharmaceutical Biology* 42(7), 74-83.
- Kakran, M., Shegokar, R., Sahoo, N. G., Shaal, L. A., Li, L., & Müller, R. H. (2012). Fabrication of Quercetin Nanocrystals: Comparison of Different Methods. *European Journal of Pharmaceutics and Biopharmaceutics*, 80(1), 113–121.
- Karavas, E., Georgarakis, E., & Bikaris, D. 2006. Application of PVP/HPMC miscible blends with enhanced mucoadhesive properties for adjusting drug release in predictable pulsatile chronotherapeutics. *European Journal of Pharmaceutics and Biopharmaceutics*, 64(1), 115-126.
- Khaleel, N.K., Rasool, A.A., Ghareeb, M.M., & Hussain, S.A. (2011). Solubility and dissolution improvement of ketoprofen by solid dispersion in polymer and surfactant using solvent evaporation methode. *Int. J. Pharm. Pharm. Sci.*, 3 (4): 431-435.
- Leuner, C., & Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions. *European journal of Pharmaceutics and Biopharmaceutics*, 50(1), 47-60.
- Levy, G., 1963. Effect of particle size on dissolution and gastrointestinal absorption rates of pharmaceuticals. *Am. J. Pharm. Sci.*, 135: 78–92.
- Martin, A., Swarbrick, J., & Cammarata, A. 1993. *Physical Pharmacy 3rd Edition*. USA: Lea and Febiger.
- Mogal, S. 2012. Solid dispersion technique for improving solubility of some poorly soluble drugs. *Scholars Research Library Der Pharmacia Lettre*, 4(5):1574-1586.
- Moon, Y. J., Wang, L., Cenzo, R. D., & Morris, M. E. (2008). Quercetin Pharmacokinetics in Humans. *Biopharm. Drug Dispos*, 29(4), 205–217.
- Muhrer, G., Meier, U., Fusaro, F., Albano, S., & Mazzotti, M. 2006. Use of compressed gas precipitation to enhance the dissolution behavior of a poorly water-soluble drug: generation of drug microparticles and drug-polymer solid dispersions. *International journal of pharmaceutics*, 308(1), 69-83.

Reimer, L. (1998). *Scanning electron microscopy: Physics of image formation and microanalysis 2nd edition*. London: Springer.

Riekes, M. K., Kuminek, G., Rauber, G. S., Maduro de Campos, C. E., Bortoluzzi, A. J., & Stulzer, H. K. (2014). HPMC as a potential enhancer of nimodipine biopharmaceutical properties via ball-milled solid dispersions. *Carbohydrate Polymers*, 99 (2) : 474–482

Sekiguchi, K. & Obi, N. (1961). Studies on Absorption of Eutectic Mixture. I: A Comparison o the Behaviour of Eutectic Mixture of Sulfathiazole and that of Ordinary Sulfathiazole in Man. *Chem. Pharm. Bul.*, 9 (11) : 866-872.

Serajuddin, A. 1999. Solid dispersion technique. *Journal of Pharmaceutical Sciences*, 88(10), 891-900.

Shargel, L., & Yu, A. B. C. 1999. *Applied Biopharmaceutics and Pharmacokinetics 4th edition*. New York: Appleton & Lange.

Syofyan, Lucida, H., & Bakhtiar, A. (2008). Peningkatan Kelarutan Quercetin Melalui Pembentukan Kompleks Inklusi dengan β-SikBkekstrin. *Jurnal Sains dan Teknologi Farmasi*, 13(2), 43 - 48.

Sweetman, S. C. 2009. *Martindale Ed 36*. London: Pharmaceutical Press

Syamsuni. 2007. *Farmasetika Dasar dan Hitungan Farmasi*. Jakarta: EGC Press.

VasanthaVada, M., Tong, W. Q., Joshi, Y., & Kisalioglu, M. S. 2004. Phase behavior of amorphous molecular dispersions I: Determination of the degree and mechanism of solid solubility. *Pharmaceutical research*, 21(9), 1598-1606.

Verheyen, S., Blaton, N., Kinget, R., & Van den Mooter, G. (2002). Mechanism of increased dissolution of diazepam and temazepam from polyethylene glycol 6000 solid dispersions. *Int. J. Pharm.*, 249 (1) : 45-58.

Vo, C.L., Park, C. & Lee, B.J. (2013). Current Trends and Future Perspectives of Solid Dispersions Containing Poorly Water-Soluble Drugs : Review Article. *Eur. J. Pharm. Biopharm.*, 85 (3) : 799-813.

Wang, X., Michoel, A., & Van den Mooter, G. 2005. Solid state characteristics of ternary solid dispersions composed of PVP VA64, Myrj 52 and itraconazole. *International journal of pharmaceutics*, 303(1), 54-61.

Watson, D.G (1999). *Pharmaceutical Analysis*. New York: Churchill Livingstone

Wismogroho, A.S. & Widayatno, W.B. (2012). Pengembangan Alat Differential Thermal Analysis untuk Analisa Termal Material Ca(OH)₂. *Telaah Jurnal Ilmu Pengetahuan dan Teknologi*, 30 (1): 7-12.

Wu, T.-H., Yen, F.-L., Lin, L.-T., Tsai, T.-R., Lin, C.-C., & Cham, T.-M. (2008). Preparation, Physicochemical Characterization, and Antioxidant Effects of Quercetin Nanoparticles. *International Journal of Pharmaceutics*, 346(1-2), 160–168.

Yadav, P.S., Kumar, V., Singh, U. P., Bhat, H. R., & Mazumder. (2013). Physicochemical characterization and in vitro dissolution studies of solid dispersion of ketoprofen with PVP K30 and d-mannitol. *Saudi Pharm. J.* 21 (1) : 77-84

Youl E, Bardy G,& Magous R. Quercetin potentiates insulin secretion and protects INS-1 pancreatic β -cells against oxidative damage via the ERK1/2 pathway. *Br J Pharmacol*. 2010; 161:799-814.