

DAFTAR PUSTAKA

- Achmad, S.A. 1986. Kimia Organik Bahan Alam, Modul 1-6, Cetakan kedua, Karunia, Jakarta, hal, 1-39.
- Anastassiades, M., Lehotay, S.J., Stajnbaher, D., and Schenck, F.J. 2003. Fast and Easy Multiresidue Method Employing Acetonitrile Extraction/Partitioning and “Dispersive SPE” for the Determination of Pesticide Residues in Produce, *J. AOAC Int.*, vol. 86 (2), pp. 412-431.
- Agilent Technologies. 2001. Agilent LC-MS Primer. U.S.A 5988-2045EN.
- AOAC International. 2012. AOAC Guidelines for Single-Laboratory Validation of Chemical Methods For Dietary Supplements and Botanicals. Official Methods of Analysis, 19th Ed., Appendix K.
- Bievre, P., and Gunzler, H. 1998. Eurachem Guidance Document. The Fitness for Purpose of Analytical Methods, a Laboratory Guide to Method validation and Related Topics. London: Laboratory of the Government Chemists.
- Biswas, K.P. 2006. Description of tea plant. In Encyclopaedia of Medicinal Plants. New Dehli: Dominant Publishers and Distributors, pp. 964-966.
- Bowers, LD. 1989. High-performance liquid chromatography/ mass spectrometry; state of the art for the drug analysis laboratory. *Clin Chem* 35; 1282-7.
- BrF opinion No.005/2013. 2013. BfR removes antraquinone from its list of recommendation for food packaging. <http://www.bfr.bund.de> diakses 20 Maret 2017.
- Chan, C.C., Lam, H., Lee, Y.C., and Zhang, X.M. 2004. Analytical Methode Validation and Instrument performance Verification, Wiley Interscience, A John Wiley and Sons, New York, USA.
- Chewchinda, S., Sithisar, P., Gritsanapan, W. 2014. Rhein content in cassia fistula pod pulp extract determined by hplc and tlc-densitometry in comparison. *J. Health Res.*; 28(6): 409-11.
- Commission Regulation (EU) No 1146/2014. 2014. Amending Annex II, III, IV, and V to Regulation (EC) No 396/2005 of European parliament and the Council as regards maximum residue levels for antraquinone, benfluralin, bentazone, bromoxynil, cholorothalonil, famoxadone, imazamox, methyl bromide, propanil and sulfuric acid in or on certain produsts. *Official Journal of the European Union*.

- Covey, TR., Lee, ED., Henion, JD. 1986. High speed liquid chromatography tandem mass spectrometry for the determination of drugs in biological samples. *Anal Chem*, 58;2453-60.
- Deng, Z.Y., and Tao, B.Y. 1998. Effect of Green Tea and Black Tea on blood glucose, triglycerides and antioxidants in aged rat. *J. agric. Food Chem*; 46: 3875 – 3878.
- Departemen Kesehatan Republik Indonesia. 1986. *Materia Medika Indonesia*. Jilid III. Departemen Kesehatan Republik Indonesia. Jakarta.
- Douglas, G, H., Jon, W, W., Hoon, Y, P. 2014. Determinations for pesticides on black, green, oolong, and white teas by gas chromatography triple-quadrupole mass spectrometry. *Journal of agricultural and Food chemistry*.
- European Food Safety Authority. 2012. Reasoned opinion on the review of the existing maximum residue levels (MRLs) for anthraquinone according to Article 12 of Regulation (EC) No 396/2005, *EFSA Journal*, vol. 10(6):261.
- Food and Drug Administration. 2001. Guidance for Industry: Bioanalytical Methods Validation For Human Studies, <http://www.fda.gov/cder/guidance/indec.htm>.
- Games, L.M., Hites R.A. 1977. Composition, treatment efficiency, and environmental significance of dye manufacturing plant effluents. *Anal Chem*, 49: 1433– 1440. doi:10.1021/ac50017a035.
- Greeanpeace. 2014. Trouble Brewing. Pesticides residues in tea samples from India.
- Hazardous Substance Data Bank (HSDB). 2006. Anthraquinone. (CAS No. 84-65-1) National Library of Medicine. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>.
- Harborne, J.B. 1987. Metode Fitokimia. Penuntun Cara Modern Menganalisis Tumbuhan, Penerbit IBT Bandung. 21-35. hal. 109-117.
- Harmita. 2004. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. Majalah Ilmu Kefarmasian. Vol. I, No 3:117-135.
- Harmoko., Nainggolan R., Damayanti S. 2016. Pengembangan dan Validasi metode QuEChERS untuk analisis antrakuinon dalam teh hitam menggunakan GC-MS/MS
- Hartoyo, Arif. 2003. Teh dan Khasiatnya bagi Kesehatan. Yogyakarta.

Hsu, S. C., and Chung, J. G. 2012. Anticancer potential of emodin. Biomedicine, vol. 2, Pp. 108 – 116.

ICH Harmonised Tripartite Guideline, ICH Q2 (R1). 2005. Validation of Analytical Procedures: Text and Methodology.

Indonesia Investments. 2015. Indonesian tea export plagued by drought and high anthraquinone level. <http://www.indonesia-investments.com/id/news/today-headlines/indonesia-tea-export-plagued-by-drought-and-high-antraquinone-level>. diakses pada 20 Februari 2017.

Jian, W., Wendy, C., Daniel, L. 2013. Determination of pesticide residue transfer rates (percent) from dried tea leaves to brewed tea. *Journal of agricultural and food chemistry*.

Kanrar, B., Mandal, S., and Bhattacharyya, A. 2010. Validation and Uncertainty Analysis of a Multi-residue Method for 42 Pesticides in Made Tea, Tea Infusion and Spent Leaves using Ethyl Acetate Extraction and Liquid Chromatography-Tandem Mass Spectrometry. *Journal of Chromatography*, vol. 121, pp.1926-1933.

Khokhar, S. and Magnusdottir, S.G.M. 2002. Total Phenol, Catechin, and Caffeine Content of Tea Commonly Consumed in The United Kingdom. *J. Agric. Food Chem.* 50: 565-570.

Kristanti, A.N., Aminah, N.S., Tanjung, M., dan Kurniadi, B. 2008. Fitokimia. Airlangga University Press, Surabaya.

Layshock, JA., Wilson, G., Anderson, KA. 2010. Ketone and quinone-substituted polycyclic aromatic hydrocarbons in mussel tissue, sediment, urban dust, and diesel particulate matrices. *Environ Toxicol Chem*, 29: 2450–2460. doi:10.1002/etc.301 PMID:20830751.

Lozano, A., Rajska, L., Belmonte-Valles, N., Ucles, A., Ucles, S., Mezcua, M., and Fernandez-Alba, A.R. 2012. Pesticide Analysis in Tea and Chamomile by Liquid Chromatography and Gas Chromatography Tandem Mass Spectrometry using a Modified QuEChERS method: Validation and Pilot Survey in Real Samples, *Journal of Chromatography*, vol. 1268, pp.109-122.

Malik, S., Sharma, N., Sharma, U.K., Singh, N.P., Bhushan, S., Sharma, M., Sinha, A.K., Ahuja, P.S. 2010. Qualitative and quantitative analysis of anthraquinone derivatives in rhizomes of tissue culture-raised Rheum emodi Wall. plants. *J. Plant Physiol.* 167, 749–756, <http://dx.doi.org/10.1016/j.jplph.2009.12.007>.

- Matsuda, H., Morikawa, T., Toguchida, I. 2001. Antioxidant constituents from rhubarb: structural requirements of stilbenes for the activity and structures of two new anthraquinone glucocides. *Bioorg Med Chem.* 9: 41-45.
- Meltzer, S. M., Monk, B. J., and Tewari, K. S. 2009. Green tea catechins for treatment of external genital warts. *Am J Obstet Gynecol*, 200(3), 233 e231-237. doi: S0002-9378(08)00884-3 [pii] 10.1016/j.ajog.2008.07.064.
- Mishra, B.B., Kishore, N., Tiwari, V.K., Singh, D.D., Tripathi, V. 2010. A novel antifungal anthraquinone from seeds of *Aegle marmelos* Correa (family Rutaceae). *Fitoterapia* 81, 104–107.
<http://dx.doi.org/10.1016/j.fitote.2009.08.009>.
- Michael Vogeser., Christoph Seger. 2008. A decade of HPLC-MS/MS in the routine clinical laboratory-goals for further development. *Clinical Biochemistry Rev*, 41; 649-662
- Mondal, T. K., Bhattacharya, A., Laxmikumaran, M., and Singh Ahuja, P. 2004. Recent Advances of Tea (*Camellia Sinensis*) Biotechnology. *Plant Cell, Tissue and Organ Culture*, 76(3), 195-254. doi: 10.1023/b:ticu.0000009254.87882.71.
- Muramatsu, K. 1986. Effect of green tea catechin on plasma cholesterol level in cholesterol-fed rats. *J. nutr.sci.* vol:32: 613 – 622.
- NIEHS (National Institute of Environmental Health Sciences). 2008. Anthraquinone. Available: <http://www.niehs.nih.gov/health/impacts/anthraquinone.cfm>. [November 9, 2008].
- Riyanto. 2014. Validasi dan Verifikasi Metode Uji: Sesuai dengan ISO/IEC 17025 Laboratorium Pengujian dan Kalibrasi. Ed.1, Cet. 1. Yogyakarta: Deepublish.
- Ross, I.A. 2005. Tea common names and its uses. In *Medicinal Plants of the World*. 3rd Vol. New Jersey: Humana Press, pp. 1-19.
- Rozaini, N. 2003. Teknik sampling. USU Digital library.
- Ruksilp, T., Sichaem, J., Khumkratok, S., Siripong, P., Tip-pyang, S. 2011. Anthraquinones and an iridoid glycoside from the roots of *Morinda pandurifolia*. *Biochem. Syst. Ecol.* 39, 888–892, <http://dx.doi.org/10.1016/j.bse.2011.07.003>.
- J. Duval et al./ *Industrial Crops and Products* 94 (2016) 812–833 833.
- Saguma M., E. Soeka, N. Soeka., S. Okabe., H, Fujiki. 2000. Mecanism of Cancer Prevention By Tea Polyphenols Based on Inhibition of TNF-Alpha Expression. *Biofactors*; 13 : 67 – 72.

- Sakulpanich, A., Gritsanapan, W. 2008. Extraction method for high content of anthraquinones from Cassia fistula pods. *J. Health Res.* 22, 167–172.
- Setyamidjaja, M. Djoehana. 2000. Teh Budidaya dan Pengolahan Pascapanen. Yogyakarta: Kanisius
- Shalleck, J. 1972. Tea. New York: The Viking Press, Inc. Shord, S. S., Shah, K., and Lukose, A. 2009. Drug-botanical interactions: a review of the laboratory, animal, and human data for 8 common botanicals. *Integr Cancer Ther*, 8(3), 208- 227. doi: 1534735409340900 [pii].
- Sidhu, S., Gullett, B., Striebich, R. 2005. Endocrine disrupting chemical emissions from combustion sources: diesel particulate emissions and domestic waste open burn emissions. *Atmos Environ*, 39: 801–811. doi:10.1016/j.atmosenv.2004.10.040.
- Widyaningrum N. 2013. Epigallocatechin-3-gallate (EGCG) pada daun teh hijau sebagai anti jerawat. *Majalah Farmasi dan Farmakologi*. 17(3): 95
- Xu, X.M., Yu, C., Han, J.L., Li, J.P., El-Sepai, F., Zhu, Y., Huang, B.F., Cai, Z.X., Wu, H.W., and Ren, Y.P. 2011. Multi-residue Analysis of Pesticides in Tea by Online SEC-GC/MS. *Journal of Separation Science*, vol. 34, pp. 210-216.
- Yan, Y., Chen, X., Hu, S., Tian, J., and Bai, X. 2013. Simultaneous preconcentration and analysis of anthraquinone based on ultrasound emulsification ionic liquid microextraction. *Journal of Chromatographic Science Advance*, Pp. 1-8.
- Zhu, Z. W., Li, J., Gao, X. M., Amponsem, E., Kang, L. Y., Hu, L. M., Zhang, B. L. and Chang, Y. X. 2012. Simultaneous determination of stilbenes, phenolic acids, flavonoids and anthraquinone in Radix polygoni multiflori by LC-MS/MS. *Journal of Pharmaceutical and Biomedical Analysis*, vol. 62, Pp. 162 – 166.