

DAFTAR PUSTAKA

- Abbott, W. S. 1987. A Method of Computing Effectiveness of an Insecticide. *J. Econ. Entomol.*, 18: 265 – 267.
- Ahmad, F., Ahmad I., and Khan M. S. 2005. Indole Acetic Acid Production by Indigenous Isolates of Azotobacter and Fluorescent Pseudomonas in the Presence and Absence of Tryptophan. *J. Biol.*, 29: 29 – 34.
- Akhtar, A., Hisamuddin, Robab M. I., Abbasi, and Sharf R. 2012. Plant Growth Promoting Rhizobacteria : An overview. *Jurnal National. Production Plant Resources*, 2 (1): 19 – 31.
- Alexopoulos, C. J., Mims C. W., and Blackwell M. 1996 . Introductory Mycology. Wiley New York. USA.
- Anggraeni, N. T. dan Fadil A. 2013. Sistem Identifikasi Citra Jenis Cabai (*Capsicum annuum* L.) Menggunakan Metode Klasifikasi City Block Distance. *J. Sarjana Teknik Informatika*, 1 (2): 409 – 418.
- Ashrafuzzaman, M., Hossen F. A., Ismail M. R., Hoque M. A., Islam M. Z., Shahidullah S. M., and Meon S. 2009. Efficiency of Plant Growth Promoting Rhizobacteria (PGPR) for The Enhancement of Rice Growth. *J. Biotechnol*, 8: 1247 – 1252.
- Badan Pusat Statistik. 2015. Produksi Cabai Besar, Cabai Rawit, dan Bawang Merah Tahun 2014. Berita Resmi Statistik BPS Sumatera Barat. No.46/8/13/Th. XVIII, 3 Agustus 2015
- Badan Pusat Statistik dan Direktorat Jenderal Hortikultura. 2015. Produktivitas Cabai Besar Menurut Provinsi, 2010-2014. <http://www.pertanian.go.id/> [diakses 28 Januari 2016]
- Bae, Y. S., Park K. S., and Kim C. H. 2004. *Bacillus* spp. as Biocontrol Agents of Root Rot and Phytophthora Blight on Ginseng. *J. Plant Pathology*, 20: 63 - 66
- Bae, Y. S., Park K. S., Lee Y. G., and Choi O. H. 2007. A Simple and rapid Methode for Functional Analysis of Plant Growth-Promoting Rhizobacteria Using the Development of Cucumber Adventitious Root System. *J. Plant Pathology*, 23 (3): 223 - 225
- Beneduzi, A., Ambrosini A., and Passaglia L. M. P. 2012. Plant Growth-Promoting Rhizobacteria (PGPR): Their Potential As Antagonists and Biocontrol Agents. *Genetics and Molecular Biology*, 35 (4): 1044 – 1051.

- Benhamou, N., Belanger R. R., and Paulitz T. C. 1996. Induction of Differential Host responses by *Pseudomonas fluorescens* in Ri T-DNA-Transformed Pea Roots After Challenge with *Fusarium oxysporum* f. sp. *pisi* and *Pythium ultimum*. *Phytopathology*, 86: 114 – 178.
- Benhamou, N., Kloepper J. W., and Tuzun S. 1998. Induction of Resistance Against Fusarium wilt of Tomato by Combination of Chitosan with an Endophytic Bacterial Strain: Ultrastructure and Cytochemistry of the
- Compant, S., Duffy B., Nowak J., Christophe C., and Barka E. A. 2005. Use of Plant Growth-Promoting Bacteria for Biocontrol of Plant Diseases: Principles, Mechanisms of Action, and Future Prospects. *Microbiology*, 71 (9): 4951 – 4959.
- Damayati, T. A. and Katarina T. 2008. Protection of Hot Pepper Against Multiple Infection of Viruses by Utilizing Root Colonizing Bacteria. *J. ISSAAS*, 14: 92 – 100.
- Das, A. J., Kumar M., and Kumar R. 2013. Plant Growth-Promoting Rhizobacteria (PGPR): An Alternative of Chemical Fertilizer for Sustainable, Environment Friendly Agriculture. *Research Journal of Agriculture and Forestry Sciences* 1(4): 21-23.
- Dean, R., Kan V. J. A. L., Pretorius Z. A., Kosack K. E. H., Pietro A. D., Spanu P. D., Rudd J. J., Dickman M., Kahmann R., Ellis J., and Foster G. D. 2012. The Top 10 Fungal Pathogens in Molecular Plant Pathology. *Molecular plant Pathology*, 13 (4): 414 – 430.
- Deising, H. B., Reimann S., and Pascholati S. F. 2008. Mechanisms and Significance of Fungicide Resistance. *Brazil J Microbiol*, 39: 286 – 295.
- Diby, P. 2004. Physiological, Biochemical and Molecular Studies on the Root Rot (caused by *Phytophthora capsici*) Suppression in Black Pepper (*Piper nigrum* L.) by Rhizosphere bacteria. University Calicut. India
- Dickman, M. W. 1993. The Fungi. Academic Press. New York. USA.
- Djarwaningsih, T. 2005. *Capsicum* spp. (Cabai): Asal, Persebaran dan Nilai Ekonomi [Review]. *Biodiversitas*, 6 (4): 292 – 296.
- Dodd, J. C., Estrada A., and Jeger M. J. 1992. Epidemiology of *Colletotrichum gloeosporioides* in the Tropics. In: Bailey, J.A., Jeger, M.J. (Eds.), *Colletotrichum: Biology, Pathology and Control*. CAB International, Wallingford, p. 308 - 325.

- Domenech, J., Reddy M. S., Kloepper J. W., Ramos B., and Manero F. J. G. 2006. Combined Application of the Biological Product LS213 wit *Bacillus*, *Pseudomonas*, or *Chryseobacterium* for Growth Promotion and Biological Control of Soil-Borne Diseases in Pepper and Tomato. *Biocontrol*, 51: 245 – 258.
- Dwiastuti, M. E., Nawir W., dan Wuryantini S. 2007. Uji Patogenisitas Jamur Entomopatogen *Hirsutella citriformis*, *Beauveria bassiana*, dan *Metarhizium anisopliae* secara Eka dan Dwiinfeksi untuk Mengendalikan *Diaphorina Citri* Kuw. *J. Hort.* 17 (1): 75 – 80.
- Egamberdiyeva, D. 2005. Biological Control of Phytopathogenic Fungi with Antagonistic Bacteria: Biocontrol of Bacteria Plant Disease. Taskent State University of Agriculture. Uzbekistan
- Egamberdiyeva, D. 2008. Plant Growth Promoting Properties of Rhizobacteria Isolated from Wheat and Pea Grown in Loamy Sand Soil. *Turk J. Biology*, 32: 9 – 15
- El-Azeem, A. A. A., Mehana T. A., and Shabayek A. A. 2008. Effect of Seed Inoculation with Plant Growth-Promoting Rhizobacteria on the Growth and Yield of Wheat (*Triticum aestivum* L.) Cultivated in Sandy Soil. *J. Catrina*, 3 (2): 79 – 74.
- FAO. 2013. Good Agricultural Practices: Budidaya Cabai yang Baik dan Benar. Kementerian Pertanian Republik Indonesia. Direktorat Jenderal Pengolahan dan Pemasaran Hasil Pertanian.
- Gholami, A., Shahsavani S., Nezarat S. 2009. The Effect of Plant Growth Promoting Rhizobacteria (PGPR) on Germination, Seedling Growth and Yield of Maize. *Sci. Engg. & Technol*, 49: 19 – 24.
- Goel, A. K., Sindhu S. S., and Dadarwal K. R. 2002. Stimulation of Nodulation and Plant Growth of Chickpea (*Cicer arietinum* L.) by *Pseudomonas* sp. Antagonistic to Fungal Pathogens. *Biol Fertil Soils*, 36: 391 – 396.
- Gunawan, O. S. 2005. Efektivitas Biopestisida sebagai Pengendali Biologi terhadap Penyakit Antraknos pada Cabai Merah. *J. Hort*, 15 (4): 297 – 302.
- Harmaningrum, N. W. 2015. Peningkatan Potensi Agen Hayati Untuk Mengendalikan Penyebab Penyakit Antraknosa (*Colletotrichum so.*) pada Tanaman Cabe jawa (*Piper retrofractum* Vahl.) Melalui Penambahan Bahan Organik. Fakultas Pertanian. Universitas Jember.
- Harpenas, A. dan Dermawan R. 2010. Budidaya Cabai Unggul. Penebar Swadaya. Jakarta.

- Hartati, S., Wiyono, Hidayat S. H., dan Sinaga M. S. 2014. Seleksi Khamir Epifit Sebagai Agens Antagonis Penyakit Antraknosa Pada Cabai. J. Hort, 24 (3): 258 – 265.
- Herwidiyarti, K. H., Ratih S., dan Sembodo D. R. J. 2013. Keparahan Penyakit Antraknosa pada Cabai (*Capsicum annum* L) dan Berbagai Jenis Gulma. Agrotek Tropika. 1:102-106
- ITIS. 2011. Standard Report Page: Taxonomy and Nomenclature *Capsicum annum* L. <https://www.itis.gov/> [diakses 14 April 2016]
- Joo, G. J., Kim Y., Lee I. J., Song K. S., and Rhee I. K. 2004. Growth Promotion of Red Pepper Plug Seedling and the Production of Gibberellins by *Bacillus cereus*, *Bacillus macroides*, and *Bacillus pumilus*. J. Microbiol 27: 96 – 103.
- Julianto. 2016. Waspadai Penyakit Menular Baru pada Tanaman Cabai. <http://tabloidsinartani.com/> [diakses 14 April 2016]
- Khaeruni, A. dan Gusnawaty H. S. 2012. Penggunaan *Bacillus* spp. Sebagai Agens Biokontrol Untuk Mengendalikan Penyakit Layu Fusarium Pada Tanaman Cabai. Jurnal Agroteknos, 2 (3): 182 – 189.
- Kim, K .D., Oh B. J., and Yang J. 1999. Differential Interactions of A *Colletotrichum gloeosporioides* Isolate With Green and Red Pepper Fruits. Phytoparasitica, 27: 1 – 10.
- Kim, Y. C. and Jung H. 2008. An Effective Biocontrol Bioformulation Against Phytophthora Blight of Pepper Using Growth Mixtures of Combination Chitinolityc Bacteria Under Different Field Condition. Plant Pathol, 20: 273 – 382.
- Kim, Y. S., Jang B., Chung I. M., Sang M. K., Ku H. M., Kim K. D., and Chun S. C. 2008. Enchancement of Biocontrol Activity of Antagonistic *Chryseobacterium* Strain KJIR5 by Adding Carbon Sources Against *Phytophthora capsici*. Plant Pathol, 24: 164 – 170.
- Klement, Z., Rudolph K., and Sand D. C., 1990. Methods in Phytobacteriology. Budapest: Academia Kiado, 389
- Kumar, R. S., Ayyadurai N., Pandiaraja P., Reddy A. V., Venkateswarlu Y., and Prakash O. 2005. Characterization of Antifungal Metabolite Produced by a New Strain *Pseudomonas aeruginosa* PUPa3 that Exhibits Broad-Spectrum Antifungal Actifity and Biofertilizing Traits. Journal of Applied Microbiologi, 98: 145 – 154.

- Lamsal, K., Kim S. W., Kim Y. S., and Lee Y. S. 2012. Application of Rhizobacteria for Plant Growth Promotion Effect and Biocontrol of Anthracnose Caused by *Colletotrichum acutatum* on Pepper. *Mycobiology*, 40 (4): 244 – 251.
- Lee, K. J., Kannan S. K., Sub H. S., Seong C. K., and Lee G. W. 2008. Biological Control of Phytophthora Blight in Red Pepper (*Capsicum annuum* L.) Using *Bacillus subtilis*. *J. Microbiol*, 24: 1139 – 1145.
- Mardiah, Syamsuddin, dan Efendi. 2016. Perlakuan Benih Menggunakan Rizobakteri Pemacu Pertumbuhan Terhadap Pertumbuhan Vegetatif dan Hasil Tanaman Cabai Merah (*Capsicum annuum* L.). *J. Floratek*, 11 (1): 25 – 35.
- Marlina, S. dan Kausa C. M. F. 2010. Kemampuan Fungi Mikoriza Arbuskula (FMA) dalam Menekan Perkembangan *Colletotrichum capsici* Penyebab Antraknosa pada Cabai Merah (*Capsicum annum* L.). *Jurnal Penelitian Universitas Jambi Seri Sains*, 12 (2): 37 – 42.
- Najah, L. N., Suhartanto M. R., dan Widodo. 2016. Pengendalian *Colletotrichum* spp. Terbawa Benih Cabai dengan Paparan Gelombang Mikro. *J. Patologi Indonesia*, 12 (4): 115 – 123.
- Nakkeeran, S., Kavitha K., Chandrasekar G., Renukadevi P., and Fernando W. G. D. 2006. Induction of Plant Defense Compounds by *Pseudomonas chlororaphis* PA23 and *Bacillus subtilis* BSCBE4 in Controlling Damping-off of Hot Pepper Caused by *Phytophthora aphanidermatum*. *Biocontrol Scie. and Technolo.*, 16 (4): 403 – 416.
- Nowak, J. and Shulaev V. 2003. Primig for Transplant Stress Resistance In Vitro Propagation. *Biol Plant*, 39: 107 – 124.
- Nurmayulis, Syabana, M. A., dan Syafendra Y. 2013. Pengendalian Penyakit Antraknosa (*Colletotrichum capsici*) pada Cabai Merah dengan Beberapa Bakteri Sebagai Agen Biokontrol. *Jur. Agroekoteknologi*, 5 (1): 33 – 44.
- Pantastico, E. B. 1996. *Fisiologi Pasca Panen*. Gadjah Mada University Press. Yogyakarta.
- Pasaribu, P. Y. 2017. Pengujian berbagai Formula *Paecilomyces* sp. untuk Pengendalian Penyakit Antraknosa yang Disebabkan oleh *Colletotrichum gloesporioides* pada Cabai (*Capsicum annum* L.). Universitas Andalas. Padang

- Patten, C. L. dan Glick B. R. 2002. Role of *Pseudomonas putida* Indole-Acetic Acid in Development of the Host Plant Root System. *J. Microbiology*, 68: 3795 – 3801.
- Photita, W., Taylor P. W. J., Ford R., Hyde K. D. and Lumyong S. 2005. Morphological and Molecular Characterization of *Colletotrichum* Species from Herbaceous Plants in Thailand. *Fungal Diversity*, 18: 117 – 133.
- Piga, M. P., Belanger R. R., Paulitz T. C. and Benhamou N. 1997. Increased resistance to *Fusarium oxysporum* f. sp. *radicans-lycopersici* in Tomato Plants Treated with the Endophytic Bacterium *Pseudomonas fluorescens* Strain 63-28. *Plant Pathol.*, 50: 301 – 320.
- Ping, L. and Boland W. 2004. Signals from the Underground: Bacterial Volatiles Promote Growth in Arabidopsis. *J. Plant Sci*, 9: 263-266.
- Purnomo, J. 2013. Pemupukan Berimbang pada Taaman Cabai pada Tanah Typic Hapludands di Cikembang. Prosiding Seminar Nasional Peningkatan Produktivitas Sayuran. Badan Penelitian dan Pengembangan Pertanian. Kementerian Pertanian. p. 218 - 228
- Pusnama, I. 2014. Pengaruh Return On Assets (ROA), Return On Equity (ROE) dan Economic Value Added (EVA) Terhadap Return Saham. Fakultas Ekonomi Widyatama. Bandung
- Rajapakse, R. G. A. S. and Ranasinghe J. A. D. A. R. 2002. Development of Variety Screening Method for Anthracnose Disease of Chilli (*Capsicum annuum* L) Under Field Conditions. *Tropical Agricultural Research and Extension*. 5 (1 & 2): 7 – 11
- Ramamoorthy, V., Raguchander T., and Samiyappan R. 2002. Enhancing Resistanse of Tomato and Hot Pepper to *Pythium* Diseases by Seed Treatment with Fluorescents *Pseudomonas*. *European J. Plant Pathol*, 108 (5): 429 – 441.
- Ramamoorthy, V., Viswanathan R., Raguchander T., Prakasam V., and Smayiappan R. 2001. Induction of Systemic Resistance by Plant Growth-Promoting Rhizobacteria in Crop Plants Against Pests and Diseases. *Crop Prot*, 20: 1 – 11.
- Reed, E. L. M. dan Glick B. R. 2004. Applications of Free Living Plant Growth-Promoting Rhizobacteria. *Int.J.G.*, 86: 1 – 25.
- Rohmawati, A. 2012. Pengaruh Kerapatan Sel dan Macam Agensia Hayati Terhadap Perkembangan Penyakit Antraknosa dan Hasil Tanaman Cabai (*Capsicum annuum* L.). Unikom Repository.

- Royle, D. J. and Butler D. R. 1986. Epidemiological Significance of Liquid Water in Crop Canopies and Its Role in Disease Forecasting. In: Ayres, P.G., Boddy, L. (Eds.), Water, Fungi and Plants. Cambridge University Press, Cambridge, 139 – 156.
- Rukmana, H. R. 2002. Usaha Tani Cabai Rawit. Penerbit Kanisius. Yogyakarta.
- Rusli, I. dan Zulpadli M. 1997. Penyakit Antraknosa pada Buah Cabai di Sumatera Barat, Prosiding Kongres Nasional XIV dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia, Palembang, 187 – 190.
- Safriani, Syamsuddin, dan Marlin. 2016. Daya Hambat Rizobakteri terhadap Pertumbuhan Koloni Patogen Terbawa Benih Cabai merah Secara In Vitro dan Pengarunya Terhadap Viabilitas Benih. *J. Kawista*, 1 (1): 50 – 58.
- Saxena, A., Raghuvanshi R., Gupta V. K., and Singh H. B. 2016. Chilli Anthracnose: The Epidemiology and Management. *Front. Microbiol*, 7 (1527): 1 – 18.
- Schaad, N. W., Jones J. B., and Chun W. 2001. Laboratory Guide for Identification of Plant Pathogenic Bacteria. 3rd Edition. APS Press. Minnesota
- Setiadi. 2006. Bertanam Cabai. Penebar Swadaya. Bogor
- Silva, H. S. A., Romeiro R. S. R., Macagnan D., Veira B. A. H., Pereira M. C. B., and Mounteer A. 2003. Rhizobacterial Induction of Systemic Resistance in Tomato Plant; Non-Specific Protection and Increase in Enzym Activities. *Biol Control* 29: 288-295
- Sivan, A. and Chet I. 1986. Microbial Control of Plant Disease. Environmental Microbiology. New York : John Wiley and Son.Inc
- Sumarni, N. dan Agus M. 2005. Budi Daya Tanaman Cabai Merah. Balai Penelitian Tanaman Sayuran. Lembang. Bandung
- Susila, A. D. 2006. Panduan Budidaya Tanaman. Sayuran. Departemen Agronomi dan Hortikultura. Institut Pertanian Bogor. Bogor
- Sutariati, G. A. K., Widodo S., dan Ilyas S. 2006. Pengaruh Perlakuan Rizobakteri Pemacu Pertumbuhan Tanaman terhadap Viabilitas Benih serta Pertumbuhan Bibit Tanaman Cabai. *Bul. Agron.* (34) (1) 46 - 54
- Sutariati, G. A. K. dan Wahab A. 2010. Isolasi dan Uji Kemampuan Rizobakteri Indigenous sebagai Agensi Pengendali Hayati pada Tanaman cabai. *J. Hort*, 20 (1): 86 – 95.

- Syukur, M., Sujiprihati S., Koswara J., dan Widodo. 2007. Pewarisan Ketahanan Cabai (*Capsicum annuum L.*) terhadap Antraknosa yang Disebabkan oleh *Colletotrichum acutatum*. *Bul. Agron*, 35 (2): 112 – 117.
- Than, P. P., Jeewon R., Hyde K. D., Pongsupasamit S., Mongkolporn O., and Taylor P. W. J. 2008. Characterization and Pathogenicity of *Colletotrichum* Species Associated With Anthracnose Disease on Chilli (*Capsicum spp.*) in Thailand. *Plant Pathology*, 57 (3): 562 – 572.
- Timmuck A., Grantcharova N., and Wagner E. G. H. 2005. *Paenibacillus polymyxa* Invades Plant Rootd and Forms Biofilms. *J. Microbiology*, 71 (11): 7292 – 7300.
- Tjahjadi, N. 1991. Bertanam Cabai. Penerbit Kanisius. Yogyakarta.
- Townsend G. R. and Heuberger J. V. 1943. Methods For Estimating Losses Caused by Diseases in Fungicide Experiments. *Plant Disease Report*, 24: 340 – 343.
- Welles, G. W. H. 1990. Pepper. International Agric. Center. Wageningen, The Netherlands, 40: 277 – 284.
- Widjaya, E. S. 2005. Resistance of Pepper to Anthracnose Caused by *Colletotrichum capsici*. Gadjah Mada University Press. Yogyakarta
- Wilia, W., Widodo, dan Wiyono S. 2012. Potensi Khamir Untuk Mengendalikan Penyakit Antraknosa (*Colletotrichum acutatum L.*) pada Tanaman cabai. Universitas Jambi, 1 (4): 291 – 298.
- Wiryanta, B. T. W. 2003. Bertanam Cabai pada Musim Hujan. Agromedia Pustaka. Jakarta
- Yanti, Y., Astuti F. F., Habazar T., and Nasution C. R. 2017. Screening of Rhizobacteria from Rhizosphere of Healthy Chili to Control Bacterial Wilt Disease and to Promote Growth and Yield of Chili. *J. Biodiversitas*, 18 (1): 1 – 9.
- Yanti, Y., Habazar T., Resti Z., dan Suhalita D. 2013. Penapisan Isolat Rizobakteri Dari Perakaran Tanaman Kedelai Yang Sehat Untuk Pengendalian Penyakit Pustul Bakteri (*Xanthomonas axonopodis* pv. *glycines*). *Jurnal HPT Tropika*, 13 (1): 24 – 34.
- Zhang, W. J., Jiang F. B., and Ou J. F. 2011. Global pesticide consumption and pollution: with China as a focus. *Proceedings IAEES*, 1 (2): 125 – 144.