

DAFTAR PUSTAKA

- [1] Q. Wang, M. Rafiq, Y. Lv, C. Li, and K. Yi, "Preparation of Three Types of Transformer Oil-Based Nanofluids and Comparative Study on the Effect of Nanoparticle Concentrations on Insulating Property of Transformer Oil," *Journal of Nanotechnology*, vol. 2016, 2016.
- [2] M. Rafiq, D. Khan, and M. Ali, "Insulating properties of transformer oil-based silica nanofluids," in *2015 Power Generation System and Renewable Energy Technologies (PGSRET)*, 2015, pp. 1-3.
- [3] Y. P. Lin, Q. Fu, Z. Li, Y. H. Qian, X. P. Liu, and B. He, "Feasibility study on replacement of Shell Diala oil by Kelamayi EHV Transformer Oil," in *2008 China International Conference on Electricity Distribution*, 2008, pp. 1-7.
- [4] M. Rafiq, D. Khan, and M. Ali, "Dielectric properties of transformer oil based silica nanofluids," in *2015 Power Generation System and Renewable Energy Technologies (PGSRET)*, 2015, pp. 1-3.
- [5] F. Negri and A. Cavallini, "Analysis of conduction currents in nanofluids," in *2015 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP)*, 2015, pp. 27-30.
- [6] M. Rafiq, C. Li, Y. Lv, K. Yi, and I. Arif, "Breakdown characteristics of transformer oil based silica nanofluids," in *2016 19th International Multi-Topic Conference (INMIC)*, 2016, pp. 1-4.
- [7] J. Dai, M. Dong, L. Wang, Y. Li, and J. Wang, "Study on AC breakdown and broadband dielectric response properties of transformer oil-based nanofluids," in *2016 International Conference on Condition Monitoring and Diagnosis (CMD)*, 2016, pp. 24-27.

- [8] S. Panggabean, "Pengaruh Suhu Terhadap Kekuatan Dielektrik Berbagai Minyak Isolasi Transformator (Gulf, Nynas, Shell Diala B dan Total)," Teknik Elektro, Universitas Sumatera Utara, 2008.
- [9] R. Arora and W. Mosch, *High Voltage and Electrical Insulation Engineering (IEEE) Wiley*. Canada: John Wiley & Sons, Inc., Hoboken, New Jersey., 2011, p. 391.
- [10] A. Rajab, Suwarno, and S. Aminuddin, "Properties of RBDPO Oleum as a candidate of palm based-transformer insulating liquid," in *2009 International Conference on Electrical Engineering and Informatics*, 2009, vol. 02, pp. 548-552.
- [11] A. Darwanto, "Perbandingan Tegangan Tembus Isolasi Minyak Transformator Diala B Dan Mesran Super Sae 40 W Menggunakan Hypot Model 04521aa," *SIMETRIS*, no. No 11 (2009): SIMETRIS NO 11, 2009.
- [12] M. Abdel-Salam, H. Anis, A. El-Morshedy, and R. Radwan, *High Voltage Engineering Theory and Practice*, Second ed. 2000.
- [13] J. F. Simamora, "Analisis Pengaruh Kenaikan Temperatur dan Umur Minyak Transformator Terhadap Degradasi Tegangan Tembus Minyak Transformator," Teknik Elektro, Universitas Indonesia, 2011.
- [14] D. Nugroho, "Kegagalan Isolasi Minyak Trafo," *MEDIA ELEKTRIKA*, no. Vol 3, No 2 (2010): Electrical Engineering, 2010.
- [15] I. M. Y. Negara, *Teknik Tegangan Tinggi ; Prinsip dan Aplikasi Praktis*, Pertama ed. Yogyakarta: Graha Ilmu, 2013, p. 166.
- [16] H. Sayogi, "Analisis Mekanisme Kegagalan Isolasi Pada Minyak Trafo Menggunakan Elektroda Berpolaritas Berbeda Pada Jarum-Bidang," Teknik Elektro, Universitas Diponegoro, 2002.

- [17] W. K. Wibowo, I. Yuningtyastuti, and S. T. M. T. Abdul Syakur, "Analisis Karakteristik Breakdown Voltage Pada Dielektrik Minyak Shell Diala B Pada Suhu 300C-1300C," 2008.
- [18] D. supriyanto, M. Abdul Syakur ST, and I. A. Nugroho, "Analisis Karakteristik Tegangan Tembus Minyak Trafo Sebelum dan Sesudah Dipurifikasi dengan Fenol," Teknik Elektro, Universitas Diponegoro, 2002.
- [19] M. Rafiq, Y. Lv, and C. Li, "A Review on Properties, Opportunities, and Challenges of Transformer Oil-Based Nanofluids," *Journal of Nanomaterials*, vol. 2016, 2016.
- [20] Y. Z. Lv, Y. Zhou, C. R. Li, Q. Wang, and B. Qi, "Recent progress in nanofluids based on transformer oil: preparation and electrical insulation properties," *IEEE Electrical Insulation Magazine*, vol. 30, no. 5, pp. 23-32, 2014.
- [21] L. Hakim, "Kontrol Ukuran dan Dispersitas Nanopartikel Besi Oksida," Departemen Kimia, Universitas Indonesia, 2008.
- [22] J. G. Hwang, F. O. Sullivan, M. Zahn, O. Hjortstam, L. A. A. Pettersson, and R. Liu, "Modeling of Streamer Propagation in Transformer Oil-Based Nanofluids," in *2008 Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, 2008, pp. 361-366.
- [23] W. Sima, J. Shi, Q. Yang, S. Huang, and X. Cao, "Effects of conductivity and permittivity of nanoparticle on transformer oil insulation performance: experiment and theory," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 22, no. 1, pp. 380-390, 2015.

- [24] M. Rafiq, Y. Lv, C. Li, and Y. Kai, "Effect of different nanoparticle types on breakdown strength of transformer oil," in *2016 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP)*, 2016, pp. 436-440.
- [25] V. A. Primo, B. García, and J. C. Burgos, "Applicability of nanodielectric fluids to the improvement of transformer insulation properties," in *2016 IEEE International Conference on Dielectrics (ICD)*, 2016, vol. 1, pp. 76-79.
- [26] R. Karthik, F. Negri, and A. Cavallini, "Influence of ageing on dielectric characteristics of silicone dioxide, tin oxide and ferro nanofluids based mineral oil," in *2016 2nd International Conference on Advances in Electrical, Electronics, Information, Communication and Bio-Informatics (AEEICB)*, 2016, pp. 40-43.
- [27] M. Bakruteen, R. Karthik, and R. Madavan, "Investigation of critical parameters of insulating mineral oil using semiconductive nanoparticles," in *2013 International Conference on Circuits, Power and Computing Technologies (ICCPCT)*, 2013, pp. 294-299.
- [28] Y. Zhou *et al.*, "Effect of nanoparticles on electrical characteristics of transformer oil-based nanofluids impregnated pressboard," in *2012 IEEE International Symposium on Electrical Insulation*, 2012, pp. 650-653.
- [29] D. Bin, L. Jian, W. Bai-Mei, and Z. Zhao-Tao, "Preparation and breakdown strength of Fe₃O₄ nanofluid based on transformer oil," in *2012 International Conference on High Voltage Engineering and Application*, 2012, pp. 311-313.
- [30] M. A. Sens *et al.*, "Electromagnetic characterization of Magnetic Nanofluid," in *29th Conference on Precision Electromagnetic Measurements (CPEM 2014)*, 2014, pp. 184-185.

- [31] Y. f. Du, Y. z. Lv, F. c. Wang, X. x. Li, and C. r. Li, "Effect of TiO₂ nanoparticles on the breakdown strength of transformer oil," in *2010 IEEE International Symposium on Electrical Insulation*, 2010, pp. 1-3.
- [32] Z. Jian-quan, D. Yue-fan, C. Mu-tian, L. Cheng-rong, L. Xiao-xin, and L. Yu-zhen, "AC and lightning breakdown strength of transformer oil modified by semiconducting nanoparticles," in *2011 Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, 2011, pp. 652-654.
- [33] S.A. Azli, Y.Z. Arief, N.A Muhamad, and N. Bashir, "The effect of electrical ageing on electrical properties of palm fatty acid ester (PFAE) and FR3 as dielectric materials," in *2013 IEEE Student Conference on Research and Development*, 2013, pp. 209-214.
- [34] M.S Naidu and V. Karamaju, "High Voltage Engineering, " Mc Graw Hill. 3 rd Edition, 2004.

