


DAFTAR PUSTAKA

1. Vaughan, Asbury. Oftalmologi Umum. Glaukoma. Optik dan Refraksi. Edisi ke-17. Jakarta: EGC; 2010. hal.212-398.
2. Cook C, Foster PJ. Epidemiology of glaucoma. Can J Ophthalmol. 2012;47(3):223-6.
3. Sitompul R, Nora R. Glaucoma and dry eye disease: the role of preservatives of glaucoma medications. Med J Indones. 2011;20(4):302-5.
4. Kementerian Kesehatan Republik Indonesia (2014). Situasi gangguan penglihatan dan kebutaan. <http://www.depkes.go.id/article/view/15021800005/situasi-gangguan-penglihatan-dan-kebutaan.html>. - Diakses September 2017.
5. Kapetanakis VV, Chan M, Foster PJ, Cook DG, Owen CG, Runicka AR. Global variations and time trends in the prevalence of primary open-angle glaucoma (POAG): a systematic review and meta-analysis. B J Ophthalmol. 2016;100:86-93.
6. Basak SK. Essentials of Ophthalmology. Refractive Error. Glaucoma. 6thed. New York: Jaypee Brothers Medical Publisher; 2016. hal.69-307.
7. McMonnies CW. Glaucoma history and risk factors. J Optom. 2017;10(2):71-8.
8. Ilyas S. Kelainan Refraksi dan Kacamata. Miopia. Edisi kedua. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2006. hal.29-34.
9. Foster PJ, Jiang Y. Epidemiology of myopia. Eye (Lond). 2014;28(2):202-8.
10. Yu L, Li Z, Gao J, Liu J, Xu C. Epidemiology, genetics and treatments for myopia. Int J Ophthalmol. 2011;4(6):658-69.
11. Wu P, Huang H, Yu H, Fang P, Chen C. Epidemiology of myopia. Asia Pas J Ophthalmol. 2016;5(6):386-93.
12. Bhartiya S, Ichtipujani P, editors. Manual of Glaucoma. New York: Jp Medical Ltd; 2016. hal.28-259.
13. Chen S, Lu P, Zhang WM, Lu J. High myopia as a risk factor in primary open-angle glaucoma. Int J Ophthalmol. 2012;5(6):750-3.

- 
14. Aref AA, Budenz DL. Evaluation of the optic nerve and retinal nerve fiber layer in myopic individuals. *US Ophtalmic Review*. 2012;5(2):91-3.
 15. Alam M, Hussain J, Jan A. Prevalence of glaucoma in low myopic vs high myopic patients: (A study of 300 cases). *International Ophthalmology Update*. 2016;14(1):1992-2863.
 16. Joseph DS, Thampi B, Joosadima A, Mohan A. A study on association between intraocular pressure and myopia. *International Journal of Research in Medical Sciences*. 2016;4(6).
 17. Leung CK, Cheng AC, Chong KK, Mohamed S, Lau CS, Cheung CY, et al. Optic disc measurements in myopia with optical coherence tomography and confocal scanning laser ophthalmoscopy. *Investigative Ophthalmology and Visual Science*. 2007;48:3178-83.
 18. Rene C. Update on orbital anatomy. *Eye*. 2006;20:1119-29
 19. Sebag J. Anatomy and pathology of the vitreo-retinal interface. *Eye*. 1992;6:541-52.
 20. Atchison DA, Jones CE, Schmid KL, Ritchard N, Pope JM, Strugell WE, et al. Eye shape in emmetropia and myopia. *The Association for Research in Vision and Ophthalmology*. 2004;45:3380-6.
 21. Sun J, Zhou X, Kang Y, Yan L, Sun X, Sui H, et al. Prevalence and risk factors for primary open-angle glaucoma in a rural northeast China population: a population-based survey in Bin County, Harbin. *Eye (Lond)*. 2012;26(2):283-91.
 22. Hazin R, Hendrick AM, Kahook MY. Primary open-angle glaucoma: diagnostic approaches and menagament. *Journal of National Medical Association*. 2009;101(1):46-50.
 23. Pan Y, Varma R. Natural history of glaucoma. *Indian J Ophthalmol*. 2011;59:519-523.
 24. Vaughan, Asbury. General Ophtalmology. Optic and Refraction. 18th edition. New York: LANGE Clinical Medicine; 2011. hal.212-398.
 25. Young TL. The molecular genetics of human myopia: an update. *Optom Vis Sci*. 2009;86(1):E8-22.
 26. Gwiazda J. Treatment options for myopia. *Optom Vis Sci*. 2009;86(6):624-8.

27. Pawar AA, Singli VK, Siantar RG, Wong TY, Cheng C. Joint effect of intraocular pressure and myopia on risk of open-angle glaucoma: the Singaporean epidemiology of eye disease study. *Scientific Reports*. 2016;19320.
28. Perera AS, Wong TY, Tay W. Refractive error, axial dimensions, and primary open-angle glaucoma. *Arch Ophthalmol*. 2010;128(7):900-5.
29. Loyo-Berrios NI, Bluste JN. Primary-open glaucoma and myopia: a narrative review. *WMJ: Official Publication of The State Medical Society Of Wisconsin*. 2007;106(2):85-95.
30. Chon B, Qiu M, Lin SC. Myopia and glaucoma in the South Korean population. *Investigative Ophthalmology and Visual Science*. 2013;54:6570-7.
31. Hoffmann EM, Zangwill LM, Crowston JG, Weinreb RM. Optic disc size and glaucoma. *Surv Ophthalmol*. 2007;52(1):32-49.
32. Qiu M, Wang S, Singh K, Lin SC. Association between myopia and glaucoma in the United States population. *Investigative Ophthalmology & Visual Science*. 2013;54: 830-5.
33. Das P, Das R, Shrivastava PK, Mondal A. A clinical study on the correlation between axial length, intraocular pressure and central corneal thickness in myopic eyes. *ICJMR*. 2016;3(4):1141-4.
34. Yassin SA, Al-Tamimi ER. Age, gender and refractive error association with intraocular pressure in healthy Saudi participants: A cross-sectional study. *Saudi Journal of Ophthalmology*. 2016;30(1):44-8.
35. Sugeng OP, Magdalena R, Fauzi H. Sistem deteksi glaukoma dengan pengukuran area optik disk pada citra fundus. *e-Proceeding of Engineering*. 2016;3(3): 4823-30