

## DAFTAR PUSTAKA

- Alviar CL, Devarapally S, Nadkarni GN, Romero J, Benjo AM, Javed F, Doherty B, Kang H, Bangalore S, Messerli FH. Efficacy and safety of dual calcium channel blockade for the treatment of hypertension: A meta-analysis. American Journal of Hypertension. 2013;26(2):287-297.
- American Society of Hospital Pharmacists (ASHP). ASHP Guidelines on pharmacist's role in drug-use evaluation. Am J Hosp Pharm. 1998;43:385-6.
- Anderson CS, Huang Y, Wang JG, Arima H, Neal B. Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): A randomised pilot trial. Lancet Neurology. 2008;7:391-399.
- Bailie GR, Johnson CA, Mason NA, Peter WL. Medfacts Pocket Guide of Drug Interaction. Second Edition. Middleton: Bone Care International, Nephrology Pharmacy Associated, Inc; 2004.
- Balami JS, Alastair MB. Complications of intracerebral haemorrhage. Lancet Neurology. 2012;11:101-18.
- Barbara GW, DiPiro JT, Terry LS, & Cecily V. Pharmacotherapy Handbook (9th ed). New York: McGraw-Hill; 2014.
- Baxter K. Stockley's Drug Interaction Eighth Edition. London, UK: Pharmaceutical Press; 2008.
- Boehme AK, Esenwa C, Elkind MSV. Stroke risk factors, genetics, and prevention. Circulation Research. 2017;120:472-495.
- Bowry R, Digvijaya DV, Nichole RG. Blood pressure management in stroke, five new things. Neurol Clin Pract: American Academy of Neurology. 2014.
- Brunton LL, Lazo J, Parker KL. Goodman & Gilman The pharmacological Basis Of Therapeutics. New York, USA: McGraw Hill Professional Publishing; 2006.
- Broderick J, Connolly S, Feldmann E, Hanley D, Kase C, Krieger D, Mayberg M, Morgenstern L. Guidelines For The Management Of Spontaneous Intracerebral Hemorrhage In Adults. The American Heart Association/American Stroke Association. Dallas: AHA/ASA; 2007.
- Caplan LR. Stroke: A Clinical Approach (Fourth Edition). Boston: Elsevier; 2009.

Celin AT, Seuma J, Ramesh AAssessment of drug-related problems in stroke patients admitted to a south indian teritiary care teaching hospital. Indian J Pharm Practice. 2012;5:28-33.

ChobanianAV, Bakris GL, Black HR,CushmanWC,GreenLA, Izzo JL Jr,Jones DW,Materson BJ, Oparil S, Wright JT Jr., Roccella EJ. Seventh report of the joint national committee on prevention, detection, evaluation and treatment of high blood pressure.Hypertension 2003;42:1206–1252.

Connoly ES, Rabinstein AA, Carhuapoma JR, Derdeyn CP, Dion J, Higashida RT, Hoh BL, Kirkness CJ. Guidelines for the Management of Aneurysmal Subarachnoid Hemorrhage: AGuideline for Healthcare Professionals From The American Heart Association/American Stroke Association. Dallas: AHA/ASA; 2012.

Departemen Kesehatan Republik Indonesia. Pedoman Pengendalian Penyakit Jantung dan Pembuluh Darah. Jakarta: Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan Depkes RI; 2007.

Departemen Kesehatan Republik Indonesia. Standar Pelayanan Farmasi Rumah Sakit. Jakarta: Depkes RI; 2010.

Departemen Kesehatan Republik Indonesia. Riset Kesehatan Dasar. Jakarta: Depkes RI; .2013.

Devicaesaria A. Hipertensi krisis. Medicinus. 2014;27(3):9-17.

Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan. Materi pelatihan manajemen kefarmasian di instalasi farmasi kabupaten/kota. Jakarta: Kementerian Kesehatan RI; 2010.

Dosh, SA. The diagnosis of essential and secondary hypertension in adults.Journal Pharmacy Practice.2001;50:707-712.

Drugs.com. Drugs Interaction (online). Diakses tanggal 5 November 2017dari [http://www.drugs.com/drug\\_interactions.html](http://www.drugs.com/drug_interactions.html).

Elliot J, Smith M. The Acute Management of Intracerebral Hemorrhage: A Clinical Review. Anesth. Analg. 2010;110:1419-1425.

Fung V, Huang J, Brand R, Newhouse JP, Hsu J. Hypertensiontreatment in a medicare population: adherence and systolic bloodpressure control. Clin Ther. 2007;29:972–84.

Ginsberg L. Neurologi Edisi 8. Jakarta: Erlangga; 2007.

Gitawati R. Interaksi obat dan beberapa implikasinya.Media Litbang Kesehatan Volume XVIII. 2008

- Gofir A. Manajemen Stroke. Yogyakarta: Pustaka Cendekia Press; 2009.
- Goldszmidt, Adrian J. dan Caplan LR. Essensial Stroke. Jakarta: Penerbit Buku Kedokteran EGC; 2009.
- Gradman AH, Basile JN, Carter BL, Bakris GL. Combination therapy in hypertension. Journal of the American Society of Hypertension. 2010;4(1):42–50.
- Gunawan SG, Setiabudi R, Nafrialdi, Elysabeth. Farmakologi dan Terapi. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2007
- He J, Paul KW, & Lawrence JA. Long-term effects of weight loss and dietary sodium reduction on incidence of hypertension. Journal of Hypertension. 2000;35:544-549
- Hemphill JC, Greenberg SM, Anderson CS, Becker K, Bendok BR, Cushman M. Guidelines for the management of spontaneous intracerebral hemorrhage: A guideline for healthcare professionals from the american heart association/american stroke association. Stroke. 2015;46:2032-2060.
- Hidayah, Mellisa. Faktor-faktor yang Berhubungan dengan *Outcome* Pasien Stroke yang Dirawat di ICU RSUP Dr Kariadi Semarang.[Skripsi]. Semarang: Universitas Diponegoro; 2015.
- Hsieh JT, Ang TB, Ng YP, Allen JC, King NKK. Comparison in intracerebral hemorrhage in a multi-ethnic asian population. Plos One. 2016;11(4).
- Ikawati Z. Farmakoterapi Penyakit Sistem Saraf Pusat. Yogyakarta: Bursa Ilmu; 2011.
- International Network for Rational Use of Drug (INRUD). Session guide, problems of irrational drug use, international network for rational use of drugs. Latin America Intervention Research Initiative, 1999.
- Hwang SK, Kim SJ, Jung HK, Chang KH, Kook HY. Antihypertensive treatment of acute intracerebral hemorrhage by intravenous nicardipine hydrochloride: Prospective multi-center study. J Korean Med Sci. 2012;9: 1085–1090.
- Junaidin I. Stroke: Waspada! Ancamannya. Yogyakarta: Penerbit Andi; 2009.
- Kanagalal VS, Annareddy A, Bhukya SR, Siva RC, Krishna SN. A study of medication-related problems in stroke patients: A need for pharmaceutical care. J Res Pharm Pract. 2016;5(3): 222–225.

Karalliedde DL, Clarke S, Collignon US, Karalliedde J. Adverse Drug Interaction: A Handbook for Prescribers. London: Published by Hodder Education Group; 2005.

Katzung BG. Basic and Clinical Pharmacology (10<sup>th</sup> Edition). New York: McGraw Hill; 2006.

Kee JL, Hayes ER. Farmakologi Pendekatan Proses Keperawatan. Jakarta: EGC; 2006.

Kementrian Kesehatan Republik Indonesia. Modul penggunaan obat rasional. Jakarta: Kementrian Kesehatan Republik Indonesia; 2011.

Krishnamurthi RV, Moran AE, Forouzanfar MH, Bennett DA, Mensah GA, Lawes CM. The global burden of hemorrhagic stroke: A summary of findings from the gbd 2010 study. Glob Heart. 2014;9:101-106.

Luellmann H, Mohr K, Hein L, Bieger D. Color Atlas of Pharmacology. Stuttgart: Thieme; 2005.

Mancia G, Fagard R, Narkiewicz K, Redon J, Zanchetti A, Bohm M, *et al.* 2013 Practice guidelines for themanagement of arterial hypertension of the European Society of Hypertension (ESH) and the European Society of Cardiology (ESC). Journal of Hypertension. 2013;31:1925–1938.

Martin, Jeffery MD. Hypertension guidelines: Revisiting The JNC 7 Recommendations. The Journal of Lancaster General Hospital. 2008;3(3):91-99.

McEvoy GK & Gerald. 2008. AHFS Drug Information. USA; America Society of Health System Pharmacists.

Medscape. Drug Interaction Checker (online). Diakses tanggal 5November 2017dari <http://www.reference.medscape.com/drug-interactionchecker>.

Menteri Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia Nomor 72 Tahun 2016 Tentang Standar Pelayanan Kefarmasian di Rumah Sakit. Jakarta: Depkes RI; 2016.

Misbach, J. Stroke in indonesia: A first large prospective hospital-based study of acute stroke in 28 hospitals in indonesia. Journal of Clinical Neuroscience. 2000;8(3):245-9

Muchid A, Umar F, Chusun, Masrul, Wurjati R, Purnama NR. Pharmaceutical Care untuk Penyakit Hipertensi. Jakarta: Departemen Kesehatan RI; 2006.

Nafrialdi. Obat Kardiovaskular Antihipertensi dalam Farmakologi dan Terapi. Jakarta: Balai Penerbit FKUI; 2007.

National Heart Foundation of Australia. Guideline for the diagnosis and management of hypertension in adults. 2017. Diakses tanggal 12 Mei 2017 dari <https://heartfoundation.org.au/for-professionals/clinical-information/hypertension>.

Pancioli A, Kasner SE. Hypertension management in acute neurovascular emergencies. EMCREG Int. 2006;3:1-10.

Petrak O, Zelinka T, Strauch B, Rosa J, Somloova Z, Indra T, Turková H, Holaj R, Widimský J. Combination antihypertensive therapy in clinical practice. The analysis of 1254 consecutive patients with uncontrolled hypertension. Journal of Human Hypertension. 2015; 1-5

Pokdi Stroke Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI). Guideline Stroke 2004. Jakarta: PERDOSSI; 2004.

Pokdi Stroke Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI). Guideline Stroke 2011. Jakarta: PERDOSSI; 2011.

Qureshi AI, Ezzeddine MA, Nasar A. Prevalence of elevated blood pressure in 563 704 adult patients with stroke presenting to the ED in the United States. Am J Emerg Med. 2007;25: 32-38.

Qureshi AI. Acute Hypertensive Response in Patients with Stroke: Pathophysiology and Management. Circulation. 2008;118: 176-87.

Reslina I, Almasdy D, Armenia. Hubungan pengobatan stroke dengan jenis Stroke dan jumlah jenis obat. Jurnal Ipteks Terapan. 2015; 9:67-75.

Salwa A. Evaluasi Penggunaan Obat Antihipertensi Pada Pasien Hipertensi dengan Gagal Ginjal di Instalasi Rawat Inap RS "X" Tahun 2010. [Skripsi]. Surabaya: Universitas Muhammadiyah Surabaya; 2013.

Sari IM. Rasionalitas Penggunaan Obat Antihipertensi Pada Penderita Stroke di Instalasi Rawat Inap Rumah Sakit Umum Daerah Dr. M. Ashari Pemalang Tahun 2008. [Skripsi]. Surabaya: Universitas Muhammadiyah Surabaya; 2009.

Setiawati A. Interaksi Obat dalam Gunawan SG. Farmakologi dan Terapi. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2007

Setriana L. Kajian Penggunaan Obat Antihipertensi Pada Pasien Stroke Hemoragik di Bangsal Saraf Rsup Dr. M. Djamil Padang. [Skripsi]. Padang: Universitas Andalas. 2012.

Setyopranoto I. Pendekatan evidence-based medicine pada manajemen stroke perdarahan intraserebral. CDK. 2008;165(35):321-327.

- Sherrat K, Ugan R. Management of subarachnoid haemorrhage. *Neurosurgical Anaesthesia*. 2014.
- Siyad AR. Hypertension. *Hygea Journal for Drug and Medicine*. 2011;3(1):1-16.
- Sundari. Evaluasi Penggunaan Obat Antihipertensi Pada Pasien Stroke Akut di Bangsal Rawat Inap RSUD Panembahan Senopati Bantul Yogyakarta Periode Januari–Desember 2015. [Skripsi]. Yogyakarta: Universitas Muhammadiyah Yogyakarta; 2016.
- The European Stroke Initiative Executive Committee and the EUSI Writing Committee. European stroke initiative recommendations for stroke management-update . *Cerebrovasc Dis*. 2003;16:311-337.
- Tjay TH, Kirana R. *Obat-obat Penting Edisi Keenam*. Jakarta: Alex Media Komputindo; 2010.
- Utami N, Didik H, Lilik Y. Studi penggunaan calcium channel blocker (ccb) pada pasien stroke hemoragik. *Media Farmasi*. 2013;10:2.
- Weber MA, Ernesto LS, William BW, Samuel M, Lars HL, John GK. Clinical practice guidelines for the management of hypertension in the community a statement by the american society of hypertension and the international society of hypertension. *The Journal of Clinical Hypertension*. 2013;1-13.
- Wells B, DiPiro J, Matzke G, Posey L, Schwinghammer T. *Pharmacotherapy Handbook (7<sup>th</sup> Edition)*. New York, USA: McGraw-Hill Professional Publishing; 2009.
- World Health Organization (WHO). Rational use of medicines. Diakses tanggal 24 Januari 2017 dari <http://www.who.int/medicines/areas/rationaluse/en/>.
- World Health Organization (WHO). The top ten cause of death. Diakses tanggal 5 Februari 2018 dari [http://www.who.int/mediacentre/factsheet/fs310 /en/](http://www.who.int/mediacentre/factsheet/fs310/en/).
- Xing Y, An Z, Zang X, Yu N, Zhao W, Ning X, Wang J. Sex differences in the clinical features, risk factors, and outcomes of intracerebral hemorrhage: a large hospitalbased stroke registry in China. *Scientific Report*. 2017;7:286.Yastroki. *Stroke*. Jakarta: PT. Bhuana Ilmu Popular; 2012.
- Yastroki. *Stroke*. Jakarta: PT. Bhuana Ilmu Popular; 2012.