


DAFTAR PUSTAKA

1. Havekes R, Park AJ, Tudor JC, Luckzak VG, Hansen RT, Ferri SL, et al. Sleep deprivation cause memory deficits by negatively impacting neural connectivity in hippocampal area. *eLife*. 2016; 1.
2. How much sleep do I need. Center for Disease Control and Prevention. 2017
3. National Sleep Foundation. Insomnia. 2017
4. Ramadan MZ, Al-Saleh KS. The association of sleep Deprivation on the occurence of errors by nurses who work the night shift. *Curr Health Sci J*. 2014; 40; 97.
5. Short Sleep Duration Among US Adults. Center for Disease Control and Prevention. 2017
6. Ahmed AE, Al-Jahdali F, AIALwan A, Abuabat F, Bin Salih SA, Al-Harbi A, et al. Prevalence of sleep duration among Saudi adults. *Saudi Med J*. 2017; 38 (30). 276.
7. Stranges S, Tigbe W, Gomez-Olive FX, Thorogood M, Kandala N-B. Sleep problems : An emerging global epidemic? Findings from the INDEPTH WHO-SAGE study Among More than 40.000 older adults from 8 countries across Africa and Asia. *Sleep*. 2012;35(8):1173
8. National Sleep Foundation. How Sleep Deprivation Affects your Heart.
9. Zhao Z, Zhao X, Veasey SC. Neural consequences of chronic short sleep : Reversible or Llasting?. *Front.Neurol*. 2017;8;235
10. Mari YR, Kuntarti. Penurunan kualitas tidur pada perawat dengan kinerja yang kurang baik dalam melaksanakan asuhan keperawatan. *FIK UI*, 2014.
11. Luckhaupt SE, Tak S, Calvert GM. The Prevalence of short sleep duration by industry and occupation in the national health interview surgery. *Sleep*. 2010;33;149
12. Alewett H (2009). Nurses and sleep deprivation. <http://spark.parkland.edu/cgi/viewcontent.cgi?article=1089&context=ah> – Diakses 20 Oktober 2017.
13. American Association of Nurse Anesthetists (AANA). Patient safety : fatigue, sleep and work schedule effects. Park Ridge : 2015
14. Stanojevic C, Simic S, Milutinovic D. Health effects of sleep deprivation on nurses working shift. *Med Pregl*. 2016. LXIX (5-6):183-188

- 
15. Kaliyaperumal D, Elango Y, Alagesan M, Santhanakrishnan I. Effects of sleep deprivation on the cognitive performance of nurses working in shift. JCDR. 2017;11(8): 1-3
16. Eanes L. The potential effects of sleep loss on a nurse's health. AJN. 2015;115:37
17. Guyton AC, Hall JE. Aktivitas otak-tidur, Gelombang otak, epilepsi, psikosis. In: Widjajakusumah MD, Tanzil A, editors. Fisiologi Kedokteran. 12nd ed. Singapura: Elsevier. 2014. p. 779-81.
18. Sherwood, L. *Fisiologi Manusia dari Sel ke Sistem*. Edisi 6. Jakarta : EGC. 2012 h. 708-710.
19. Mental Health Foundation. Sleep Matters : The impact of sleep on health and wellbeing. 2011; 19-23
20. Vyazovsky VV, Delogu A. NREM and REM sleep : Complementary roles in recovery after wakefulness. The Neuroscientist. 2014; 20 (3): 203-219
21. Kaplan HI, Sadock BJ, Grebb JA. Sinopsis Psikiatri Ilmu Pengetahuan Perilaku Psikiatri Klinis. Tangerang (Indonesia) : BINARUPA AKSARA; 2010
22. Geiger A. Association between sleep duration and intelligence scores in healthy children. American Psychological Association. 2010; 46: 494-454
23. National Heart, Lung, and Blood Institute. Why is sleep important?. 2017
24. Asmadi. (2008), Konsep Dasar Keperawatan, Jakarta : EGC
25. Orzel J, Gryglewska. Consequences of sleep deprivation. International of occupational medicine and environmental health. 2010; 23(1):95-114
26. Yi H, Shin K, Shin C. Development of the sleep quality scale. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2869.2006.00544.x/full>
Diakses 20 Oktober 2017
27. Hermawati, Triveria L, Arista L, Wulansari MS. Hubungan antara kualitas tidur dengan indeks prestasi mahasiswa reguler FIK UI. 2010
28. Buysse DJ, Reynolds CF, Monk TH, Berman SR, Kupfer DJ. The Pittsburgh Sleep Quality Index : a new instrument for psychiatric practice and research. Psychiatry Res. 1989;28(2):193-213
29. Strub RL, Black FW. The mini mental status examination in neurology. 4th ed. Davis Company : Philadelphia. 2000; 100-120
30. Perhimpunan Dokter Spesialis Saraf Indonesia. Modul Neurobehavior: Demensia. 2008

31. Fulkerson AL, Waxman SR. Words (but not tones) facilitate object categorization: evidence from 6- and 12-Month-Olds. *Cognition*. 2007;105(1):218-228
32. Markam S. Pengantar neuropsikologi. Balai Penerbit FK UI. 2003
33. Potter and perry. *Fundamental of Nursing*. 3nd ed. Elsevier. 2008
34. Paquay L., Lepeleire J.D., Schoenmakers B., Ylief M., Fontaine O., Butinx F. Comparison of diagnostic accuracy of the Cognitive Performance Scale (Minimum Data Set) and the Mini – Mental State Exam for detection of cognitive impairment in nursing home resident. *Int J Geriatr Psychiatry*. 2007; 22:286-93.
35. Jorm AF, Jolley D. The incidence of dementia: A Meta-Analysis. *Neurology* 1998; 51(3): 728-33
36. Yaffee K, Barnes DE, Epidemiology and risk factors The behavioral neurology of dementia. Cambridge Medicine, Cambridge, 2009
37. Riedel-Heller SG, Busse A, Aurich C, Matschinger H, Angermeyer MC. Incidence of dementia according to DSM-III-R and ICD-10: Results of the Leipzig longitudinal study of the aged (LEILA75+), Part 2. *Br. J. Psychiatr.* 2001;179:255-260
38. Alzheimer's Disease International. World Alzheimer Report 2010 Executive Summary. London, 2010
39. Kivipelto M, Helkala EL, Laakso MP, et al. Apolipoprotein E _4 Allele, elevated midlife total cholesterol level, and high midlife systolic blood pressure are independent risk factors for late-life Alzheimer disease. *Ann Intern Med*. 2002;137(3): 149-155.
40. Whitmer RA, Sidney S, Selby J, Johnston SC, Yaffe K. Midlife Cardiovascular Risk Factors and Risk of Dementia in Late Life. *Neurology*.2005; 64(2): 277-81.
41. Guo Z, Viitanen M, Fratiglioni L, Winblad B. Low blood pressure and dementia in elderly people: The Kungsholmen Project. *BMJ* 1996;312(7034): 805-8.
42. Qiu C, Winblad B, Fratiglioni L The age-dependent relation of blood pressure to cognitive function and dementia. *Lancet Neurol*. 2005; 4(8): 487-99.
43. Hanon O, Latour F, Seux ML, Lenoir H, Forette F, Rigaud AS, REAL.FR Group. Evolution of blood pressure in patients with Alzheimer's disease: a one year survey of a French cohort (REAL.FR). *J Nutr Health Aging* 2005;9(2): 106-111

44. Hughes TF, Ganguli M. Modifiable midlife risk factors for late-life cognitive impairment and dementia. *Curr Psychiatry Rev.*, 2009; 5(2):73–92.
45. Padwal R, Straus SE, McAlister FA. Cardiovascular risk factors and their effects on the decision to treat hypertension: evidence based review. *BMJ* 2001;322(7292): 977–80.
46. Havlik RJ, Foley DJ, Sayer B, Masaki K, White L, Launer LJ. Variability in midlife systolic blood pressure is related to late-life brain white matter lesions: The Honolulu-Asia aging study. *Stroke* 2002; 33(1): 26-30.
47. Petrovitch H, White LR, Izmirlian G, et al. Midlife blood pressure and neuritic plaques, neurofibrillary tangles, and brain weight at death: the HAAS. Honolulu-Asia aging study. *Neurobiol Aging*. 2000;21(1): 57-62.
48. Den Heijer T, Launer LJ, Prins ND et al. Association between blood pressure, white matter lesions, and atrophy of the medial temporal lobe. *Neurology* 2005; 64(2): 263-7.
49. Aliev G, Smith MA, Obrenovich ME, de la Torre JC, Perry G. Role of vascular hypoperfusion-induced oxidative stress and mitochondria failure in the pathogenesis of Alzheimer disease. *Neurotox Res.* 2003; 5(7): 491-504.
50. Ott A, Breteler MM, de Bruyne MC, van Harskamp F, Grobbee DE, Hofman A. Atrial fibrillation and dementia in a population-based study. The Rotterdam Study. *Stroke* 1997;(28) 2: 316-21.
51. Wozakowska-Kaplon B, Opolski G, Kosior D, et al. Cognitive disorders in elderly patients with permanent atrial fibrillation. *Kardiol Pol* 2009;67(5): 487-93.
52. Schmidt RH, Grady MS. Loss of forebrain cholinergic neurons following fluid percussion injury: implications for cognitive impairment in closed head injury. *J Neurosurg.* 1995;83(3): 496-502.
53. Luukinen H, Viramo P, Koski K, Laippala P, Kivelä SL. Head injuries and cognitive decline among older adults: A population-based study. *Neurology*. 1999;52 (3): 557-62
54. Guo Z, Cupples LA, Kurz A, et al Head injury and the risk of AD in the MIRAGE study. *Neurology* 2000; 54(6): 1316-23.
55. Plassman BL, Havlik RJ, Steffens DC, et al. Documented head injury in early adulthood and risk of Alzheimer's disease and other dementias. *Neurology*. 2000; 55(8): 1158--66.

56. Schofield PW, Tang M, Marder K, et al. Alzheimer's disease after remote head injury: an incidence study. *J Neurol Neurosurg Psychiatr*, 1997; 62 (1): 119-24.
57. Van Duijn CM, Tanja TA, Haaxma R, et al. Head trauma and the risk of Alzheimer's disease. *Am J Epidemiol.*, 1992;135(7): 775-82.
58. Lye TC, Shores EA. Traumatic brain injury as a risk factor for Alzheimer's disease: A review. *Neuropsychol Rev.* 2000;10(2): 115-29.
59. Mubarak WI, Santoso BA, Rozikin K, Patonah S. Ilmu Keperawatan Komunitas 2. 2006. Jakarta:Sagung Seto.
60. Crisp J, Taylor C, Douglas C, Rebeiro G. Potter and Perry's:Fundamental's of Nursing. Elsv;4:411.
61. Alhola P, Polo-Kantola P. Sleep deprivation:Impact on cognitive performance. *Neuropsychiatr Dis Treat*. 2007 Oct; 3(5): 553–567.
62. Allen AJ, Park JE, Adhami N, et al. Impact of work schedules on sleep duration of critical care nurses. *Am J Crit Care*. 2014; 290-5.
63. Saftarina F, Hasanah L. Hubungan shift kerja dengan gangguan pola tidur pada perawat instalasi rawat inap di RSUD Abdul Moeloek Bandar Lampung 2013. Medula. 2014.
64. Sanches I, Teixeira F, Santos JM, et al. Effects of acute sleep deprivation resulting from night shift work on young doctors. *Acta Med Port*. 2015.
65. Safitrie A, Ardani MH. Studi komparatif kualitas tidur perawat shift dan non shift unit rawat inap dan unit rawat jalan. Prosiding Konferensi Nasional PPNI. 2013.
66. Thayeb RT, Keimbuan MA. Gambaran kualitas tidur pada perawat dinas malam RSUP Prof. Dr. R. D. Kandou Manado. eCI. 2015.
67. Pribadi HA. Gambaran fungsi kognitif pada perawat gilir di RS Cipto Mangunkusumo.
<http://lib.ui.ac.id/opac/themes/green/detail.jsp?id=20330115&lokasi=lokal>. Diakses 3 Februari 2017
68. S Lestari. Comparison between mini mental state examination (MMSE) and montreal cognitive assessment Indonesian version (MoCA-Ina) as an early detection of cognitive impairments in post-stroke patients. *J Phys : Conf. Ser.* 2017.
69. Agustia S, Sabrian F, Woferst R. Hubungan gaya hidup dengan fungsi kognitif pada lansia. *Jom Psik*. 2014.

