

## DAFTAR PUSTAKA

- Adrangi, S and M. A. Faramarzi. (2013). From Bacteria to Human: a Journey into the World of Chitinases. *Biotechnology Advances*, vol. 31, no. 8, pp. 1786–1785.
- Adrangi, S., M. A. Faramarzi, A. R. Shahverdi, and Z. Sepehrizadeh.(2010). Purification and Characterization of Two Extracellular Endochitinases from *Massiliatimonae*. *Carbohydrate Research*, vol. 345, no. 3, pp. 402–407.
- Al Ahmadi, K.J., M. T. Yazdi, M. F. Najafi. ( 2008). Optimization of Medium and Cultivation Conditions for Chitinase Production by the Newly Isolated: *Aeromonas sp.* *Biotechnology*, vol. 7, no. 2, pp. 266–272.
- Allison, S.D., Vitousek, P.M. (2005). Respons of Extracellular Enzyme to Simple and Complex Nutrien Inputs. *Soil Biology and Biochemistry*. 37.937-944
- Andrews, S.C., Robinson, A.K., Francisco, R.Q. (2003). Bacterial Iron Homeostasis. *FEMS Microbiology Reviews*. 27. 215-237.
- Anitha, A., and M. Rabeeth.(2010). Degradation of Fungal Cell Wall of Phytopathogenic Fungi by Lytic Enzyme of *Streptomyces griseus*. *African J Plant Sci*. Vol 4 (3), pp 061-066.
- Asmar,F., Eiland, F., Nielson, N.E. (1994). Effect of Extracellular-Enzyme Activities on Solubilization rate of soil Organic Nitrogen. *Biology and Fertility of S*. 17. 32-38.
- Barhoom, S., and A. Sharon. (2004). cAMP Regulation of “pathogenic” and “Saprophytic” Fungal Spore Germination. *Fungal Genetics and Biology* 41; 317-326.
- Bhattacharya, D., A. Nagpure, and R. K. Gupta. (2007). Bacterial Chitinases: Properties and Potential. *Critical Reviews in Biotechnology*, vol. 27, no. 1, pp. 21–28.
- Bholay, et al. (2015). Novel Chitinolytic Potential of *Achromobacter Denitrificans* Isolated from Fishery Waste. *Journal of Pharmacy and Biological Science*. 10.4.31-36

- Bradford, M.M. (1976). A Rapid and Sensitive Method for the quantification of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye *Binding*. *Analytical Biochemistry*, 72: 248-254.
- Brzezinska, M.S., U. Jankiewicz, A. Burkowska, M. Walezak. (2014). Chitinolytic Microorganisms and their Possible Application in Environmental Protection. *Curr Microbiol*, ; 68:71-81.
- Burn, R.G. (1982). Enzyme Activity in Soil: Location and Possible role in Microbial Ecology. *Soil Biology and Biochemistry*. 14. 423-427.
- Cabin, E., dan Arroyo, J. (2013) How Carbohydrates Sculpt Cells : Chemical Control of Morphogenesis in the Yeast Cell Wall. *Nature Reviews Microbiology*. 11.648-655
- Cheba, B.A., Zaghloul, T.I., El-Massry, M.H., El-Mahdy, A.R. (2016). Effect of Metal Ions, Chemical Agents, and Organic Solvent on *Bacillus Sp.R2* Chitinase Activity. *Procedia Technology*. 22.465-570.
- Chrost, R.J. (1991). Environmental Control of the Synthesis and Activity of aquatic Microbial Ectoenzyme. *Microbial Enzymes in Aquatic Environments*. Springer-Verlag, New York. 29-59.
- Cleland W.W. (2013). Substrate Binding, Catalysis, and Product Release. *Reference Module in Biomedical Science, Encyclopedia of Biological Chemistry*, pages 347-349.
- Cohen-Kupiec R, Chet I. (1998).The Molecular Biology of Chitin Digestion. *Curr Opin Biotechnol.*;9:270–281.
- Dahiya, N., R. Tewari, and G. S. Hoondal.(2006). Biotechnological Aspects of Chitinolytic Enzymes. *Applied Microbiology and Biotechnology*, vol. 71, no. 6, pp. 773–782.
- De-hui, D., Wei, L., Wei-lian, H., Xiao-ying, S. (2011). Effect of Medium Composition on the Synthesis of Chitinase and Chitin Deacetylase from Thermophilic *Paenibacillus sp.* *Hul. Preocedia Environ. Sci.* 8. 620-628.
- Dempsey DA, Silva H, Klessig DF. (1998). Engineering Disease and Pest Resistance in Plants. *Trends Microbiol.*6:54–61.
- Fenice, M., Giambattista, R., raetz, E., Leuba, J. L.(1998). Repeated-batch and Continuous Production of Chitinolytic Enzyme by

*Penicillium janthinellu* Immobilised on Chemically-modified Macroporous Cellulose. *J. Biotechnol.* 62. 119-131.

- Frankowski J, Berg G, Bahl H. (2001). Purification and Properties of Two Chitinolytic Enzymes of the Biocontrol agent *Serratia plymuthica* HRO C48. *Arch Microbiol.* ;176:421–6.
- Gomaa, E.Z. (2012). Chitinase Production by *Bacillus thuringiensis* and *Bacillus licheniformis*; Their Potential in Antifungal Biocontrol. *The Journal of Microbiology*, 50(1):103-111.
- Green A.T., Healy, M.G., dan Healy, A. (2005). Production of Chitinolytic Enzymes by *Serratia marcescens* QMB11466 using various Chitinous Substrate. *J. Chem. Technol. Biotechnol.* 80:28-34.
- Gruber, S.G., and V. Seidl-Seiboth. (2012). Self Versus Non-Self: Fungal Cell Wall Degradation in *Trichoderma*. *Microbiology*, vol. 158, no. 1, pp. 26–34.
- Gupta, R.D., and D. S. Tawfik.(2008). Directed Enzyme Evolution via Small and Effective Neutral Drift Libraries. *Nature Methods*, vol. 5, no. 11, pp. 939–942.
- Han, Y., B. Yang, F. Zhang, X. Miao, Z. Li. (2009). Characterization of Antifungal Chitinase from Marine Streptomyces sp, DA11 Associated with South China Sea Sponge *Craniella Australiensis*. *Marine Biotechnol*, 11:132-140.
- Harmer, *et al.* (2015). Enzymatic Production of Defined Chitosan Oligomers with a Specific Pattern of Acetylation using a Combination of Chitin Oligosaccharide Deacetylases. *Industrial Microbiology Polymer*.
- Hartl, L., S. Zach, and V. Seidl-Seiboth. (2012). Fungal Chitinases: Diversity, Mechanistic Properties and Biotechnological Potential. *Applied Microbiology and Biotechnology*, vol. 93, no. 2, pp. 533–543.
- Hayes, M., B. Carney, J. Slater, W. Bruck. (2008). Mining Marine Shellfish Wastes for Bioactive Molecules: Chitin and Chitosan- Part A: Extraction Methods. *Biotechnol. J.* 3:871-877.
- Islam, M.R., Y.T. Jeong, Y.S. Lee, C.H. Song. (2012). Isolation and Identification of Antifungal Compounds from *Bacillus subtilis* C9 Inhibiting the Growth of Plant Pathogenic Fungi. *Mycobiology*, 40(1): 59-66).

- Islam, R., and Datta, B. (2015). Diversity of Chitinases and their Industrial Potential. *International Journal of Applied Research*. 1.4.55-60.
- Kamensky M, Ovadis M, Chet I, Chernin L. (2003). Soil-borne Strain IC14 of *Serratia plymuthica* with Multiple Mechanisms of Antifungal Activity Provides Biocontrol of *Botrytis cinerea* and *Sclerotinia sclerotiorum* diseases. *Soil Biol Biochem*. 35:323–31.
- Kamil, Z., M. Raizk, M. Saleh, S. Moustafa. (2007). Isolation and Identification of Rhizosphere Soil Chitinolytic Bacteria and Their Potential in Antifungal Biocontrol. *Global J MolSci* ;2(2) ; 57-66.
- Kawase , T. (2006). Comparison of Enzymatic and Antifungal Properties Between Family 18 and 19 Chitinases from *Streptomyces coelicolor* A3(2). *Biosci Biotechnol Biochem*, 70(4):988-998.
- Kim, Y.C., H Jung, K.Y. Kim, S.K. Park. (2008). An Effective Biocontrol Bioformulation Against Phytophthora Blight of Pepper using Growth Mixtures of Combined Chitinolytic Bacteria under Different Field Conditions. *European J Plant Pathol*,: 120 :373-382.
- Kolstad, G.V., Horn, S.J., Sorlie, M., Eijsink, V.G.H. (1 ). The Chitinolytic Machinery of *Serratia Marcescens*- a Model System for Enzymatic degradation of Recalcitrant Polysaccharides. *FEBS Journal*.
- Kurita, K. (2001). Controlled Functionalization of the Polysaccharide Chitin. *Progress in Polymer Science*. vol. 26, no. 9, pp. 1921–1971.
- Manandar, J.B., G.L Hartman., T.C. Wang. (1995). Anthracnose Development on Pepper Fruits Inoculated with *Colletotrichum gloeosporioides*. *Plant Disease*, 79: 380-383.
- Mathews, C., and Van, H. (2000). Biochemistry. *Benjamin Cummings Publishing Company, Inc.*, California.
- Mehmood, M.A., X. Xiao, F. Y Hafeez, Y. Gai, F. Wang. (2009). Purification and Characterization of a Chitinase from *Serratia proteamaculans*. *J Microbiol Biotechnol*. 25:1995-1961.
- Moebius, N., Z. Uzum, J.Dijksterhuis, G.Lackner, C. Hertweck. (2014). Active Invasion of Bacteria into Living Fungal Cell. *eLife*, 3: e03007.

- Munro C., G.K., Copping L.G., Hollomon D.Wand Gow N.A.R. (1995). Chitin Biosynthesis as Target for antifungals ,Antifungal Agents: Discovery and Mode of Action. *Bios Scientific*, pp. 161–171.
- Nagpure, A., B. Choudhary, and R. K. Gupta. (2014). Chitinases: in Agriculture and Human Healthcare. *Critical Reviews in Biotechnology*, vol. 34, no. 3, pp. 215–232.
- Nampoothiri, K.M., Baiju, T.V., Sanddhya, C., Sabu, A. (2004). Process optimization for Antifungal Chitinase Production by *Trichoderma harzianum*. *Process Biochem.* 2004, 39. 1583-1590.
- Neeraja, C., K. Anil, P. Purushotham, K. Suma, P.V.S.R.N Sarma, B. M Moerschbacher and A.R. Podile. (2010). Biotechnological Approach to Develop Bacterial Chitinases as a Bioshield Against Fungal Disease of Plants. *Critical Reviews in Biotechnology*, 30(3);231-241.
- Nelson, D.L and M.M. Cox. Lehniger : Principles of Biochemistry fourth edition. W.H Freeman and Company New York, 1216 pp.
- Nesher, I., A. Minz, L. Kokkelink, P. Tudzynski and A Sharon. (2011). Regulation of Pathogenic Spore Germination by CgRac1 in the Fungal Plant Pathogen *Colletotrichum gloeosporioides*. *Eukaryotic Cell*. 10 (8); pp 1122-1130.
- Ohnuma, T. T. Numata, T. Osawa. (2011). A Class V Chitinase From *Arabidopsis thaliana*: Gene Responses, Enzymatic Properties, and Crystallographic Analysis. *Planta*, vol. 234, no. 1, pp. 123–137.
- Palaniyandi, S.A., S.H Yang, J.H Cheng, L.Meng and J.W Suh. (2010). Biological Control of Antrachnose ( *Colletotrichum gloeosporioides* ) in Yam by *Streptomyces* sp.MJM5763. *J App Microbio.*;30(3):231-241.
- Phoulivong., P.W.J Taylor, K.D. Hyde. (2008). Chili Antrachnose Disease Caused by *Colletotrichum* Species. *J Zheijang Univ*, 9(10) : 764-778.
- Poonpolgul, S., S. Khumpai. (2007). Chili Peper Antrachnose in Thailand. Country Report. In: Oh, D.G., Kim, K.T. (Eds.), Abstract of the First International Symposium on Chili Antrachnose. National Horticultural Research Institute, Rural Development of Administration, Reprublic of Korea, p.23.
- Ramírez-Coutiño, L., M. D. C. Marín-Cervantes, S. Huerta, S. Revah, and K. Shirai.(2006). Enzymatic Hydrolysis of Chitin in the

- Production of Oligosaccharides using *Lecanicilliumfungicola* Chitinases. *Process Biochemistry*, vol. 41, no. 5, pp. 1106–1110.
- Riwany, F. 2012. Identifikasi Isolate Bakteri Rizofir yang Memiliki Potensi Menekan Pertumbuhan Jamur *Colletotrichum Sp.* Pada Tanaman Cabai. Universitas Andalas. Padang.
- Sakai, K., A. Yokota, H. Kurokawa, M. Wakayama, and M. Moriguchi. (1998). Purification and Characterization of the Three Thermostable Endochitinases of a Noble *Bacillus* strain, MH-1, Isolated from Chitin- containing Compost. *Applied and Environmental Microbiology*, vol. 64, no. 9, pp. 3397–3402.
- Sandford, P.T. (2003). World Market of Chitin and its Derivatives. *Advances in Chitin Science*.4. Norway
- Sayed, R.Z., M.D. Badgujar, H.M. Sonaware, M.M. Mhaske, S.B. Chincholkar. (2005). Production of Microbial Iron Chelators (Siderophores) by Fluorescent Pseudomonads. *Indian J Biotech*, 4; 484-490.
- Segel, H. (2013). Enzyme Kinetics. *Reference Module in Biomedical Science, Encyclopedia of Biological Chemistry*, Vol 2, pp 38-44. Elsevier.
- Shahidi F., and R. Abuzaytoun, (2005). Chitin, Chitosan, and co-Products: Chemistry, Production, Applications, and Health Effects,. *Advances in Food and Nutrition Research*, vol. 49, pp. 93–135.
- Shimida, K., M. Ohnishi, S. Iyoda, N. Botoh, N. Koizume, H. Watanabe. (2009). The Hemmolytic and Cytolytic Activites of *Serratia marcescens* Phospholipase A (PhIA) depend on Lysophospholipid Production by PhIA. *BMC Microbiology*, 9:261.
- Shoda, M. (2000). Bacterial Control of Plant Disease. *Journal of Bioscience and Bioengineering* 89 (6): 515-521. Than, P.P., H. Prihastuti,, S. Phoulivong, S.
- Stoykov, Y.M., Palvlov, A.I., Krastanov, A.I. (2014). Chitinase Biotechnology: Production ,Purification and Application. *Engineering in Life Science*.0.1-9.
- Tu, S., X. Qiu, L. Cao, R. Han, Y. Zhang, X. Liu. (2010). Expression and Characterization of the Chitinases from *Serratiamarcescens* GEI Strain for the Control of *Varroa Destructor*, a Honey Bee Parasite. *J Invert Pathol*, ;104:75-82.

- Ulhoa, C.J dan Peberdy, J.I. (1991). Regulation of Chitinase Synthesis in *Trichoderma harzianum*. *Journal of General Microbiology*. 137. 2163-2169.
- Vaaje-Kolstad, G., S. J. Horn, M. Sørlie, and V. G. H. Eijsink.(2013). The Chitinolytic Machinery of *Serratiamarcescens* A Model System for Enzymatic Degradation of Recalcitrant Polysaccharides. *The FEBS Journal*, vol. 280, no. 13, pp. 3028–3049.
- Van Aalten, D. M. F., B. Synstad, M. B. Brurberg. (2000). Structure of a Two- Domain Chitotriosidase from *Serratiamarcescens* at 1.9-Å Resolution. *Proceedings of the National Academy of Sciences of the United States of America*, vol. 97, no. 11, pp. 5842–5847.
- Van Aalten, D. M. F., D. Komander, B. Synstad, S. Gåseidnes, M. G. Peter, and V. G. H. Eijsink. (2001). Structural Insights Into the Catalytic Mechanism of a Family 18 Exo-Chitinase. *Proceedings of the National Academy of Sciences of the United States of America*, vol. 98, no. 16, pp. 8979–8984.
- Vega, K., and M. Kalkum.(2012) Chitin, Chitinase Responses, and Invasive Fungal Infections. *International Journal of Microbiology*, vol. 2012, Article ID 920459.
- Vora, J.U., N K Jain and H A Modi. (2014). Extraction, Characterization and Application Studies of Red Pigment of Halophile *SerratiaMarcescens* KH1R KM035849 Isolated from Kharaghoda Soil. *Int J Pure App Biosci*. 2 (6): 160-168.
- Wang, S.L., W.J. Hsiao, W.T.J. Chang. (2002). Purification and Characterization of an Antimicrobial Chitinase Extracellularly Produced by *Monascus purpureus* CCRC31499 in a Shrimp and Crab Shell Powder Medium. *J Agric Food Chem*. 50:2249-2255.
- Yan R. X. (2008). In Vitro Antifungal Activity and Mechanism of Action of Chitinase Against Plant Pathogenic Fungi. *J Basic Microbiology*, 48: 293 – 301.
- Zhang, C., X. Zhang, S. Shuen. 2014. Proteome analysis for antifungal effects of *Bacillus subtilis* KB-112 on *Magnaporthe grisea* P131. *J Microbial Biotechnool*.

Zhang. C., X. Zhang, F. Han, MF. Yang. 2009. Comparative Proteome Analysis of Two Antagonist *bacillus subtilis* strains. *J Microbiol Biotechnol* 19(4):351 – 357.

