

## DAFTAR PUSTAKA

1. WHO, UNICEF, UNFPA, TWB. Maternal Mortality in 2005: estimates developed by WHO, UNICEF, UNFPA and The World Bank. Bull World Heal Organ. 2007;79:657–64.
2. World Health Organization. Maternal mortality [Internet]. 2012.[Diakses 8 November 2017]. [http://www.who.int/gho/maternal\\_health/mortality/maternal\\_mortality\\_text/en/](http://www.who.int/gho/maternal_health/mortality/maternal_mortality_text/en/)
3. Wiggins M, Oakley A, Roberts I, Turner H, Rajan L, WHO, et al. Indonesia Demographic and Health Survey 2012. Health Care. 2013;8(6):719–27.
4. Kementerian Kesehatan Republik Indonesia. Situasi Kesehatan Ibu-Mother's Day. InfoDATIN. 2014;2.
5. Alkema L, Chou D, Hogan D, Zhang S, Moller A, Gemmill A, et al. Global, Regional, and National Levels and Trends in Maternal Mortality between 1990 and 2015, with Scenario Based Projections to 2030: A Systematic Analysis by The UN Maternal Mortality Estimation Inter Agency Group. Lancet. 2015 Dec;6736(15):1–13.
6. Cunningham FG. Obstetri Williams. 23, Vol 1 ed. Setia R, editor. Jakarta: EGC; 2012. 762 hal.
7. Prawirohardjo S. Ilmu Kebidanan. 4th ed. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo; 2013. 550 hal.
8. The American College of Obstetricians and Gynecologists. Preeclampsia and High Blood Pressure During Pregnancy [Internet]. 2014 [Diakses 8 November 2017]. Available from: <https://www.acog.org/Patients/FAQs/Preeclampsia-and-High-Blood-Pressure-During-Pregnancy>
9. Mandade K, Singh K, Bhavthankar DP. Outcome of expectant line of management in early onset ( 24-32weeks ) pregnancy induced hypertension. 2017;6(5):1932–41.
10. Jeong E. Maternal and Perinatal Outcomes of Early- and Late-onset Preeclampsia. Korean J Perinatol. 2009;20(4):370–80.
11. Cipolla MJ. Cerebrovascular function in pregnancy and eclampsia. Hypertension. 2007;50(1):14–24.
12. Jeyabalan A. Epidemiology of preeclampsia: Impact of obesity. Nutr Rev. 2013;71.
13. Depkes RI. Profil Kesehatan Indonesia 2006. 2007;23–4.
14. Kementrian Kesehatan RI. Profil Kesehatan Indonesia Tahun 2013. Jakarta:

Kementerian Kesehatan RI. 2014. 82 hal.

15. Dinas Kesehatan Provinsi Sumatera Barat. Profil Kesehatan Provinsi Sumatera Barat 2014. Kesehatan. 2014;(65):35.
16. Dinas Kesehatan Kota Padang. Profil Kesehatan Kota Padang Tahun 2014. 2015;14.
17. Dinas Kesehatan Kota Padang. Laporan Tahunan Tahun 2015. 2016;(293):167.
18. Yusrawati. Faktor Resiko Individual Pada Preeklampsia. OBGIN EMAS. 2014;1(15).
19. Schlembach. Pre-eclampsia - still a disease of theories. Fukushima J Med Sci. 2003;49(2):69–115.
20. English FA, Kenny LC, McCarthy FP. Risk factors and effective management of preeclampsia. Integr Blood Press Control. 2015;8:7–12.
21. Aksornphusitaphong A, Phupong V. Risk factors of early and late onset pre-eclampsia. J Obstet Gynaecol Res. 2013;39(3):627–31.
22. Raymond D, Peterson E. A Critical Review of Early-Onset and Late-Onset Preeclampsia. Obstet Gynecol Surv. 2011;66(8):497–506.
23. Purnasari, G., Dodik B. CMD. Kepatuhan konsumsi suplemen kalsium serta hubungannya dengan tingkat kecukupan kalsium pada ibu hamil di kabupaten jember. J Kesehat Reproduksi. 2016;7(2):83–93.
24. Kementerian Kesehatan RI. Profil Kesehatan Indonesia 2015. 2016;
25. Cincotta RB, Brennecke SP. Family history of pre-eclampsia as a predictor for pre-eclampsia in primigravidas. Int J Gynecol Obstet. 1998;60(1):23–7.
26. Duckitt K. Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies. Bmj. 2005;330(7491):565–0.
27. Bartsch E. Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies [Internet]. 2016 [Diakses 21 November 2017]. <http://www.bmj.com/content/353/bmj.i1753>
28. Hernández-Díaz S. Risk of pre-eclampsia in first and subsequent pregnancies: prospective cohort study [Internet]. 2009 [Diakses 22 November 2017]. <http://www.bmj.com/content/338/bmj.b2255>
29. Dorland WA. Kamus Kedokteran Dorland. 31st ed. Jakarta: Penerbit Buku Kedokteran EGC; 2007. 1762 p.
30. Lamminpää R, Vehviläinen-Julkunen K, Gissler M, Heinonen S. Preeclampsia complicated by advanced maternal age: a registry-based study on primiparous women in Finland 1997–2008. BMC Pregnancy Childbirth.

2012;12(1):47.

31. Cavazos-Rehg PA, Krauss MJ, Spitznagel EL, Bommarito K, Madden T, Olsen MA, et al. Maternal Age and Risk of Labor and Delivery Complications. *Matern Child Health J.* 2015;19(6):1202–11.
32. Salafia CM. Advanced maternal age and pregnancy outcome in preeclampsia: A study of mother, newborn, and placenta. *Placenta.* 1993;14(4):A68.
33. Munkhaugen J, Vikse BE. New aspects of pre-eclampsia: Lessons for the nephrologist. *Nephrol Dial Transplant.* 2009;24(10):2964–7.
34. Uddin MN. Diabetes Mellitus and Preeclampsia. *Med J Obstet Gynecol.* 2013;1(3):1016.
35. Yusrawati, Saputra N, Lipoeto N, Machmud R. Analyses of Nutrients and Body Mass Index as Risk Factor for Preeclampsia. *Off J Fed Obstet Gynaecol Soc India.* 2017;67(6).
36. Huppertz B. Placental origins of preeclampsia: Challenging the current hypothesis. *Hypertension.* 2008;51(4):970–5.
37. Bhadarka N. Risk Factors Of Early And Late Onset Pre-Eclampsia In Population Admitted At India. *Int J Curr Res Life Sci.* 2016;5(3):569–72.
38. Lisonkova S. Incidence of preeclampsia: risk factors and outcomes associated with early- versus late-onset disease. *Am J Obstet Gynaecol.* 2013;209(6):544.e.1-544.e.2.
39. Roberts JM, Druzin M, August PA, Gaiser RR, Bakris G, Granger JP, et al. ACOG Guidelines: Hypertension in pregnancy. *American College of Obstetricians and Gynecologists.* 2012. 1-100 hal.
40. Ngowa JDK, Kasia JM, Alima J, Domgue JF, Ngassam A, Bogne JB, et al. Maternal and Perinatal Complications of Severe Preeclampsia in Three Referral Hospitals in Yaounde, Cameroon. *Open J Obstet Gynecol.* 2015;5(12):723–30.
41. KP W, F G. Pathophysiology of Eclampsia. *Clin Mother Child Heal.* 2015;12(4):11–2.
42. Iacobelli S, Bonsante F, Robillard PY. Comparison of risk factors and perinatal outcomes in early onset and late onset preeclampsia: A cohort based study in Reunion Island. *J Reprod Immunol.* 2017;123(June):12–6.
43. Li XL, Guo PL, Xue Y, Gou WL, Tong M, Chen Q. An analysis of the differences between early and late preeclampsia with severe hypertension. *Pregnancy Hypertens.* 2016;6(1):47–52.
44. Mgaya AH, Massawe SN, Kidanto HL, Mgaya HN. Grand multiparity: is it still a risk in pregnancy? *BMC Pregnancy Childbirth.* 2013;13:241.



45. Kucukgoz Gulec U, Ozgunen FT, Buyukkurt S, Guzel AB, Urunsak IF, Demir SC, et al. Comparison of clinical and laboratory findings in early- and late-onset preeclampsia. *J Matern Fetal Neonatal Med.* 2013;26(12):1228–33.
46. Fang R, Dawson A, Lohsoonthorn V, Williams M. Risk Factors of Early and Late Onset Preeclampsia among Thai Women. *Asian Biomed.* 2009;3(May):477–86.
47. Aziz A, Mose JC. The Differences of Characteristic , Management , Maternal and Perinatal Outcomes among Early and Late Onset Preeclampsia. 2016;
48. Weber TM, Lackner HK, Roessler A, Papousek I, Kolovetsiou-Kreiner V, Lucovnik M, et al. Heart rate variability and baroreceptor reflex sensitivity in early- versus late-onset preeclampsia. *PLoS One.* 2017;12(10):1–8.
49. Lelic M, Bogdanovic G, Ramic S, Brkicevic E. Influence of Maternal Anemia During Pregnancy on Placenta and Newborns. *Med Arch.* 2014;68(3):184–7.
50. Mihu D, Razvan C, Malutan A, Mihaela C. Evaluation of maternal systemic inflammatory response in preeclampsia. *Taiwan J Obstet Gynecol.* 2015;54(2):160–6.
51. Gyselaers W, Tomsin K, Staelens A, Mesens T, Oben J, Molenberghs G. Maternal venous hemodynamics in gestational hypertension and preeclampsia. *BMC Pregnancy Childbirth.* 2014;14(1):1–8.
52. Yang Y, Zhang J, Gong Y, Liu X, Bai Y, Xu W, et al. Increased expression of prostasin contributes to early-onset severe preeclampsia through inhibiting trophoblast invasion. *J Perinatol.* 2015;35(1):16–22.
53. Aslan Cetin B, Aydogan Mathyk B, Cift T, Tuten A, Bulut B, Yilmaz N, et al. Serum collectrin levels in patients with early- and late-onset preeclampsia. *J Matern Neonatal Med.* 2017;0(0):1–5.
54. Tetteh P, Adu-Bonsaffoh K, Antwi-Boasiako C, Antwi D, Gyan B, Obed S. Assessment of Oxidative Stress in Early and Late Onset Pre-Eclampsia Among Ghanaian Women Evaluation Du Stress Oxidatif Chez Les Femmes Presentant La Pre-Eclampsie Precoce Et La Pre-Eclampsie Tardive Au Ghana. *J West African Coll Surg.* 2015;5(1):42–57.
55. Trinanda Y. Mean Differentiation in Serum Albumin and Serum Total Protein Level between Early Onset and Late Onset Severe Preeclampsia (skripsi). Padang: Universitas Andalas; 2015.
56. Jaiswar SP, Amrit G, Rekha S, Natu SN, Mohan S. Lactic dehydrogenase: A biochemical marker for preeclampsia-eclampsia. *J Obstet Gynecol India.* 2011;61(6):645–8.
57. Bozdağ H, Öğütcüoğlu FB, Akdeniz Duran E, Kabaca Kılıç SR, Topdağı

Aydın İ, Gökdağı F, et al. . The frequency and fetomaternal outcomes of early- and late-onset preeclampsia: The experience of a single tertiary center in the bustling metropolis of Turkey; İstanbul. *Medeni Med J.* 2015;30(4):163–9.

58. Yamamoto T, Matsuura A, Suzuki Y. Characteristic changes in calcium metabolism in preeclamptic women in Japan. 2013;
59. World Health Organization. WHO recommendations for Prevention and treatment of pre-eclampsia and eclampsia. *Postgrad Med.* 1955;18(3):165–73.
60. Schaarschmidt W, Rana S, Stepan H. The course of angiogenic factors in early- vs . late-onset preeclampsia and HELLP syndrome. 2013;41(5):511–6.
61. Madazli R, Yuksel MA, Imamoglu M, Tuten A, Oncul M, Aydın B, et al. Comparison of clinical and perinatal outcomes in early- and late-onset preeclampsia. *Arch Gynecol Obstet.* 2014;290(1):53–7.

