

DAFTAR PUSTAKA

1. Nelwan RHH. Buku ajar ilmu penyakit dalam jilid III. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata K, Setiati S, editors. Pemakaian antimikroba secara rasional di klinik. Edisi IV. Jakarta: Departemen Ilmu Penyakit Dalam FK UI; 2007.
2. Rosita, Nenny N. Kajian kualitas penggunaan antibiotik meroponem sebelum dan sesudah pemberian informasi obat di bangsal rawat inap RSUD Kabupaten Jombang. Yogjakarta: Universitas Gajah Mada; 2013.
3. Bardal S, Waechter J, Martin D. Applied pharmacology. Missouri: Elsevier Saunders; 2011.
4. Departemen Kesehatan Republik Indonesia. Buku saku petugas kesehatan lintas diare. Depkes RI Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan; 2011.
5. Metz-Gercek S, Maieron A, Strauss R, Wieninger P, Apfalter P, Mittermayer H. Ten years of antibiotic consumption in ambulatory care: trends in prescribing practice and antibiotic resistance in Austria. *BMC Infectious Diseases*: 2009;9:61.
6. Amrin-study group. Penggunaan antibiotik di RS Dr Soetomo Surabaya dan RSUP DR. Kariadi Semarang. Directorate General of Medical Care; 2005.
7. Singer M, Deutschman CS, Seymour CW. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *The Jama Net*. 2016;23,315(8):801-10.
8. Starr M, Saiyo H. Sepsis in old ages: Review of human and animal studies. 2014. www.ncbi.nlm.nih.gov/pmc/articles/PMC3966671/?report=classic - Diakses Desember 2017.
9. Shiferaw B, Bekele E, Krishan K, Boutin A, Frieri M. Journal of infectious diseases and epidemiology: The Role of procalcitonin as a biomarker in sepsis. *Clin Med*. 2016;2:2-4.
10. Phua J, Koh YS, Du B, Tang YQ, Divatia JV, Gomersall CD, et al. Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. *BMJ*. 2011;342:3245.
11. Menteri Kesehatan Republik Indonesia. Keputusan menteri kesehatan republik indonesia nomor HK.01.07/MENKES/342/2017 tentang pedoman nasional pelayanan kedokteran tata laksana sepsis. Jakarta: Menkes RI; 2017.

12. Pradipta IS. Evaluation of antibiotic use in sepsis patients at ward of internal medicine Dr. Sardjito Hospital, Yogyakarta September-November 2008. M.Sc Thesis, Faculty of Pharmacy, Universitas Gadjah Mada, Indonesia; 2009.
13. Tambajong R, Lalenoh DC, Kumaat L. Profil Penderita Sepsis di ICU RSUP. Prof. Dr. R. D. Kandaou Manado periode Desember 2014-November 2015: Universitas Sam Ratulangi Manado; 2015.
14. Arifin A, Hermawan AG. Prevalensi sepsis di RSUD dr. Moewardi Surakarta tahun 2004. Surakarta; 2005.
15. Hidayati, Arifin H, Raveinal. Kajian penggunaan antibiotik pada pasien sepsis dengan gangguan ginjal. Jurnal sains farmasi & klinis. 2016;2(2):129-37.
16. Instansi Rekam Medik. RSUP. Dr. M Djamil Padang. Data rekam medik sepsis tahun 2016 bagian rawat jalan. Padang: RSUP Dr. M Djamil; 2016.
17. Instansi Rekam Medik. RSUP. Dr. M Djamil Padang. Data rekam medik sepsis tahun 2017 bagian rawat jalan. Padang: RSUP Dr. M Djamil; 2017.
18. Dellinger RP, Levy MM, Rhodes A, Annane D, Gerlach H, Opal SM. Sepsis Campaign: International guidelines for management of severe sepsis and septic shock: 2012. Crit Care Med. 2013;41:580-637.
19. Shah S, Barton G, Fischer A. Pharmacokinetic considerations and dosing strategies of antibiotics in the critically ill patient. Jaournal of the Intensive Care Society. 2015;16(2):147-53.
20. Syarif A, Estuningtyas A, Setiawati A, Muchtar A, Arif A, Bahry B, et al. Farmokologi dan terapi. Dalam: Setiabudy R, editors. Antimikroba. Edisi V. Jakarta: Balai penerbit FKUI; 2012.
21. Permenkes nomor 2406/Menkes/Per/XII/2011.Tentang pedoman umum penggunaan antibiotik. Jakarta: Kemenkes Republik RI; 2011.
22. Katzung B.G, Masters S.B, Trevor A.J. Farmokologi dasar dan klinik. Dalam: Soeharsono R, Heriyanto P, Iskandar M, editors. Antimikroba. Edisi XIII. Jakarta: EGC; 2013.
23. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Riset kesehatan dasar 2013. Jakarta: Kemenkes RI; 2013.
24. Leekha S, Terrell CL, Edson RS. General principles of antimicrobial therapy. Mayo clinic proceedings; 2011;86:156-67.

25. Amin LZ. Pemilihan antibiotik yang rasional. Jakarta: ilmu penyakit dalam. Fakultas kedokteran-UI; 2014;27(3):40-5.
26. Tripathi KD. Antimicrobial drugs: general consideration. Essential of medical pharmacology. 5th ed. Jaypee Brothers Medical Publishers. New Delhi; 2003.
27. Rohim A. Ilmu penyakit anak. Diagnosis dan penatalaksanaan. Jakarta: Salemba Medika; 2002.
28. Setiabudy R. Penggunaan antibiotik yang baik dan benar pada anak. Jakarta: Departemen Ilmu Kesehatan Anak FKUI-RSCM; 2012.
29. Gillespie SH. Management of multiple drugs resistant infection. N Eng J Med. 2004;351:6.
30. Zamoner W, Freitas FM, Garms DSS, Oliveira MG, Balbi AL, Ponce D. Pharmacokinetics and pharmacodynamics of antibiotics in critically ill acute kidney injury patients. British Pharmacological Society and American Society for Pharmacology and Experimental Therapeutics. 2016;4:1-6.
31. Lioudmila V, Karnatovskaia, MD1, dan Emir Festic, MD. Sepsis: A Review for the Neurohospitalist, Crit Care DOI. 2012; 10.1177/1941874412453338.
32. Cole L, Bellomo R, Silvester W, dan Reeves JH. For the Victorian Severe Acute Renal Failure Study Group: A prospective, multicenter study of the epidemiology, management, and outcome of severe acute renal failure in a “closed” ICU system. Am J Respir, Crit Care Med. 2000;162:191-6.
33. Anaizi Nasr. Drug therapy in kidney disease. Rochester Institute of Technology; 2007.
34. Bauer, Larry A. Applied clinical pharmacokinetics (2nd ed.). USA: Mc Graw Hill Medical Companies. Inc;2008.
35. Uchino S, Kellum JA, dan Bellomo R. Acute Renal Failure in Critically Ill Patients: A Multinational, Multicenter Study. JAMA. 2005; 294:813-8.
36. Munar MY, Singh Harleen. Drug dosing adjustment in patients with chronic kidney disease, American Family Physician.2007;75:1487-96.
37. Gilbert DN, Chambers HF, Eliopoulos GM, Saag MS, Black D, Freedman DO, et al. The Sanford guide to antimicrobial therapy. 44th edition, Antimicrobial Therapy; 2014.

38. Vincent JL, Moreno R, Takala J, Willats S, De Mendonca A, Bruining H, et al. The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. On behalf of the working group on sepsis-related problems of the European Society of Intensive Care Medicine. *Intensive Care Med*. 1996;22:707-10.
39. Martin GS, Mannino DM, Eaton S, Moss M. The epidemiology of sepsis in the United States from 1979 through 2000. *N Engl J Med*. 2003;348:1546-54.
40. Guntur A. Buku Ajar Ilmu Penyakit Dalam. Dalam: Setiawati S, Alwi I, Sudoyo A, Simadibrata M, Setiyohadi B, Syam A, editors. *Sepsis*. Edisi IV. Jakarta: Interna Publishing; 2014.
41. National Clinical Effectiveness Committee. Sepsis management national clinical guideline No.6, An Roine Slainte Department of Health, Ireland; 2014.
42. Enrione MA, Powell KR. Nelson textbook of pediatric. Dalam: Kliegman RM, Behrman RE, Jenson HB, Stanton BF, editors. *Sepsis, septic shock, and systemic inflammatory response syndrome*. Edisi ke-18. Philadelphia: WB Saunders; 2007:1094-9.
43. Amir I, Rundjan L. Pemberian antibiotik secara rasional pada sepsis neonatorum. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2005.
44. Russel JA. Management of sepsis. *N Engl J Med*. 2006;355:1699-713.
45. Angus CD, Poll T. Severe sepsis and septic shock. *Critical care medicine*. *N Engl J Med*. 2013;369(9):840-51.
46. Paterson R, Webster N. Sepsis and inflammatory response syndrome. *Journal of The Royal College of Surgeons of Edinburgh*. 2002;45:178-82.
47. Moss M. Epidemiology of sepsis: race, sex, and chronic alcohol abuse. *Oxford Journals: Clinical Infectious Disease*. 2005;41(7):490-7.
48. Padkin A, Goldfrad C, Brady AR, Young D, Black N, Rowan K. Epidemiology of severe sepsis occurring in the first 24 hrs in intensive care units in England, Wales, and Northern Ireland. *Crit Care Med*. 2003;31:2332-8.
49. Finfer S, Bellomo R, Lipman J, French C, Dobb G, Myburgh J. Adult population incidence of severe sepsis in Australian and New Zealand intensive care units. *Intensive Care Med*. 2004;30:589-96.

50. Nachtigall I, Tafelski S, Rothbart A, Kaufner L, Schmidt M. Gender-related outcome difference is related to course of sepsis on mixed ICUs: a prospective, observational clinical study. *Critical Care Medicine* 2011;15(3):151.
51. Angele MK, Pratscke S, Hubbard WJ, Chaudry IH. Gender differences in sepsis Cardiovascular and immunological aspects. *Virulence*. 2014;5(1):12–9.
52. Octavia S. Hubungan antara leukosit dan procalcitonin sebagai biomarker sepsis di rumah sakit umum pusat Haji Adam Malik bulan Agustus-Desember 2015 Medan. (karya tulis ilmiah). Sumatera Utara: Fakultas Kedokteran Universitas Sumatera Utara; 2015.
53. Rahmawati MA. Angka kejadian pneumonia pada pasien sepsis di ICU RSUP Dr. Kariadi Semarang. (Karya tulis ilmiah). Jurnal media medika muda. Semarang: Fakultas Kedokteran Universitas Diponegoro; 2014.
54. Destarac LA, Ely EW. Sepsis in Older Patients: An Emerging Concern in Critical Care. Departement of Internal Medicine, and Center for Health Research, and the Geriatric Education Clinical Center 2002;2:1.
55. Zhang H, Wang X, Zhang Q, Xia Y, Liu D. Comparison of procalcitonin and high-sensitivity C-reactive protein for the diagnosis of sepsis and septic shock in the oldest old patients. *BMC Geriatr*. 2017;17:173.
56. Farmakologi Klinik Fakultas Kedokteran. Efek Samping Obat. Fakultas Kedokteran UGM: Yogyakarta; 2010.
57. Gardjito W. Rational use of antibiotics in the management os sepsis. Dalam Naskah Lengkap Pertemuan Ilmiah tahunan I Perhimpunan Patobiologi Indonesia “Scoentific appoach on management of sepsis-SIRS”-Basic science to clinical applications. Surabaya: 2003;89-96.
58. Suwondo VN, Jatmiko HD, Hendrianingtyas M. Karakteristik dasar pasien sepsis di ICU RSUP Dr. Kariadi Semarang periode 1 Janari-31 Desember 2015: Universitas Diponegoro; 2015.
59. Katu S, Suwarto S, Pohan HT. Faktor-faktor yang mempengaruhi keberhasilan terapi antibiotik empirik pada pasien sepsis berat dan syok sepsis di bangsal rawat inap penyakit dalam RSCM. *Jurnal penyakit dalam Indonesia*; 2015.
60. Young JD. The heart and circulation in severe sepsis. *British Journal of Anaesthesia*. 2004;93:114-20.

61. Shorr A, Micek S, Welch E. Inappropriate antibiotic therapy in gram-negative sepsis increases hospital length of stay. Am j respir crit care med 2010;180:861-66.
62. Danai P, Martin G. Epidemiologi of sepsis. Recent advance current infectious disease reports. 2005;7:329-34.
63. Hakawiyah A. Evaluasi kualitatif penggunaan antibiotik meropenem pada pasien sepsis bpjs di rukmital Dr. Mintohardjo tahun 2014. UIN Syarif Hidayatullah; 2015.
64. Williams TA, Ho KM, Dobb GJ. Effect of length of stay in intensive care unit on hospital and long-term mortality of critically ill adult patients. British journal anaesthesia. 2010;104:459-64.

