

DAFTAR PUSTAKA

- [1] Amazine.co (2016, September) Sifat fisik, kegunaan dan kegunaan Carbon Nanotube. [online]. <http://amazine.co/31632/apa-itu-carbon-nanotube-penemuan-sifat-fisik-kegunaan/>.
- [2] APCC2008.ieice.org (2008, Oktober) The 14th Asia-Pacific Conference on Communications. [online]. <http://apcc2008.ieice.org>
- [3] Bansal, R. C. & Goyal, M, “Activated Carbon Adsorption from Solution,” *Activated Carbon*, Vol. 8, pp. 254-277, Mei 2005.
- [4] Marsh & Rodriguez-Reinoso, “Application Carbon on Nano Particle,” *Activated Carbon* , Vol. 4, pp 459-466, July 2006.
- [5] Nano.lipi.go.id. (2015, Agustus) Carbon Nanotube, material ajaib primadona teknologi nano.[Online]. <http://www.nano.lipi.go.id/utama.cgi>
- [6] Kementerian Negara dan Riset Teknologi Indonesia, *Penelitian Pengembangan dan Penerapan Ilmu Pengetahuan dan Teknologi Bandung Sumber Energi Baru dan Terbarukan untuk Mendukung Keamanan Ketersediaan Energi Tahun 2025*. Jakarta, Indonesia: Kementerian Negara dan Riset Teknologi Indonesia, 2006.
- [7] Pari, G. dan Sailah, I. *Pembuatan Arang Aktif dari Sabut Kelapa Sawit dengan Bahan Pengaktif NH₄HCO₃ dan (NH₄)₂CO₃ Dosis Rendah*. Bogor (2001).
- [8] Suhendra, D. dan Gunawan, R. E. Penggunaan Arang Aktif dari Bahan Jagung Menggunakan Aktivator Asam Sulfat dan Penggunaannya pada Penyerapan Ion Tembaga (II). Makar Sains (2010), p. 22-26.
- [9] Nurdiansah, H dan Susanti, D. Pengaruh Variasi Temperatur Karbonisasi dan Temperatur Aktivasi Fisika dari Elektroda Karbon Aktif Tempurung Kelapa

dan Tempurung Kluwak Terhadap Nilai Kapasitansi Electric Double Layer Capacitor (EDLLC). Jurnal Teknik Pomits (2013), p. 2337-3539.

- [10] Jankowski, H., Swiatkowski, A., and Choma J., Active Carbon, 1st ed., Ellis Horwood, London (1991), p. 75-77.
- [11] Hussain, R., R. Qadeer, M. Ahmad, M. Saleem. X-Ray Diffraction Study of Heat-Treated Graphitized and Ungraphitized Carbon. Truk J Chem 24 (2000), p. 177-183.
- [12] Chen, Y. Q., Ren-Ping, W., and Xian-Feng, Y. E., 2012, Structural Characterization and Property Study on The Activated Alumina-Activated Carbon Composite Material, *Chinese Journal Structure Chemistry*, vol. 31, no.3, pp. 315-320.
- [13] Filho, N.L.D., and do Carmo, D.R, 2004, *Adsorption at Silica, Alumina, and Related Surface*, Marcell Dekker Inc, Brazil.
- [14] Lie, P. K. T., Bergstrom, R. K., and Gatty, D. G., 1989, *Activated Carbon/Alumina Composite*, US paten No. 4.795.735.
- [15] Y-Y Li et al., "Graphite with Different Structures as Catalyst for Counter Electrodes in Dye-sensitized Solar Cells," *Electrochimica Acta*, vol. 179, pp. 211-219, June 2015.
- [16] P Holister, T.E Harper, and C.R Vas, "Nanotubes," *CMP Cientifica*, pp. 5-11, January 2003
- [17] H Zhu et al., "The effect of pitch-based carbon fiber microstructure and composition on the formation and growth of SiC whiskers via reaction of such fibers with silicon sources," *Carbon*, vol. 99, pp. 174-185, December 2015.
- [18] G Kucukayan et al., "An experimental and theoretical examination of the effect of sulfur on the pyrolytically grown carbon nanotubes from coconut-shell," *Carbon*, no. 49, pp.508-517, October 2010.

- [19] Z Huang et al., “Application of Carbon Materials as Counter Electrodes of dye-sensitized solar cells,” *Electrochemistry Communication*, Vol. 9, pp. 596-598, October 2006.
- [20] S Sirioj, S Pimanpang, M Towannang, W Maiaugree, and S Phumying, “High Performance dye-sensitized Solar Cell based on hydrothermally deposited multiwall carbon nanotube counter electrode,” *Applied Physics Letters*, Vol. 100, June 2012.
- [21] Satish M Manocha, “Porous Carbons,” *Sadhana*, vol. 28, pp. 335-348, April 2003.
- [22] M Chen and L-L Shao, “Review on the recent progress of carbon counter electrodes for dye-sensitized solar cells,” *Chemical Engineering Journal*, Vol. 204, pp. 629-645, July 2016.
- [23] Esmar, B., Hadi, N., Setia, B., Kajian Pembentukan Karbon Aktif Berbahan Arang Tempurung Kelapa, Jakarta: Seminar Nasional Fisika (2012), p. 2302-1829.
- [24] S. Sadaka, “Pyrolysis,” dalam *Associate Scientist, Center for Sustainable Environmental Technologies*, Nevada, Department of Agricultural and Biosystems Engineering Iowa State University.
- [25] C.D Zappielo et al.,”Solid Phase Extraction to On-Line Preconcrete Traca Cadmium Using Chemically Modifid Nano-Carbon Black with 3-Mercaptopropyltrimethoxysilane,” *Journal of the Brazilian Chemical Society*, vol. 27, no. 10, pp. 1715-1726, October 2016.
- [26] Esmar Budi, “Tinjauan Proses Pembentukan dan Penggunaan Arang Tempurung Kelapa Sebagai Bahan Bakar”, *Jurnal Penelitian Saint*, Vol. 14, No. 4(B), Oktober 2011.
- [27] M Kumar and Y Ando, “Carbon Nanotube Synthesis and Growth Mechanism,” *Nanotechnology Perceptions*, pp. 147-170, March 2010.
- [28] Cefic, “Factsheet: Multi-Walled Carbon Nanotube (MWCNT).,” February 2013.

- [29] A Aqel, Kholoud M.M Abou El-Nour, Reda A.A Ammar, and A Al-Warthan, “Carbon nanotubes, science and technology part (I) structure, synthesis and character isation,” *Arabian Journal of Chemistry*, no. 5, pp. 1-23, September 2010.
- [30] Haaland, D, “Graphite liquid vapor triple point pressure and the density of liquid carbon,” *Carbon*, no.14, pp.355-357, October 2010.
- [31] C Herrero-Lattore, J Alvarez-Mendez, J Barciela-Garcia, S Garcia-Martin, and R.M Pena-Crecente, “Characterization of carbon nanotubes and analytical methods for their determination in environmental and biological samples: A review,” *Analythica Chimica Acta*, vol. 853, pp. 77-94, October 2015.