

**HUBUNGAN STAGING KANKER PARU DENGAN SKALA NYERI
PADA PASIEN KANKER PARU YANG DIRAWAT DI
BAGIAN PARU RSUP DR M DJAMIL PADANG**



dr. Sabrina Ermayanti, Sp.P
Abdiana, SKM, M.Epid

**FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS
PADANG
2018**

**CORRELATION BETWEEN LUNG CANCER STAGING AND
PAIN SCALE IN LUNG CANCER PATIENTS TREATED
IN THE LUNG DEPARTMENT OF
RSUP DR M DJAMIL PADANG**

By

RIAN RIZKI ANANDA

ABSTRACT

Lung cancer is still one of the most associated causes of cancer. Lung cancer covers 14% of all cancers that occur in the world. Lung cancer patients are found to be at an advanced stage. Many complaints are felt by lung cancer patients.. One of the main complaints that many experienced and complained of by patients is pain. Pain experienced by the patient can decrease the quality of life of the patient. The purpose of this study was to determine the correlation between lung cancer staging and pain scale in lung cancer patients treated in the lung department of DR M Djamil Central Public Hospital Padang.

This research is an analytical observation research with cross sectional design. The study was conducted from October to November 2017 at DR M Djamil Central Public Hospital Padang. The sample of this study is lung cancer patients who have medical record data in The Lung Department of RSUP DR M Djamil Padang in 2014-2015 which amounted to 66. This research was analyzed by chi-square statistic test.

The results showed that most of lung cancer patients were >40 years old (90,9%), male (84,8%), smoker (74,2%), and NSCLC (57,6%). The most patients were in advanced stage (93,9%) with most pain complaint was moderate pain (51,5%).

This research concludes there is no significant correlation between lung cancer staging and pain scale.

Keyword : Cancer, Lung Cancer, Lung Cancer Stage, Pain



HUBUNGAN *STAGING* KANKER PARU DENGAN SKALA NYERI PADA PASIEN KANKER PARU YANG DIRAWAT DI BAGIAN PARU RSUP DR M DJAMIL PADANG

Oleh

RIAN RIZKI ANANDA

ABSTRAK

Kanker paru masih menjadi salah satu penyebab kematian terbanyak akibat kanker. Kanker paru mencakup 14% dari keseluruhan kanker yang terjadi di dunia. Pasien kanker paru banyak ditemukan sudah berada pada *stage* lanjut. Banyak keluhan yang dirasakan oleh pasien kanker paru. Salah satu keluhan utama yang banyak dialami dan dikeluhkan oleh pasien adalah rasa nyeri. Nyeri yang dialami oleh pasien dapat menurunkan kualitas hidup pasien. Tujuan penelitian ini adalah untuk mengetahui hubungan *staging* kanker paru dengan skala nyeri pada pasien kanker paru yang dirawat di bagian paru RSUP DR M Djamil Padang.

Penelitian ini merupakan penelitian observasi analitik dengan desain *cross sectional*. Penelitian dilakukan pada bulan Oktober sampai dengan November 2017 di RSUP DR M Djamil Padang. Sampel penelitian ini adalah pasien kanker paru yang memiliki data rekam medis di Bagian Paru RSUP DR. M Djamil Padang tahun 2014 – 2015 yang berjumlah 66. Penelitian ini dianalisis menggunakan uji statistik *chi-square*.

Hasil penelitian didapatkan karakteristik pasien kanker paru terbanyak adalah umur >40 tahun (90,9%), jenis kelamin laki-laki (84,8%), status rokok adalah sebagai perokok (74,2%), dan jenis sel KPKBSK (57,6%). Pasien paling banyak berada pada *stage* lanjut (93,9%) dengan keluhan nyeri paling banyak adalah nyeri sedang (51,5%).

Berdasarkan hasil penelitian disimpulkan tidak ada hubungan yang bermakna antara *staging* kanker paru dengan skala nyeri.

Kata kunci : Kanker, Kanker Paru, *Stage* Kanker Paru, Nyeri