

## DAFTAR PUSTAKA

1. Voorhis BJV. In Vitro Fertilization. *N Engl J Med*. 2007 January 25; 356(4): p. 379-386.
2. Krisher RL. The Effect of Oocyte Quality on Development. *J Anim Sci*. 2004 October 10; 82(E. suppl): p. E14–E23.
3. Combelles CMH, Cekleniak NA, Racowsky C. Assessment of Nuclear and Cytoplasmic Maturation in In-Vitro Matured Human Oocytes. *Hum Reprod*. 2002; 17(4): p. 1006-1016.
4. Ito M, Itawa H, Kitagawa M, Kon Y, Kuwayama T, Monji Y. Effect of Follicular Fluid Collected from Various Diameter Follicles on The Progression of Nuclear Maturation and Developmental Competence of Pig Oocytes. *Anim Reprod Sci*. 2007 June 13; 106: p. 421-430.
5. Lasiene K, Vitkus A, Valanciute A, Lasys V. Morphological Criteria of Oocyte Quality. *Medicina*. 2009 September 18; 45(7): p. 509-513.
6. Hall JE. Fisiologi Sebelum Kehamilan dan Hormon-hormon Perempuan. In Hall JE. *Guyton and Hall Buku Ajar Fisiologi Kedokteran*. 12th ed. Jakarta: Elsevier; 2011. p. 1069-1081.
7. Lee S, Ozkavukcu S, Heytens E, Moy F, Alappat RM, Oktay K. Anti-Mullerian hormone and antral follicle count as predictors for embryo/oocyte cryopreservation cycle outcomes in breast cancer patients stimulated with letrozole and follicle stimulating hormone. *J Assist Reprod Genet*. 2011 May 4; 28: p. 651-656.
8. Fiçicioglu C, Kutlu T, Baglam E, Bakacak Z. Early follicular antimüllerian hormone as an indicator of ovarian reserve. *Fert n Stert*. 2006 March; 85(3): p. 592-596.
9. Lehmann P, Velez MP, Saumet J, Lapensee L. Anti-mullerian Hormone: a reliable biomarker of oocyte quality in IVF. *Assist Reprod Tech*. 2014 February 27.
10. Tsakos E, Tolikas A, Daniilidis A, Asimakopoulos B. Predictive Value of Anti-mullerian Hormone, follicle stimulating hormone and antral follicle count on the outcome of ovarian stimulation in women following GnRH-antagonist protocol

for IVF/ET. Arch Gynecol Obstet. 2014 July 8.

11. Practice Committee of the American Society for Reproductive Medicine. Testing and interpreting measures of ovarian reserve: a committee opinion. ASRM Pages. 2015: p. e1-e9.
12. Mastenbroek S, Twisk M, van Echten-Arends J, Sikkema-Raddatz B, Korevaar J, Verhoeve H, et al. In-Vitro Fertilization with Preimplantation Genetic Screening. N Eng J Med. 2007 July 5; 357(1): p. 9-17.
13. Sirard M, Desrosier S, Assidi M. In vivo and in vitro effects of FSH on oocyte maturation and developmental competence. Theriogen. 2007; 68S: p. 71-76.
14. Riggs , Kimble , Oehninger S, Bocca S, Zhao , Leader , et al. Anti-Mullerian hormone serum levels predict response to controlled ovarian hyperstimulation but not embryo quality or pregnancy outcome in oocyte donation. Fertil Steril. 2011 January; 95(1): p. 410-412.
15. American Society for Reproductive Medicine. Comparing anti-Mullerian hormone (AMH) and follicle-stimulating hormone (FSH) as predictors of ovarian function. Fertil Steril. 2009 April; 91(4): p. 1553-1555.
16. Hazout A, Bouchard P, Seifer DB, Aussage P, Junca AM, Cohen-Bacrie. Serum antimullerian hormone/ mullerian inhibiting substance appears to be a more discriminatory marker of assisted reproductive technology outcome than follicle-stimulating hormone, inhibin B, or estradiol. Fertil Steril. 2004 November 5; 82(5): p. 1323-29.
17. Keith L. Moore AFD. Pelvis and Perineum. In Glazers J, editor. Clinically Oriented Anatomy. 5th ed. Baltimore: Lippincott Williams & Wilkins; 2006. p. 427.
18. Ellenson LH, Pirog EC. The Female Genitl Tract. In Gruliow R, editor. Pathologic Basis of Disease. 7th ed. Philadelphia: Elsevier Saunders; 2005. p. 1007.
19. Prawirohardjo S. Anatomi dan fisiologi alat-alat reproduksi. In Wiknjosastro H, editor. Ilmu Kebidanan. 4th ed. Jakarta: PT Bina Pustaka; 2010. p. 41-44.
20. Speroff L, Glass H, Kase NG. The Ovary-Embryology and Development. In

- Mitchell C, editor. *Clinical Gynecologic Endocrinology and Infertility*. 6th ed. Baltimore: Lippincott Williams & Wilkins; 1999. p. 112-118.
21. Mescher AL. Sistem reproduksi wanita. In Hartanto H, editor. *Histologi Dasar Junqueira*. 12th ed. Jakarta: Penerbit Buku Kedokteran EGC; 2009. p. 379-381.
  22. Sherwood L. Sistem Reproduksi. In Yesledita N, editor. *Fisiologi Manusia: Dari Sel ke Sistem*. 8th ed. Jakarta: EGC; 2014. p. 833-37.
  23. Sanchez F, Smits J. Molecular Control of Oogenesis. *Biochimica et Biophysica Acta*. 2012 May 24; 05(013): p. 1896-1912.
  24. Yeo C, Gilchrist RB, Thompson J, Lane M. Exogenous growth differentiation factor 9 in oocyte maturation media enhances subsequent embryo development and fetal viability in mice. *Hum Reprod*. 2008; 23(1): p. 67-73.
  25. Cunningham FG. Anatomi dan Fisiologi Ibu dan Janin. In Setia R, editor. *Obstetri Williams*. 23rd ed. Jakarta: Penerbit Buku Kedokteran EGC; 2009. p. 31.
  26. Erwinanto. Hubungan pertumbuhan folikel, kadar estradiol dan ketebalan endometrium hasil induksi ovulasi dalam proses fertilisasi in vitro. Bagian Obstetri dan Ginekologi Fakultas Kedokteran Universitas Diponegoro. 2004 Tesis.
  27. Austin Community College. Austin Community College District. [Online]. San Fransisco: Benjamin Cummings [cited 2018 1 24. Available from: <https://www.austincc.edu/apreview/PhysText/Reproductive.html>.
  28. Barad DH, Weghofer A, Gleicher. Age-Specific Levels for Basal Follicle-Stimulating Hormone Assessment of Ovarian Function. *Obstet Gynecol*. 2007 June; 109(6): p. 1404-1410.
  29. Cooper G, Baird D, Hulka B, Weinberg C, Savitz D, Hughes CJ. Follicle-Stimulating Hormone Concentrations in Relation to Active and Passive Smoking. *Obstet Gynecol*. 1995 Maret; 85(3): p. 407-411.
  30. Roest , van Heusden AM, Zeilmaker GH, Verhoeff , Mous H. The ovarian response as a predictor for successful in vitro fertilization treatment after the age of 40 years. *Fertil Steril*. 1996 December; 66(6): p. 969-973.

31. Kurniawan LB. Peran Anti-Mullerian Hormone pada Penilaian Kapasitas Reproduksi Wanita. Departemen Ilmu Patologi Klinik. 2017; 44(5): p. 319-322.
32. Broekmans F, Knauff E, te Velde E, Macklon N. Female reproductive ageing-current knowledge and future trends. *Trends Endocrinol Metab.* 2007; 18(2): p. 58-65.
33. van Rooij I, Broekmans F, te Velde E, Fauser B, Bancsi L, de Jong F. Serum anti-mullerian hormone levels: a novel measure of ovarian reserve. *Hum Reprod.* 2002; 17(12): p. 3065-71.
34. Jayaprakasan K, M.R.C.O.G. Hopkisson J, Campbell , Johnson I, Raine-Fenning. A prospective, comparative analysis of anti-Mullerian hormone, inhibin-B, and three-dimensional ultrasound determinants of ovarian reserve in the prediction of poor response to controlled ovarian stimulation. *Fertil Steril.* 2010 February; 93(3): p. 855-864.
35. Vitale AM, Kennedy Calvert E, Mallavarapu M, Yuritas P, Perlin J. Proteomic Profiling of Murine Oocyte Maturation. *Molec Reprod Dev.* 2007; 74: p. 608-616.
36. Barnes FL, First NL. Embryonic Transcription in In Vitro Cultured Bovine Embryos. *Molecular Reproduction and Development.* 1991; 29: p. 117-123.
37. De Sousa P, Caveney A, Westhusin M, Watson A. Temporal Patterns of Embryonic Gene Expression and Their Dependence on Oogenetic Factors. *Theriogen.* 1998; 49: p. 115-28.
38. Trimarchi JR, Keefe DL. Assessing the quality of oocytes derived from in vitro maturation: are we looking under the lamppost? *Fertil Steril.* 2006 April; 85(4): p. 839-840.
39. Sun Q, Wu G, Lai L, Park K, Cabot R, Cheong H. Translocation of active mitochondria during pig oocyte maturation, fertilization and early embryo development in vitro. *J Reprod Fertil.* 2001; 122: p. 155-63.
40. Coticchio G, Sereni E, Serrao L, Mazzone S, Iadarola I, Borini A. What Criteria for the Definition of Oocyte Quality? *Ann NY Acad Sci.* 2004; 1034: p. 132-44.
41. NICE. Fertility problems: assessment and treatment. Clinical guideline. 2013 February;; p. 12,23,26.

42. Halawaty S, ElKattan E, ElGhamry N, Azab , Al-Inany H. Effect of Obesity on Parameters of Ovarian Reserve in Premenopausal Women. *Gynaec.* 2010 January 29;; p. 687-690.
43. Farin C, Rodriguez K, Alexander J, Hockney J. The role of transcription in EGF and FSH-mediated oocyte maturation in vitro. *Anim Reprod Sci.* 2007 October 13; 98: p. 97-112.
44. Majumder K, Gelbaya TA, Laing I, Nardo LG. The use of anti-Mullerian hormone and antral follicle count to predict the potential of oocytes and embryos. *Eur J Obstet Gynecol Reprod Biol.* 2010 February 10; 150: p. 166-70.
45. van Loendersloot LL, van Wely M, Limpens J, Bossuyt PMM. Predictive factors in in vitro fertilization (IVF): a systematic review and meta-analysis. *Human Reproduction Update.* 2010 June 25; 0(0): p. 1-13.
46. Baart EB, Martini E, Eijkemans MJ, Van Opstal D, Beckers NGM, Verhoeff A, et al. Milder ovarian stimulation for in-vitro fertilization reduces aneuploidy in the human preimplantation embryo: a randomized controlled trial. *Hum Reprod.* 2007 January 4; 22(4): p. 980-988.
47. Respati G. Keberhasilan Program Fertilisasi in Vitro di Klinik Infertilitas FK UNDIP -RS dr. Kariadi dan RS Telogorejo Semarang. 2005 Tesis.
48. Wang Q, Sun Q. Evaluation of oocyte quality: morphological, cellular and molecular predictors. *Reprod Fertil Dev.* 2007; 19: p. 1-12.
49. White CD. Medline Plus. [Online].; 2017 [cited 2018 March 18. Available from: <https://medlineplus.gov/ency/article/003710.htm>.
50. Pellatt L, Hanna L, Brincat M, Galea R, Brain H, Whitehead S. Granulosa cell production of anti-Müllerian hormone (AMH) is increased in the polycystic ovary. *J Clin Endocrinol Metab.* 2007 January 1; 90(1): p. 240-245.
51. Pellatt L, Rice S, Dilaver N, Heshri A, Galea R, Brincat M, et al. Anti-Müllerian hormone reduces follicle sensitivity to follicle-stimulating hormone in human granulosa cells. *Fertil Steril.* 2011 November; 96(5): p. 1246-1251.
52. Sastroasmoro S. Pemilihan subyek penelitian. In Sastroasmoro S, Ismael S. *Dasar-dasar Metodologi Penelitian Klinis.* 5th ed. Jakarta: Sagung Seto; 2014. p.

99.

53. Vural B, Cakiroglu Y, Vural F, Filiz S. Hormonal and functional biomarkers in ovarian response. *Arch Gynecol Obstet*. 2013 December 24.
54. Wiweko B, Hestiantoro A, Sumapraja K, Natadisastra. Anti Mullerian Hormone Serum Level Indicates Ovarian Response in Controlled Ovarian Hyperstimulation of IVF Cycles. *Indones J Obstet Gynecol*. 2010 July; 34(3): p. 114-118.
55. Hendarto H. Stres Infertilitas Menghambat Maturasi Oosit dan Hasil Fertilisasi In Vitro. *Obs n Gin*. 2015 Jan; 23(1): p. 17-21.
56. Singer T, Barad D, Weghofer A, Gleicher N. Correlation of antimullerian hormone and baseline follicle-stimulating hormone levels. *Fertil Steril*. 2009 June; 91(6): p. 2616-2619.
57. Riggs RM, Duran E, Baker MW, Kimble TD, Hobeika , Yin L, et al. Assessment of ovarian reserve with anti-Müllerian hormone: a comparison of the predictive value of anti-Müllerian hormone, follicle-stimulating hormone, inhibin B, and age. *Americ J Obs Gyn*. 2008 August; 5(4): p. 202e1-202e8.
58. Gleicher N, Kim A, Kushnir V, Weghofer , Shohat-Tal A, Lazzaroni E, et al. Clinical Relevance of Combined FSH and AMH Observations in Infertile Women. *J Clin Endocrinol Metab*. 2013 May; 98(5).
59. Coccia ME, Rizello F. Ovarian Reserve. *Ann NY Acad Sci*. 2008; 1127: p. 27-30.
60. Ebner T, Sommergruber M, Moser M, Shebl O, Schreier-Lechner E, Tews G. Basal level of anti-Müllerian hormone is associated with oocyte quality in stimulated cycles. *Hum Reprod*. 2006; 21(8): p. 2022-2026.
61. Jayaprakasan K, Deb S, Batcha M, Hopkisson J, Johnson I, Campbell B, et al. The cohort of antral follicles measuring 2–6 mm reflects the quantitative status of ovarian reserve as assessed by serum levels of anti-Mullerian hormone and response to controlled ovarian stimulation. *Fertil Steril*. 2010 October; 95(1): p. 1775-1781.
62. Weenen C, Laven JS, von Bergh AR, Cranfield , Groome NP, Visser JA, et al. Anti-Mullerian hormone expression pattern in the human ovary: potential implications for initial and cyclic follicle recruitment. *Molec Hum Reprod*. 2004;

10(2): p. 77-83.

63. te Velde Er, Pearson PL. The variability of female reproductive aging. *Hum Reprod Upd.* 2002; 8(2): p. 141-154.
64. Irez T, Ocal P, Guralp O, Cetin M, Aydogan B, Sahmay S. Different serum anti-Müllerian hormone concentrations are associated with oocyte quality, embryo development parameters and IVF-ICSI outcomes. *Arch Gynecol Obstet.* 2011; 284: p. 1295–1301.
65. Gleicher N, Weghofer A, Barad DH. Discordances between follicle stimulating hormone (FSH) and anti-Müllerian hormone (AMH) in female infertility. *Reprod Bio Endoc.* 2010; 8(64).
66. Visser JA, Themmen P. Anti-Mullerian hormone and folliculogenesis. *Mol n Cell Endoc.* 2005; 234: p. 81-86.
67. Tsepelidis S, Devreker F, Demeestere I, Flahaut A, Gervy C, Englert Y. Stable serum levels of anti-Müllerian hormone during the menstrual cycle: a prospective study in normo-ovulatory women. *Hum Reprod.* 2007; 22(7): p. 1837-1840.
68. Hammes SR, Jamnongjit M. Oocyte Maturation: The Coming of Age of a Germ Cell. *Sem in Reprod Med.* 2005; 23(3): p. 234-241.

