

**KARAKTERISTIK PASIEN POLIP NASI DI  
POLIKLINIK THT-KL RSUP Dr. M. DJAMIL PADANG  
TAHUN 2014-2016**



**FAKULTAS KEDOKTERAN  
UNIVERSITAS ANDALAS  
PADANG  
2018**

# **CHARACTERISTICS OF PATIENTS WITH NASAL POLYPS AT POLYCLINIC THT-KL RSUP DR. M. DJAMIL PADANG DURING 2014- 2016**

**By:  
Riko Janukadri**

## **ABSTRACT**

Nasal polyps are still a problem because it can affect the patient's quality of life. The purpose of this study to determine the characteristics of patients with nasal polyps at RSUP Dr. M. Djamil Padang during 2014-2016.

This type of research is descriptive with a sample of 88 patients of nasal polyps at RSUP Dr. M. Djamil Padang. This study was conducted from November 2017-January 2018. The sampling technique used is total sampling during the years 2014-2016. Data collected in the form of age, gender, risk factor, clinical symptoms, staging, treatment, and recurrence.

The results of this study showed patients with nasal polyps most occurred in the age group 41-60 years (42%) and found in men (59,1%). 87 patients with history of sinusitis have higher risk to suffer Nasal Polyp (98,9%), The most common clinical symptom is nasal congestion (100%). Clinical examination reveals single or multiple polypoid mass: 41 patients found in 2<sup>nd</sup> stage (46,6%) and The most frequent treatment is medical therapy followed by surgical therapy (61,4%). Recurrence rate is 26,1%.

It is concluded that patients with nasal polyps more common in adulthood, have a history of sinusitis, and tend to recurrence.

Keywords: nasal polyps, sinusitis, therapy, recurrence

## **KARAKTERISTIK PASIEN POLIP NASI DI POLIKLINIK THT-KL RSUP Dr. M. DJAMIL PADANG TAHUN 2014- 2016**

**Oleh:  
Riko Janukadri**

### **ABSTRAK**

Polip nasi masih menjadi masalah karena dapat mempengaruhi kualitas hidup penderita. Tujuan penelitian ini untuk mengetahui karakteristik pasien polip nasi di poliklinik RSUP Dr. M. Djamil padang tahun 2014-2016.

Jenis penelitian ini adalah deskriptif dengan jumlah sampel 88 penderita polip nasi di RSUP Dr. M. Djamil padang. Penelitian ini dilakukan dari bulan November 2017-Januari 2018. Teknik pengambilan sampel adalah *total sampling* selama tahun 2014-2016. Data yang dikumpulkan berupa usia, jenis kelamin, faktor risiko, gejala klinis, stadium, penatalaksanaan, dan rekurensi.

Hasil penelitian ini ditemukan pasien polip nasi paling banyak pada usia 41-60 tahun (42%) dan pada laki-laki (59,1%). Faktor risiko yang paling sering dijumpai adalah riwayat sinusitis yaitu sebanyak 87 orang (98,9%), gejala terbanyak adalah hidung tersumbat (100%). Semua pasien ditemukan massa dihidung dimana paling sering pada stadium II sebanyak 41 orang (46,6%) dan jenis terapi yang terbanyak adalah terapi medikamentosa dilanjutkan dengan bedah (61,4%). Angka rekurensi sebesar 26,1%.

Penelitian ini dapat disimpulkan bahwa penderita polip nasi banyak pada usia dewasa, memiliki riwayat sinusitis, dan bersifat rekuren.

Kata kunci: polip nasi, sinusitis, terapi, rekurensi

