

## DAFTAR PUSTAKA

1. Fried L, Tangen C, Walston J, Newman A, Hirsch C, Gottdiener J, et al. Frailty in older adults: evidence for a phenotype. *J Gerontol.* 2001; 56(3): M146–56.
2. Collard R, Boter H, Schoevers R, Oude Voshaar R. Prevalence of frailty in community-dwelling older persons: a systemic review. *J Am Geriatr Soc.* 2012;1–6.
3. Kojima G, Iliffe S, Taniguchi Y, Shimada H, Rakugi H, Walters K. Prevalence of frailty in Japan: a systematic review and meta-analysis. *J Epidemiol.* 2016; 1–7.
4. Seto E, Setiati S, Laskmi P, Tamin T. Diagnostic test of a scoring system for frailty syndrom in the elderly according to cardiovascular health study, study of osteoporotic fracture and comprehensive geriatric assessment based fracture and comprehensive geriatric assessment based FI 40. *Act Med Indones - Indones J Intern Med.* 2015 July; 47(3): 183–7.
5. Fang X, Shi J, Song X, Mitnitski A, Tang Z, Wang C, et al. Frailty in relation to the risk of falls, fractures, and mortality in older Chinese adults: results from the Beijing Longitudinal Study of Aging. *J Nutr Health Aging.* 2012 Oct; 16(10): 903–7.
6. Chang S, Lin P. Frail phenotype and mortality prediction: A systematic review and meta-analysis of prospective cohort studies. *Int J Nurs Stud.* 2015; 52: 1362–74.
7. Vermeiren S, Vella-Azzopardi R, Beckwee D, Habbig AK , Scafoglieri A, Jansen B, et al. Frailty and the prediction of negative health outcomes: a meta analysis. *J Am Med Dir Assoc.* 2016; 17: 1163s1–17.
8. United Nations. World Population Prospects: The 2015 Revision. New York: Population Division, Department of Economic and Sosial Affair. 2015.
9. United Nations. World Population Ageing. New York: Population Division, Department of Economic and Social Affairs. 2015.
10. Badan Pusat Statistik. Statistik penduduk lanjut usia 2014. Jakarta: Badan Pusat Statistik. 2014.

11. Badan Pusat Statistik Provinsi Sumatera Barat. Statistik Daerah Provinsi Sumatera Barat. 2014.
12. Setiati S. Geriatric medicine, sarkopenia, frailty dan kualitas hidup pasien usia lanjut: Tantangan masa depan pendidikan, penelitian dan pelayanan kedokteran di Indonesia. eJKI. 2013 Desember; 1(3):234–42.
13. Abiri B, Vafa M. Vitamin D and sarcopenia. *Adv Obes Weight Manag Control*. 2017; 6(3):1–4.
14. Laskmi P. Frailty syndrome: an emerging geriatric syndrome calling for its potential intervention. *Acta Med Indones-Indones J Intern Med*. 2014 July; 46(3):173–4.
15. Fallah N, Mitniski A, Searle S, Gahbauer E, Gill T, Rockwood K. Transitions in frailty status in older adults in relation to mobility: a multi-state modeling approach employing a deficit count. *J Am Geriatr Soc*. 2011 Mar; 59(3): 524–9.
16. Lee S, Auyeung T, Leung J, Kwok T, Woo J. Transitions in frailty states among community-living older adults and their associated factors. *J Am Med Dir Assoc*. 2014; 15: 281–6.
17. Michel J, Cruz-Jentoft A, Cederholm T. Frailty, exercise and nutrition. *Clin Geriatr Med*. 2015;1–13.
18. Setiati S. Vitamin D status among Indonesian elderly women living in institutionalized care units. *Acta Med Indones- Indones J Intern Med*. 2008; 40(2):78–83.
19. Seo J, Cho H, Eun C, Yoo H, Kim S, Kyung M, et al. Association between visceral obesity and sarcopenia and vitamin D deficiency in older koreans: the ansan geriatric study. *J Am Geriatr Soc*. 2012; 60(4): 700–6.
20. Walrand S. Effect of vitamin D on skeletal muscle. *Geriatr Psychol Neuropsychiatr Vieil*. 2016; 14(2): 127–34.
21. Janssen H, Samson M, Verhaar H. Vitamin D deficiency, muscle function, and falls in elderly people. *Am J Clin Nutr*. 2002; 75(4):611–5.
22. Suzuki T, Kim H, Shimada H, Yoshida Y, Iwasa H, Yoshida H. Low serum 25-hydroxyvitamin D levels associated with falls among japanese community-dwelling elderly. *J Bone Miner Res*. 2008; 23: 1309–17.

23. Annweiler C, Schott A, Motero-Odasso M, Berrut G, Fantino B, Herrmann F, et al. Cross-sectional association between serum vitamin D concentration and walking speed measured at usual and fast pace among older women: The EPIDOS study. *J Bone Miner Res.* 2010; 25(8): 1858–66.
24. Kavadar G, Demircioglu D, Ozgonenel L, Emre T. The relationship between vitamin D status, physical activity and insulin resistance in overweight and obese subjects. *Bosn J Basic Med Sci.* 2015; 15(2): 62–6.
25. Arab L, Adams J, Kim H, Kohlmeier A. Relationship between body mass index and serum 25-hydroxyvitamin D stronger among Caucasians than Africa Americans in NHANES adults 2001-2006. *Open Journal of Epidemiology.* 2012; 2:7–13.
26. Bruyere O, Cavalier E, Buckinx F, Reginster J. Relevance of vitamin D in the pathogenesis and therapy of frailty. *Curr Opin Clin Nutr Metab Care.* 2017; 20: 26–9.
27. Shardell M, Hicks G, Miller R, Kritchevsky S, Andersen D, Bandinelli S, et al. Association of low vitamin D level with the frailty syndrome in men and women. *J Gerontol A Biol Sci Med Sci.* 2009; 64A(1):69–75.
28. Pabst G, Zimmermann A, Huth C, Koenig W, Ludwig T, Zierer A, et al. Association of low 25-hydroxyvitamin D levels with the frailty syndrome in an aged population: results from the kora-age augsburg study. *J Nutr Health Aging.* 2015; 19(3):258–64.
29. Smit E, Crespo C, Ramirez-Marrero F, Michael Y, Andersen R, Bartless E. The effect of vitamin D and frailty on mortality among non-institutionalized US older adults. *European Journal of Clinical Nutrition.* 2012; 66:1024–8.
30. Wilhelm-Leen E, Hall Y, deBoer I, Chertow G. Vitamin D deficiency and frailty in older Americans. *J Intern Med.* ; 268: 171–80.
31. Strandberg T, Pitkala K, Tilvis R. Frailty in older people. *Europ Geriat Med.* 2011; 2: 344–55.
32. Clegg A, Young J, Iliffe S, Rikker M, Rockwood K. Frailty in elderly people. *Lancet.* 2013 Mar; 381(9901): 752–62.
33. Xue Q. The frailty syndrome: definition and natural history. *Clin Geriatr Med.* 2011 Feb; 27(1):1–5.

34. Alencar M, Dias J, Figueiredo L, Dias R. Transitions in frailty status in community-dwelling older adults. *Topics in Geriatric Rehabilitation*. 2015; 31(2): 105–12.
35. Faria G, Ribeiro T, Vieira R, da Silva S, Dias R. Transition between frailty levels in elderly persons from Belo Horizonte, Minas Gerais, Brazil. *Rev Bras Geriatr Gerontol*. 2016; 19(2): 1–7.
36. Moreira V, Lourenco R. Prevalence and factors associated with frailty in an older population from the city of Rio de Janeiro, Brazil: the FIBRA-RJ Study. *Clinics (Sao Paulo)*. 2013 Jul; 68(7): 979–85.
37. Gale C, Cooper C, Sayer A. Prevalence of frailty and disability: finding from the English Longitudinal Study of Ageing. *Age and Ageing*. 2014; 0:1–4.
38. Chen C, Wu S, Chen L, Lue B. The prevalence of subjective frailty and factors associated with frailty in Taiwan. *Arch Gerontol Geriatr*. 2010; 50 Suppl 1: S43–7.
39. Chen X, Mao G, Leng S. Frailty syndrome: an overview. *Clin Interv Aging*. 2014 Mar; 9: 433–41.
40. Li H, Manwani B, Leng S. Frailty, inflammation and immunity. *Aging and Disease*. 2011; 2(6): 466–74.
41. Aguirre L, Villareal D. Physical exercise as therapy for frailty. *Nestle Nutr Inst Workshop Ser*. 2015 November; 83: 83–92.
42. Goisser S, Guyonnet S, Volkert D. The role of nutrition in frailty: an overview. *The Journal of Frailty and Aging*. 2016; 5(2): 74–9.
43. Kobayashi S, Asakura K, Suga H, Sasaki S. High protein intake is associated with low prevalence of frailty among old Japanese women: a multicenter cross-sectional study. *Nutr J*. 2013 Dec; 12:164.
44. Yamada M, Arai H. Predictive value of frailty scores for healthy life expectancy in community-dwelling older japanese adults. *J Am Med Dir Assoc*. 2015; 16: 1002.e7–11.
45. Kojima G. Frailty as a predictor of hospitalization among community-dwelling older people: a systematic review and meta-analysis. *J Epidemiol Comm Health*. 2016; 70(7): 722–9.

46. Kulmala J, Nykanen I, Hartikainen S. Frailty as a predictor of all-cause mortality in older men and women. *Geriatr Gerontol Int.* 2014; 14: 899–905.
47. Kennel K, Drake M, Hurley D. Vitamin D deficiency in adults: when to test and how to treat. *Mayo Clin Proc.* 2010; 85(8): 752–8.
48. Zhang R, Naughton D. Vitamin D in health and disease: current perspectives. *Nutrition Journal.* 2010; 65(9):1–13.
49. Hollick M. Vitamin D deficiency. *N Engl J Med.* 2007; 367: 266–81.
50. Lips P. Relative value of 25(OH)D and 1,25(OH)2D measurement. *Journal of Bone and Mineral Research.* 2007; 22(11):1–4.
51. van Schoor N, Lips P. Worldwide vitamin D status. *Best Practice Research Clinical Endocrinology Metabolism.* 2011; 25: 671–80.
52. Holick M, Binkley N, Bischoff-Ferrari H, Gordon C, Hanley D, Heaney R, et al. Evaluation, treatment, and prevention of vitamin D deficiency: an endocrine society clinical practice guideline. *J Clin Endocrinol Metab.* 2011; 96:1911–30.
53. Setiati S. Vitamin D status among Indonesian elderly women living in institutionalized care unit. *Acta Med Indones-Indones J Intern Med.* 2008 Apr; 40(2):78–83.
54. Rinaldi I, Setiati S, Oemardi M, Aries W, Tamin T. Correlation between serum vitamin D (25(OH)D) concentration and quadriceps femoris muscle strength in Indonesian elderly women living in three nursing homes. *Acta Med Indones-Indones J INtern Med.* 2007 July; 39(3):107–11.
55. Holick M, Binkley N, Bischoff-Ferrari H, Gordon C, Hanley D, Heaney R, et al. Evaluation, treatment, and prevention of vitamin D deficiency: an endocrine society clinical practice guideline. *J Clin Endocrinol Metab.* 2011; 96: 1911–30.
56. Montero-Odasso M, Duque G. Vitamin D in the aging musculoskeletal system: an authentic strength preserving hormone. *Molecular Aspects of Medicine.* 2005; 26: 203–19.
57. Halfon M, Phan O, Teta D. Vitamin D: review on its effects on muscle strength, the risk of fall and frailty. *Biomed Research International.* 2015:1–11.

58. Bischoff-Ferrari H. Relevance of vitamin D in muscle health. *Rev Endocr Metab Disord.* 2012; 13: 71–7.
59. Ceglia L, Niramitmahapanya S, da Silva Moraes M. A randomized study on the effect of vitamin D<sub>3</sub> supplementation on skeletal muscle morphology and vitamin D receptor concentration in older women. *J Clin Endocrinol Metab.* 2013; 98(12): E1927–35.
60. Candido F, Bressan J. Vitamin D. *Int J Mol Sci.* 2014; 15(4): 6569–91.
61. Sai A, Walters R, Fang X, Gallagher J. Relationship between vitamin D, parathyroid hormone and bone health. *J Clin Endocrinol Metab.* 2011; 96: E436–46.
62. Joo N, Dawson-Hughes B, Kim Y, Oh K, Yeum K. Impact of calcium and vitamin D insufficiencies on serum parathyroid hormone and bone mineral density: Analysis of the fourth and fifth Korea National Health and Nutrition Examination Survey. *J Bone Mineral Research.* 2013 April; 28(4): 764–70.
63. Valcour A, Blocki F, Hawkins D, Rao S. Effect of age and serum 25-OH-Vitamin D on serum parathyroid hormone levels. *J Clin Endocrinol Metab.* 2012 Nov; 97(11): 3989–95.
64. Tajar A, Lee D, Pye S, O'Connell M, Ravindrarajah R, Gielen E, et al. The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older european men. *Age and Ageing.* 2013; 42: 352–9.
65. Aranow C. Vitamin D and the immune system. *J Investig Med.* 2011; 59(6): 881–6.
66. Soysal P, Stubbs B, Lucato P, Luchini C, Solmi M, Peluso R, et al. Inflammation and frailty in the elderly: a systematic review and meta-analysis. *Ageing Research Review.* 2016; 31:1–8.
67. Azizieh F, Alyahya K, Raghupathy R. Association between level of vitamin D and inflammatory marker in healthy women. *J Inflamm Res.* 2016; 9: 51–7.
68. Darvin K, Randolph A, Ovalles S, Halade D, Breeding L, Richardson A, et al. Plasma protein biomarkers of the geriatric syndrome of frailty. *J Gerontol A biol Sci Med Sci.* 2013; 1–5.
69. Tribess S, Virtudso Jr JS, Oliveira RJ. Physical activity as a predictor of absence of frailty in the elderly. *Rev Assoc Med Brass.* 2012; 58(3): 341–7.

70. Hirani V, Naganathan V, Cumming R, Blyth F, Le Couteur D, Handelsman D, et al. Associations between frailty and serum 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D concentrations in older Australian men: the concord health and ageing in men project. *J Gerontol A Biol Sci Med Sci*. 2013 September; 68(9): 1112–21.
71. Jung H, Kim S, Ahn S, Lim J, Han J, Kim T, et al. Prevalence and outcomes of frailty in korean elderly population: Comparisons of a multidimensional frailty index with two phenotype models. *Plos One*. 2014 February; 9(2):1–8.
72. Puts M, Lips P, Deeg D. Sex differences in the risk of frailty for mortality independent of disability and chronic diseases. *J Am Geriatr Soc*. 2005; 53: 40–7.
73. Lenardt MH, Carneiro HK, Binotto M, Setoguchi LS, Cechinel C. The relationship between physical frailty and sociodemographic and clinical characteristics of elderly. *Esc Anna Nery*. 2015; 19(4): 585–92.
74. Badrasawi M, Shahar S, Singh DK. Risk factor of frailty among multi-ethnic malaysian older adults. *Int J Geront*. 2017; 11:154–60.
75. Hoogendoijk EO, van Hout H, van Groenou M, Heymans M, van der Horst H, Frijters D, et al. Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. *J Ann Epidem*. 2014; 24: 538–44.
76. Enstrud K, Ewing S, Fredman L, Hochberg M, Cauley J, Hiller T, et al. Circulating 25-hydroxyvitamin D levels and frailty status in older women. *J Clin Endocrinol Metab*. 2010; 95:5266–73.
77. Sheehan KJ, O'Connell MD, Cunningham C, Crosby L, Kenny RA. The relationship between increased body mass index and frailty on falls in community dwelling older adults. *BMC Geriatr*. 2013; 13:132.
78. Porter Starr KN, McDonald SR, Bales CW. Obesity and physical frailty in older adults: a scoping review of intervention trials. *J Am Med Dir Assoc*. 2014 April; 15(4): 240–50.
79. Hubbard RE, Lang IA, Llewellyn DJ, Rockwood K. Frailty, body mass index, and abdominal obesity in older people. *J Gerontol A Biol Sci Med Sci*. 2010; 65A(4): 377–81.
80. Carrillo-Vega M, Garcia-Pena C, Gutierrez-Robledo L, Perez-Zepeda M.

- Vitamin D deficiency in older adult and its associated factors: a cross sectional analysis of the mexican health and aging study. Arch Osteoporos. 2017; 12(8):1–7.
81. Vitezova A, Muka T, Zilikens C, Voortman T, Uitterlinden A, Hofman A, et al. Vitamin D and body composition in the elderly. Clinical Nutrition. 2016 May; 1–8.
82. Rhodes LE, Webb AR, Fraser HI, Kift R, Durkin M, Allan D, et al. Recommended summer sunlight exposure leveis can produce sufficient ( $\geq 20\text{ngml}^{-1}$ ) but not the proposed optimal ( $\geq 32\text{ngml}^{-1}$ ) 25(OH)D levels at UK latitudes. Journal of Investigative Dermatology. 2010; 130:1411–8.
83. Farrar MD, Webb A, Kift R, Durkin M, Allan D, Herbert A, et al. Efficacy of a dose range of simulated sunlight exposures in raising vitamin D status in South Asian adult: implication for targeted guidance on sun exposure. Am J Clin Nutr. 2013; 97:1210–6.
84. Nimitphong H, Holick MF. Vitamin D status and sun exposure in Southeast Asia. Dermato Endocrinology. 2013 Jan; 5(1):34–7.
85. Nakamura K. Vitamin D insufficiency in Japanese populations: from the viewpoint of the prevention of osteoporosis.. J Bone Miner Metab. 2006; 24: 1–6.
86. Lorenzo-Lopez L, Maseda A, de Labra C, Regueiro-Folgueira L, Rodriguez-Villamil JL, Millan-Calenti JC. Nutritional determinants of frailty in older adults: a systematic review. BMC Geriatr. 2017 May; 17: 108.
87. Wong Y, McCaul K, Yeap B, Hankey G, Flicker L. Low vitamin D status is an predictor of increased frailty and all-cause mortality in older men: the health in men study. J Clin Endocrinol Metab. 2013; 98(9):1–8.
88. Trevisan C, Veronese N, Maggi S, Baggio G, Toffanello ED, Zambon S, et al. Factors influencing transitions between frailty states in elderly adults: the progetto veneto anziani longitudinasl study. J Am Geriatr Soc. 2016: 1–6.