

DAFTAR PUSTAKA

- Brown and Snyder (1989), Factors affecting phospholipid on silica from soya oil miscella .I. *Aim. Oil Chem. Soc.* 66 (2) : 209-217.
- Daifullah, A. A. M., Grigis ,B.S.R.Gad, H.M.H. 2003. Utilization of Agro-Residues (Rice Husk) in SmallWaste water treatment Plans. *Mat. Lett*, 57;1723-1731.
- Dewi, Indah T.M dan Hidajati, N (2012), Peningkatan mutu minyak goreng curah menggunakan adsorben bentonit teraktivasi, *Un. J.Chem.* vol 1. No. 2, hal 47-53.
- Droge W. 2002. Free Radicals in the Physiological Control of Cell Function, *Phys. Rev.* Vol 82, No 1 pp 47-95.
- Fernandez, B..R., 2011. Spektroskopi Infra Merah(FT-IR) dan Sinar Tampak (UV-Vis), Universitas Andalas. Hal 2-19.
- G. Doner, S. Akman. 2003. The removal of copper, cadmium and lead by rice husk ash, *Fresenius Environmental Bulletin* Volume: 12(7) : 736-739.
- Ghidurus, M., Turtoi, M., Boskou, G., Niculita, P., Stan, V. 2010. Nutritional and health aspects related to frying. *Rom. Biotech.Lett.* Vol.15, no 6.
- Ginting, F, 2011. Pemurnian Minyak jelantah dengan menggunakan zeolit aktif dan arang aktif. Fakultas Pertanian, Universitas Sumatera Utara.
- Hildayani , T. 2013. Kandungan Zat Gizi Makro Dan Pengaruh Bumbu Terhadap Asam Lemak Bebas Per Porsi Coto Makassar .Undergraduate, Universitas Hasanuddin.
- Kalpathy, U and Proctor,A.2000. A New Method for Free Fatty Acid reduction in Frying Oil Using Silicate film produced from Rics e Hull Ash, *J.Am.Oil Chem.Soc.*, 77 (6) : 593-598.
- Ketaren. 1986. Pengantar Teknologi Minyak dan Lemak Pangan . Jakarta: UI-Press.
- Konig dan Berg. 2002. Effects of exercise on soluble transferrin receptor and other variables of the iron status, *Br. J. Sports Med.* , 36:195-199.
- Krishnamurthy, R.G. dan Vernon C. W. 1996. Salad oil and oil-based dressings. Di dalam : *Bailey's Industrial Oil and Fat Technology; Edible Oil and Fat*

Product: Product and Application Technology Wiley-Interscience
Publication. New York., 4 (3) : 193-224.

- Lin, S., dan Akoh, C.C. dan A.E., Reynold. 1998. "The Recovery of used frying oils with various adsorbents" J. Food Lipids., 5 : 1-16.
- Lin, S., dan C. Casimir. 2001. Recovery of used frying oil with adsorbent combinations : Refrying and Frequent oil Replenishment, J.Food. Res. Inter., 34 : 159-166.
- Maskan, M. dan H.I. Baggci. 2003. The Recovery of Used Sunflower Seed Oil Utilized in Repeated Deep-Fat Frying Process ., Europ. Food. Res and Technol., 218 : 26-31.
- Manique. C. M, Faccini. S. C, Onorevoli. B, Benvenuti. V. E, Caramao. E. B. 2012. Rice husk ash as an adsorbent for purifying biodiesel from waste frying oil. J. homepage: www.elsevier.com/locate/fuel ., 92 (1): 56-61, ISSN: 00162361, ISBN: [00162361](https://doi.org/10.1016/j.fuel.2012.05.011)
- Munaf. E, Rahmiana. Z., Kurniadi. R and Kurniadi. I. 1997. The Use of Rice Husk for Removal of Phenol from Waste Water as Studied using 4-Aminoantipyrine Spectrofotometric method, Environ. Technol., 18: 355-358.
- Munaf. E, Rahmiana. Z. 1997. The Use of Rice Husk for Removal of Toxic Metals from Waste Water , Environ. Technol., 18: 359-362.
- Nattaporn,S and Porjai, T . 2015. Recovery of used frying palm oil by acidified ash from rice husk. J. Food. Sci. Agric. Technol.,1 (1) : 193-196.
- Nur, Ramla, 2012, Pemurnian minyak goreng bekas menggunakan arang aktif dari sabut kelapa, Jurusan Kimia Universitas Negeri Papua.
- P. Jintanawasan, W. Clowutimon, and P. Assawasaengrat. 2011. "Adsorption of congo red by rice husk," presented at the TIChE Conference, Songkhla, Thailand, November : 10-11.
- Pakpahan, F.J., Tambunan, T, Harimby , A, Ritonga, Y.M. 2013. Pengurangan FFA dan warna dari minyak jelantah dengan adsorben serabut kelapa dan jerami. J. Teknik Kimia USU., 2 (1) : 31-36.
- Perdana, A. S. 2007. Budidaya Padi Gogo. Mahasiswa Swadaya Penyuluhan dan Komunikasi Pertanian UGM. Yogyakarta
- Proctor, A., Palaniappan, S., 1990. Adsorption of soy oil free fatty acids by rice hull ash. J.Am.Oil Chem. Soc., 67 (1) : 15±17.

- Przybylski, R. 2000. Effect of oils and fats composition on their frying performance.
- Putra, Alvian. 2012. *Recovery Minyak Jelantah Menggunakan Mengkudu sebagai Absorben*. Prosiding seminar nasional Perteta, Jurusan Teknologi Kimia Industri, Politeknik Negeri Lhokseumawe.
- Qingge Feng., Qingyu Lin., Fuzhong Gong., Shuichi Sugita., Masami Shoya. 2004. Adsorption of lead and mercury by rice husk ash. *J. Colloid and Interface Sci.*, 278 (1) : 1-8.
- Rahayu, T. 2005. Kadar Kolesterol Darah Tikus Putih (*Rattus norvegicus* L) setelah Pemberian Cairan Kombucha Per-Oral. *J. Penelitian Sains dan Teknologi FKIP UMS.*, 6 (2) : 85 – 100.
- Sampaio GR, Bastos D, Soares R, Queiroz Y, Torres E. 2006. Fatty acid and cholesterol oxidation in salted and dried shrimp. *J. Food Chem.* 95:344-351.
- Silverstein, Robert M., Francis X. Webster, & David J. Kiemle. 2006. *Spektrometric Identification of Organic Compound* (7th ed.). John Wiley & Sons, inc. New York.
- Standar Nasional Indonesia minyak goreng.(SNI-3741-2013), Badan standar nasional (BSN).
- Stuart, B. 2004. *Infrared Spectroscopy: Fundamentals and applications*. ANTS. John Wiley & Sons.
- Sumarlin, Ode La., Lela. M., Ratna.I. 2009. Analisis Mutu Minyak Jelantah Hasil Peremajaan Menggunakan Tanah Diatomit Alami dan Terkalsinasi. *J. Valensi.*, 1(4) : 171-180.
- Topallar, H and Bayrak. Y. 1999. Investigation of Adsorption Isotherms of Myristic, and Stearic Acids on Rice Hull Ash., *Turk. J.Chem.*, 23 : 193-198.
- Tutsek, A., Bartha. P.1977. Method of Producing Lowcarbon, white Husk Ash. United States Patent 4,049,464 . 2 September : 1-8.
- Velupillai, L., Mahin, D.B, Warshaw, J.W. & Wailes, E.J. (1997). A study of the market for rice hull-to-energy systems and equipment. Louisiana State University Agricultural Centre, USA.
- Viklund, A.,2008, Teknik Pemeriksaan Material Menggunakan XRF, XRD dan SEM-EDS, (Online), <http://labinfo.wordpress.com/>, diakses tanggal 31 Agustus 2015.

Yang, R. T.2003. “Adsorbents : Fundamentals and Applications”, John Wiley & Sons, Inc., New Jersey , 134.

Yuliana, Veronica .J.S., Nani Indraswati, Bambang Gunantara. 2005. Penggunaan Adsorben untu mengurangi kadar Free Fatty Acid, Peroxide Value dan Warna minyak goreng bekas. J. Tek. Kim. Ind., 4 (2) : 212-218.

