

DAFTAR PUSTAKA

- Alloway, B. V., A. Pribadi, J. A. Westgate, M. Bird, L. K. Fifield, A. Hogg & I. Smith. 2004. Correspondence Between Glass-FT and ^{14}C Ages of Silicic Pyroclastic Flow Deposits Sourced from Maninjau Caldera, West-Central Sumatra. *Earth Planet. Sci. Lett.* 227:121–133.
- Arora, R. & J. M. Julka. 2013. Phenotype and Genotype Differentiation Between Two Stocks of *Tor putitora* (Hamilton) Population (Pisces: Cyprinidae) From Himachal Pradesh, India. *International Journal of Plant, Animal and Environmental Sciences* 3 (3): 31-41.
- Bookstein, F. L. 1982. Foundation of Morphometrics. *Ann. Rev. Ecol. Syst.* 13: 451-470.
- Brown, J. H. & A. C. Gibson. 1983. *Biogeography*. The C.V. Mosby Company. St. Louis-Missouri.
- Cailliet, G. M., M. S. Love & A. W. Ebeling. 1986. *Fishes. A Field and Laboratory Manual on Their Structure, Identification and Natural History*. Waveland Press, Inc.
- Campbell, N. A. Jane B. Reece and Lawrence G. Mitchell. 2000. *Biologi*. Edisi 5. Jilid 3. Alih Bahasa: Wasman manulu. Erlangga. Jakarta.
- Costa, J. L., P. R. de Almeida, & M. J. Costa. 2003. A Morphometric and Meristic Investigation of Lusitanian Toadfish *Halobatrachus didactylus* (Bloch and Schneider, 1801): Evidence of population fragmentation on Portuguese Coast. *Sci. Mar.* 67 (2): 219-231
- de Silva, M.P.K.S.K. Liyanage, N.P.P and Hettiarachi, S. 2006. Intra-specific Morphological Plasticity in Three *Puntius* Species in Sri Lanka. *Ruhuna Journal of Science*. Vol. 1, September 2006, pp. 82-95.
- Dina, R. M, Boer & N. A. Butet. 2011. Profil Ukuran Panjang dan Tingkat Kematangan Gonad Ikan Bada (*Rasbora argyrotaenia*) Pada Alat Tangkap Berbeda di Danau Maninjau. *Oseanologi dan Limnologi di Indonesia* 37 (1) : 105-118.
- Elmer *et al.* 2010. Local Variation and Parallel Evolution: Morphological and Genetic Diversity Across a Species Complex of Neotropical Crater Lake Cichlid Fishes. *Phil. Trans. R. Soc. B* (2010) 365, 1763–1782

- El-Zaem, S. Y. 2011. Phenotype and Genotype Differentiation Between Flat Head Grey Mullet [*Mugil cephalus*] and Thinlip Grey Mullet [*Liza ramada* (Pisces: Mugilidae)]. *African Journal of Biotechnology* 10 (46). 9485-9492.
- Erlania. Rusmaedi., B.P Anjang & H. Joni. 2010. Dampak Manajemen Pakan dari Kegiatan Budidaya Ikan Nila (*Oreochromis niloticus*) di Keramba Jaring Apung Terhadap Kualitas Perairan Danau Maninjau. *Prosiding Forum Inovasi Teknologi Akuakultur*.
- Eschmeyer, W.N. Ed. 2015. Catalog of Fishes Electronic Version. Available from: <http://research.calacademy.org/research/ichthyology/catalog/fishcatmain.asp> (accessed 5 April 2015)
- Fitriadi, A.F. 2013. *Morfometrik dan Meristik Ikan Parang-parang (Chirocentrus dorab Forskal, 1775) di Perairan Bengkalis*. Skripsi. Jurusan Biologi Universitas Riau: Pekanbaru.
- Franssen. N. R., L. K. Stewart dan J.F. Schaefer. 2013. Morphological Difergence and Flow-induced Phenotypic Plasticity in a Native Fish From Anthropogenically Altered Stream Habitats. *Ecology and Evolution*. 3(14): 4648-4657.
- Frankham R. 1999. Quantitative Genetic in Conservation Biology. *Genetics. Pres.Cam.* 74, 237-244.
- Gonawi, G. R. 2009. *Habitat dan Struktur Komunitas Nekton di Sungai Cihideung Bogor, Jawa Barat*. Institut Pertanian Bogor. Bogor
- Haryono, 2001. Variasi Morfologi dan Morfometri Ikan Dokun (*Puntius lateristriga*) di Sumatera. *Biota* 6(3): 109-116.
- Hindar, K. and B. Johnson. 1993. Ecological Polymorphism in Arctic Charr. *Biological Journal of the Linnean Society*. 48: 63-74.
- Hubbs, C. L. & K. F. Lagler. 1958. *Fishes of The Great Lakes Region*. University of Michigan Press, Ann Arbor, Michigan.
- Inger, R. F. dan R. B. Stuebing. 1997. Two New Species Of Frogs From Southeastern Sarawak. *Raffles Bulletin Zoologi*, 44:543-549.
- Inger, R. F and H. K Voris. 2001. Biogeographycal Relations of the Frog and Snake of Sundaland. *Journal of Biogeography* 28: 863-891.
- Jordan J, Hawe D, Kellogg K, Juanes F, Stauffer JrJ. 2007. Small-scale morphological differentiation in a cichlid may provide clues about rapidly diversifying systems. *Afr J Ecol*. 46: 107-109.

- Kerschbaumer. M., P. Mitheroecker dan C. Stumbauer. 2014. Evolution of Body Shape in Sympatric Versus Non-Sympatric *Tropheus* Populations of Lake Tanganyika. *Heredity* 112, 89–98
- Krabbenhoft TJ, Collyer ML, Quattro JM. 2009. Differing Evolutionary Patterns Underlie Convergence on Elongate Morphology in Endemic Fishes of Lake Waccamaw, North Carolina. *Biol J of the Linn Society* 98: 636-645.
- Kottelat, M., A. J. Whitten, S. N. Kartikasari & S. Wirjoatmodjo. 1993. *Freshwater Fishes of Western Indonesia and Sulawesi*. Periplus Eds. (HK) Ltd and EMDI: Indonesia, Singapore.
- Leary RF, FW Allendorf and KL Knudsen. 1985. Development Instability and High Meristic Counts in Interspecific Hybrid of Salmonid Fishes. *Evolution* 39, 1318-1326.
- Lestari. N. 2001. *Komposisi dan Struktur Komunitas Makrozoobenthos di Bawah Jala Apung di Danau Maninjau*. Skripsi. Jurusan Biologi FMIPA. Universitas Andalas. Sumbar.
- LIPI. 2008. Ringkasan Kegiatan Danau oleh Pusat penelitian LIPI. *Limnotek*.16 (2) : 74-87.
- Lumbantobing, D. N. 2014. Four New Species of *Rasbora* of the Sumatrana Group (Teleostei: Cyprinidae) From Northern Sumatra Indonesia. *Zootaxa* 3764 (1): 001-025.
- Marganof., K. D. Latifah., R. Ety & P. Bambang. 2007. Analisis Beban Pencemaran, Kapasitas Asimilasi dan Tingkat Pencemaran dalam Upaya Pengendalian Pencemaran Perairan Danau Maninjau. *Jurnal Perikanan dan Kelautan* 12 (1): 8-14.
- Mboko S. K. , Kohda M. 1995. Pale and Dark Dichromatism Related to Microhabitats in a Herbivorous Tanganyikan cichlid fish, *Telmatochromis Temporalis*. *Journal of Ethology*. 13: 77–83.
- McGlade, J, M. & E. Boulding. 1985. *The Truss: a Geometric and Statistical Approach to the Analysis of Form in Fishes*. *Can. Tech. Rep. Fish. Aquacull. Sei.* No. 147
- McGuigan, K., C. E. Franklin, C. M. Moritz, and M. Blows. 2002. Adaptation of Rainbow Fish to Lake and Stream Habitat. *Evolution*, 51(1):104-118
- Mien, A., Rifai, E. A. Wijaya. 1993. *Reproduksi, Genetika dan Evolusi*. Departemen Pendidikan dan Kebudayaan. Jakarta

- Moyle, P. B., dan Cech, J. J. 2000. *Fishes an Introduction to Ichthyology, Fourth Edition*. Prentice-Hall, Inc: USA
- Naesje, T. F., J. A. Vourinen, & O. T. Sandlund. 2004. Genetic and Morphometric Differentiation Among Sympatric Spawning Stocks of Whitefish (*Coregonus lavaretus* L.) in Lake Femund, Norway. *J. Limnol.* 63(2):233 – 243
- Nakamura, T. 2003. Meristic and Morphometric Variations in Fluvial Japanese Charr Between River System and Among Tributaries of a River System. *Environmental Biology of Fishes.* 66: 133-141
- Nasution S.H., Sulistiono., D.S. Sjafei., & G.S. Haryani. 2004. Variasi Morfologi Ikan Endemik Rainbow Celebensis (*Telmatherina celebensis* Boulenger, 1897) di Danau Towuti Sulawesi Selatan. *Jurnal Akuakultur Indonesia*, 3(2):5-11
- Ostbye, K., T. F. Naesje., L. Bernatchez., O.T.Sandlud & K. Hindar. 2004. Morphological Divergence and Origin of Sympatric Population of European Whitefish (*Coregonus lavaretus* L) in Lake Femund, Norway. *J Evol Biol* 10 1111/j
- Parin, N.V. 1999. FAO Species Identification Guide for Fishery Purposes. The living Marine Resources of the Western Central Pacific. (Mugilidae to Carangidae). Food and Agriculture Organization of the United Nations, Rome. *Bony Fishes* 4(2).
- Peta Kecamatan Tanjung Raya. 2015. <http://www.agamkab.go.id/>. Diakses pada tanggal 22 April 2015.
- Pollar, M., M. Jaroensutasinee, and K. Jaroensutasinee. 2007. Morphometric Analysis of *Tor tambroides* by Stepwise Discriminant and Neural Network Analysis. *World Enformatica Society* Vol. 19:392-396.
- Poulet, N., Y. Royjol, H. Collior, and S. Lok. 2005. Does Fish Scale Morphology Allow the Identification of Population *Leuciscus burdigalensis* in River Viaur (sw france). *Aquat. Sci* Vol. 67: 1223-127.
- Putra, A. A. 2014. Diferensiasi Morfologi Ikan *Nemacheilus pfeifferae* Bleeker, 1853 (*Pisces: Balitoridae*) dari Beberapa Populasi Di Sumatera Barat. Skripsi. Jurusan Biologi FMIPA. Universitas Andalas. Sumbar.
- Rechulicz, J. And Kolejko. M. 2012. Morphological Differences Between Lake and River Populations of Roach (*Rutilus rutilus* L.). *DOI.* 30(1)
- Roesma, D.I. 2009. Aplication of Molecular Genetic in Investigation of Fish (*Rasbora jacobsoni* : Cyprinidae) Variation in West Sumatra. *The International Seminar and Workshop on Advanced Molecular Biology*, Padang.



- Roesma, D. I. 2011. *Diversitas Spesies dan Kekerabatan Genetik Ikan-ikan Cyprinidae di Danau-danau dan Sungai-sungai di Sekitarnya di Kawasan Sumatera Barat*. Disertasi Pasca Sarjana. Jurusan Biologi Universitas Andalas: Padang
- Roesma, D. I. 2013. *Evaluasi Keanekaragaman Spesies Ikan Danau Maninjau. Prosiding Semirata FMIPA Universitas Lampung*
- Rohlf, F. J. 2001. *Numerical Taxonomy and Multivariate Analysis System Version 2.0.2*. Applied Biostatistic Inc. New York.
- Rutaisire J, Booth AJ, Mosambe C, Nyakaana S, Muwanika VB (2005) Morphometric and genetic differentiation of Two *Labeo Victorianus* Populations in Lake Victoria. *African Zool* 40 (2): 309-317.
- Said, D. S. 2009. Bada Si Perak dari Maninjau. *Warta Limnologi* no 44/ Tahun XXII.
- Said, D. S., N.Mayasari. 2010. Pertumbuhan dan Pola reproduksi Ikan Bada *Rasbora argyrotaenia* Pada Rasio Kelamin yang Berbeda. *Limnotek* 17 (2): 201-209.
- Samace SM, Mojazi-Amiri B, Hosseini-Mazinani SM. 2006. Comparison of *Capoeta capoeta gracilis* (Cyprinidae, Teleostei) Population in the South Caspian Sea River Basin, Using Morphometric Ratios and Genetic Markers. *Folia Zoologica* 55: 323-335.
- Santos-Barrera, G. And Urbina-Cardona, J. N. 2011. The Role of the Matrix-edge Dynamics of Amphibian Conservation in Tropical Montane Fragmented Landscapes. *Revista Mexicana de Biodiversidad*. 82:679-687.
- Santoso, P. 2008. *Distribusi dan Diferensiasi Karakter Morfologi Ikan Baung (Hemibagrus velox Tan et Ng: Bagridae) Pada Beberapa Sungai dan Danau di Sumatera Barat*. Tesis Pasca Sarjana Jurusan Biologi Universitas Andalas: Padang.
- Santoso, P., Syaifullah., D.H. Tjong & D.I. Roesma. 2009. Divergensi Morfologi antar Populasi Simpatrik Ikan Baung (*Hemibagrus velox* Tan et Ng) di Danau Singkarak Sumatera Barat. *Makalah Seminar Nasional Biologi PBI Malang*.
- Sasmita. 2001. *Komposisi dan Struktur Komunitas Fitoplankton pada Zona Litoral Danau Maninjau*. Skripsi Sarjana Biologi. Universitas Andalas. Unpublished.
- Skoglund. S, A. Siwertsson, P. A. Amundsen dan Rune K. 2015. Morphological Divergence Between Three Arctic charr Morphs the Significance of the Deep-water Environment. *Ecology and Evolution*; 5(15): 3114–3129

- Soulé, M. E., M. E. Gilpin. 1986. *Minimum Viable Populations, Processes of Species Extinction Conservation Biology The Science of Scarcity and Diversity*. Sinauer Associates- Publishers, Sunderland , pp.19-34. In M.E. Soule (Ed),
- Sprent, P. 1972. The Mathematics of Size and Shape. *Biometric* (28): 23–37.
- Sprent, P. 1989. *Applied Non Parametric Statistical Methods*. Chapman and Hall New York.
- Stiassny, M.L.J., A. Meyer. 1999. *Cichlids of the Rift lakes: The Ekstraordinary Diversity of Cichlid Fishes Challenges Enthrenched Ideas of How Quiqly New Species Can Arise*. Scientific American Publisher.
- Strauss, R. E. & C. E. Bond. 1990. Taxonomic methods: Morphology in Methods for Fish Biology: C. B. Shreck & P. B. Moyle (Eds). *Am. Fish. Soc.* Bethesda, Maryland. USA.
- Strauss, R. E. & F. L. Bookstein. 1982. The Truss: Body Form Reconstruction in Morphometrics. *Syt. Zool.* (31): 113-135
- Swain, D.P. and Foote, C.J. 1999. Stocks and Chamaleons: the use of Phenotypic Variation in Stock Identification. *Fisheries Research*, 43: 113-128.
- Talwar, P. K. & A. G. Jhingran. 1991. *Inland Fishes of India and Adjacent Countries*. Vol. 2, Oxford and IBH Publishing. Co. Pvt. Ltd., New Delhi, India.
- Tang, K.L., Agnew, M.K., Hirt, M.V., Sado, T., Schneider, L.M., Freyhof, J., Sulaiman, Z., Swartz, E., Vidthayanon, C., Miya, M., Saitoh, K., Simons, A.M., Wood, R.M. & Mayden, R.L. 2010. Systematics of the Subfamily Danioninae (Teleostei: Cypriniformes: Cyprinidae). *Molecular Phylogenetics and Evolution*, 57, 189–214.
- Turan, C. 1998. A Note on the Examination of Morphometric Differentiation Among Fish Populations: The Truss System. *Journal of The University of Mustafa Kemal, Faculty of Fisheries, Hatay-Turkey*. Turki.
- Veith, H. J. Kossuoch. A. Olher and A. Dubois. 2001. Morphological and Molecular Variation in Frogs from the Greater Sunda Island (Sumatera, Java, Borneo) with the Definition of Two Species. *Alytes*. 19: 5-28.
- Vitri D.K., D. I. Roesma & Syaifullah. 2012. Analisis Morfologi Ikan *Puntius binotatus* Valenciennes 1842 (Pisces: Cyprinidae) dari Beberapa Lokasi di Sumatera Barat. *Jurnal Biologi Universitas Andalas (J. Bio. UA)* 1(2): 139-143.

Weber, M. & de Beaufort, L.F. 1916. *The Fishes of the Indo-Australian Archipelago. III. Ostariophysi; II. Cyprinoidea, Apodes, Synbranchii*. Brill, Leiden.

Wolpoff, M.H. 1999. *Paleoanthropology*. USA: McGraw-Hill Companies, Inc.

