

## DAFTAR PUSTAKA

1. Noer MS, Soemyarso NA, Subandiyah K, Prasetyo RV. Rekomendasi gagal ginjal akut pada anak: UKK Nefrologi IDAI.; 2014.
2. Chan JC, William DM, Roth KS. Kidney Failure in infant and children. Pediatr Rev 2002;23:47-60.
3. Mehta P, Sinha A, Sami A. Incidence of acute kidney injury in hospitalized children. India Pediatr. 2012;49:537-42.
4. Pudjiadi A, Yuniar I. Gagal ginjal akut In: Pudjiadi AH, Latief A, Budiwardhana N, editors. Buku ajar pediatric gawat darurat. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia; 2013. p. 133-40.
5. Pardede SO, Puspaningtyas NW. Kriteria rifle pada acute kidney injury. Majalah kedokteran FKUI. 2012 April-Juni 2012.
6. Nilawati GAP. Kejadian acute kidney injury dengan kriteria pRIFLE pada unit perawatan intensif anak rumah sakit sanglah denpasar. Sari pediatri. 2012;158-61.
7. Pernefri. 7th report indonesia renal registry. Jakarta: 2014.
8. Annur R, Pabuti A, Amelin F. Clinical spectrum and outcome acute kidney injury in pediatric ward. 2017.
9. Villa P, Jimenez M, Soriano MC, Manzanares J, Cassasnovas P. Serum cystatin C concentration as a marker of acute renal dysfunction in critically ill patient. Crit Care. 2005;9:139-43.
10. Bokenkamp A, Filler G, Hofman W, Bricon TL, Martinez BC, Grub A. Review Cystatin C as a marker of GFR-History, Indication, and Future Research. Clinical Biochemistry. 2005;8: 1-8.
11. Herget-Rosenthal S, Marggraf G, Husing J, Goring f, Pietruck F, Jansen O, et al. Early detection of acute renal failure by serum cystatin C. Kidney int. 2004;66:1115-22.
12. Uzan H, Ozmen Keles M, Ataman R, Aydin S, Kalendaer B, Uslu E, et al. Serum cystatin C level as a potentially good marker for impaired kidney function. Clin Biochem. 2005;38:792-8.
13. Ataei N, Bagargani B, Ameli S, Madani A, Javadilarjani F, Moghtaderi M, et al. Early detection of acute kidney injury by serum cystatin C in critically ill children. Pediatr nephrol. 2013;1-5.
14. Hartati A, Sekarwana N, DLH Dzulfikar. Perbedaan laju filtrasi glomerulus berdasarkan kadar kreatinin dan cystatin C serum pada sindroma nefrotik. Sari pediatri. 2015;16:325-9.
15. Meinardaniawati D, Effendi SH, Rahayuningsih SE. Kadar cystatin C serum sebagai penanda fungsi ginjal bayi prematur. Sari pediatri. 2013;15:17-22.
16. Kurniawan H, Arifin H. Sensitivitas dan spesivitas cystatin C dan kreatinin serum dalam mendiagnosis cedera ginjal akut pada pasien sepsis yang dirawat di ruang rawat intensif RSUP H. Adam Malik Medan. JAP. 2016;4(2):63-71.
17. Andreoli SP. Acute Kidney Injury in Children. Pediatr Nephrol. 2009;24:253-63.

18. Albar H. Acute Kidney Injury in Critically Ill Children at Pediatric Intensive Care Unit. *cdk*. 2013;40:890-3.
19. Bagshaw SM, Bellomo R, Devarajan P, Johnson C, Karvellas CJ, Kutsogiannis DJ et al. Review article; acute kidney injury in critical illness. *Canadian anaesthetist society journal*. 2010;37:983-98.
20. Schrier RW, Wang W, Poole B, Mitra A. Acute renal failure: definitions, diagnosis, pathogenesis, and therapy. *The Journal of Clinical Investigation* 2004;114:10-4.
21. Zuk A, Bonventre JV, Matlin KS. Expression of fibronectin splice variants in the postischemic rat kidney. *Am J Physiol Renal Physiol*. 2005;280:F1037-53.
22. Bonventre JV. Dedifferentiation and proliferation of surviving epithelial cells in acute renal failure. *J Am Soc Nephrol*. 2003;14(suppl 1):S55-61
23. Boventre JV. Mechanisms of Acute Kidney Injury and Repair. *J Am Soc Nephrol*. 2010;1:1-20.
24. Hoste EAJ, Clermont G, Kersten A, Venkataraman R, Angus DC, De Bacquer D. RIFLE criteria for acute kidney injury are associated with hospital mortality in critically ill patient : a cohort analysis. *Crit Care*. 2006;10:R73.
25. Srisawat N, Hoste EEA, JA K. Modern classification of acute kidney injury *Blood Purif* 2010;29:300-7.
26. Biesen WV, Vanholder R, Lameire N. Defining acute renal failure: RIFLE and beyond *Clin J Am Soc Nephrol*. 2006;1: 1314-9.
27. Katibi OS, Adedoyin OT, Anoba S, Sowunmi FO, Olorunsola BO, Ibrahim OR. Current trends in the management of acute kidney injury in children. *Niger J Paed*. 2013;40:314-20.
28. Mussap M, Plebani M. Biochemistry and Clinical Role of Human Cystatin C. *Critical Reviews in Clinical Laboratory Sciences*. 2004;41(5-6):467-550.
29. Kilpatrick ES, Keevil BG, Addison GM. Does adjustment of GFR to extracellular fluid volume improve the clinical utility of cystatin C? *Arch Dis Child*. 2000;82:499-502.
30. Takuwa S, Ito Y, Ushijima K, Uchida K. Serum cystatin C values in children by age and their fluctuation during dehydration. *Pediatr Int*. 2002;44:28-31.
31. Bokenkamp A, Van Wijk J A, Lentze MJ, Stoffel-Wagner B. Effect of corticosteroid therapy on serum cystatin C and beta2-microglobulin concentrations. *Clin Chem*. 2002;48:1123-4.
32. Zaffanello M, Franchini M, Fanos V. Rivew: Is serum cystatin C asuitable marker of renal function in children? *Ann clin lab sci*. 2007;37(3):233-40.
33. Fischbach M, Graff V, Terzic J, Bergere V, Oudet M, Hamel G. Impact of age on reference values for serum concentration of cystatin C in children. *Pediatr Nephrol*. 2002;17:104-6.
34. Bokenkamp A, Domanetzki M, Zinck R, Schumann G, Brodehl J. Reference value for cystatin C serum concentrations in children. *Pediatr Nephrol* 1998;12:125-9.
35. Helin I, Axenram M, Grubb A. Serum cystatin C as a determinat of glomerular filtration rate in children. *Clin Nephrol*. 1998;49:221-5.

36. Finney H, Newman DJ, Thakkar H, Fell JM, Price CP. Reference ranges for plasma cystatin C and creatinine measurements in premature infants, neonates, and older children. *Arch Dis Child.* 2000;82:71-5.
37. Delanaye P, Lambermont B, Chapelle JP, Gielen J, Gerard P, Rorive G. Plasmatic cystatin C for estimation of glomerular filtration rate in intensive care units. *Intensive Care Med.* 2004;30:980-3cd.
38. Safdar Osama, Shalaby Mohammed, Khathlan Norah, Elattal Bassem, Bin Joubah Mohammed, Bukhari Esraa, et al. Serum cystatin is a useful marker for the diagnosis of acute kidney injury in critically ill children: prospective cohort study. *BMC Nephrology.* 2016;17:1-8.
39. Munavalli VP, Dhumale AJ, Khotiwale VA. Serum Cystatin C concentration levels as a marker of acute kidney injury in critically ill patients-a cross sectional study. *JIM 3R.* 2016;4(3):9-14.
40. Rosner M. Renal function testing. *Am J Kidney Disease.* 2006;47:174-83.
41. Alatas H. Gagal ginjal akut. In: Husein Alatas, Partini P, Trihono, Sudung O. Pardede, editors. Buku ajar nefrologi anak. 2 ed. Jakarta: Ikatan Dokter Anak Indonesia; 2002. p. 490-508.
42. Lamb E, Newman DJ, Price CP. Kidney function test In: Burtis CA, Ashwood ER, Bruns DE, editors. Tietz textbook of clinical chemistry and molecular diagnostic Missouri: Elseviers Saunders; 2006. p. 797-828.
43. Frost P, Wise MP. Recognition and early management of the critically ill ward patient. *British Journal of Hospital Medicine.* 2007;68(10):M180-M3.
44. Zager RA. Endotoxemia, renal hypoperfusion, and fever interactive risk factors for aminoglycoside and sepsis-induced acute renal failure. *Am J Kidney Disease.* 1992;2:223-30.
45. Pannu N, Mehta RL. Mechanical ventilation and renal function: an area for concern? *Am J Kidney Disease.* 2002;39(3):616-24.
46. Imai Y. Injurious mechanical ventilation and end-organ epithelial cell apoptosis and organ dysfunction in an experimental model of acute respiratory distress syndrome. *JAMA.* 2003;289(16):2104-12
47. Dahlan MS. Besar sampel untuk desain khusus. In: A S, editor. Besar sampel dan cara pengambilan sampel. Jakarta: Salemba Medika; 2010. p. 81-90.
48. Hui WF, Chan WK, Miu TY. Acute kidney injury in the paediatric intensive care unit: identification by modified RIFLE criteria. *Hong Kong Med J.* 2013;19(1):13-9.
49. Akcan-Arikan A, Zapitelli M, Loftis LL, Jefferson LS, Goldstein SL. Modified RIFLE criteria in critically ill children with acute kidney injury. *Kidney Int.* 2007;71:1026-35.
50. Alkandri O, Eddington KA, Hyder A, Gauvin F, Ducruet T, Gottesman R et al. Acute kidney injury is an independent risk factor for pediatric intensive care unit mortality, longer length of stay and prolonged mechanical ventilation in critically ill children: a two-center retrospective cohort study. *Crit Care.* 2011;15:R146.
51. Shoukath AR, Patil S. Serum cystatin C concentration levels as a marker of acute renal failure in critically ill patient - a cross section study. *Al ameen J Med Sci.* 2014;7(1):65-71.

52. Wulkan R, Hollander J, Berghout A. Cystatin C: unsuited to use as a marker of kidney function in intensive care unit. Crit Care. 2005;9:531-2.
53. Stevens LA, Coresh J, Greene T, Levey AS. Assessing kidney function-measured and estimated glomerular filtration rate. N Eng J Med. 2006;354:2473-83.
54. Sagheb MM, Namazi S, Geramizadeh B, Karimzadeh A, Oghazian MB, Karimzadeh I. Serum cystatin C as marker of renal function in critically ill patients with normal serum creatinine. Nephro Urol Mon. 2014;6(2):e152224.
55. Murty MS, Sharma UK, Kankare SB. Serum cystatin C as a marker of renal function in detection of early acute kidney injury. Indian J nephrol. 2013;23(3):180-3.
56. Waikar S, Betensky R, Emerson S, boventre JV. Imperfect gold standards for kidney injury biomarker evaluation. J Am Soc Nephrol. 2012;23(1):13-21.
57. Herrero-Morin JD, Malaga S, Fernandez N, Rey C, Dieguez MA, Solis G, et al. Cystatin C and beta 2-microglobulin: markers of glomerular filtration in critically ill children. Crit Care. 2007;11:R59.
58. Hassinger AB, Backer CL, Lane JC, Haymond S, Wang D, Wald EL. Predictive power of cystatin C to detect acute kidney injury and pediatric-modified RIFLE class in children undergoing cardiac surgery. Pediatr Crit Care Med. 2012;13:435-40.
59. MS D. Analisis regresi logistik. In: A S, editor. Statistik untuk kedokteran dan kesehatan. 5 ed. Jakarta: Salemba Medika; 2013. p. 197-208.