

DAFTAR PUSTAKA

Abdou HM. Dissolution, Bioavailability, and Bioequivalence. Pennsylavanisa: Mark Publishing Company Easton; 1989.

Adibkia K, Jalali MB, Esfanjani HM, Ghanbarzadeh S, Shokri J, Sabzevari A, Javadzadeh Y. Physicochemical Characterization of Naproxen Solid Dispersions Prepared via Spray Drying Technology. Powder Technology. 2013; 246: 448-455.

Ansel CH. Pengantar Bentuk Sediaan Farmasi Edisi Keempat. Jakarta: UI Press; 2005.

Aulton ME. Aulton's Pharmaceutics The Design and Manufacture of Medicines. New York: Churchill Livingstone Elsevier; 2007.

Cansaran D, Kahya D, Yurdakulol E, Atakol O. Identification and Quantitation of Usnic Acid from the Lichen *Usnea* Species of Anatolia and Antimicrobial Activity. Z. Naturforsch. 2006;61c:773-776.

Chiou WL dan Riegelman S. Review Article: Pharmaceutical Application of Solid Dispersion Systems. Journal of Pharmaceutical Sciences. 1971;60(9).

Cong W, Shen L, Xu D, Zhao L, Ruan K, Feng Y. Solid dispersion of tablets of bresvicapine with polyvinylpyrrolidone K30 for improved dissolution and bioavailability to commercial bresvicapine tablets in beagle dogs. Eur J Drug Metab Pharmacokinet. 2013.

Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: Universitas Andalas; 2004.

Departemen Kesehatan RI. Farmakope Indonesia Edisi Keempat. Jakarta: Departemen Kesehatan RI; 1995.

Departemen Kesehatan RI. Farmakope Indonesia Edisi Kelima. Jakarta: Departemen Kesehatan RI; 2014.

Frizon F, Eloy J de O, Donauzzi CM, Mitsui ML, Marchetti JM. Dissolution rate enhancement of loratadine in polyvinylpyrrolidone K-30 solid dispersions by solvent methods. Powder Technology. 2013;235:532-539.

Ingolfsdottir K. Usnic Acid. Phytochemistry. 2002;61(7):729–736.

Jahangiri A, Jalali MB, Garjani A, Javadzadeh Y, Hamishehkar H, Afrozian A, Adibkia K. Pharmacological and histological examination of artovastatin-PVP K30 solid dispersions. Powder Technology. 2015;286:538-545.

Leuner C, Dressman J. Improving drug solubility for oral delivery using solid dispersions. European journal of pharmaceutics and biopharmaceutics. 2000; 50: 47-60.

Madamombe IT, Afolayan AJ. Evaluation of antimicrobial activity of extracts from South African Usnea barbata. Pharmaceutical Biology. 2003;41:199-202.

Nikghalb LA, Singh G, Singh G, Kahkeshan KF. Solid Dispersion; Methods and Polymers to increase the solubility of poorly soluble drugs. Journal of Applied Pharmaceutical Science. 2012;2(10):170-175.

Odabasoglu F, Cakir A, Suleyman H, Aslan A, Bayir Y, Halici M, Kazaz C. Gastroprotective and antioxidant effects of usnic acid on indometachin-induced gastric ulcer in rats. Journal of Ethnopharmacology. 2006;103:59-65.

Okuyama E, Umeyama K, Yamazaki M, Kinoshita Y, Yamamoto Y. Usnic acid and diffractaic acid as analgesic and antipyretic components of *Usnea diffracta*. Planta Med. 1995;61:113-115.

O'Neil, MJ. The Merck Index-An Encyclopedia of Chemicals, Drugs, and Biologicals. 13th Edition. Merck and Co. Inc. 2001; 1762.

O'Neil MA, Mayer M, Murray KE, Rolim-Santos HML, Santos-Magalhaes NS, Thompson AM, Appleyard VCL. Does usnic acid affect microtubules in human cancer cells?. Braz, J.Biol. 2009;X:XXX-XXX.

Patel RP, Patel MP, Suthar AM. Spray drying Technology: An Overview. Indian Journal of Science and Technology. 2009;2(10):44-47.

Patel BB, Patel JK, Chakraborty S, Shukla D. Review: Revealing facts behind spray dried solid dispersion technology used for solubility enhancement. Saudi Pharmaceutical Journal. 2015;23:352-365.

Paudel ZA, Worku JM, S Guns, G Van den M. Manufacturing of solid dispersions of poorly water soluble drugs by spray drying: Formulation and process considerations. Int. J. Pharm. 2012; (In Press, Corrected Proof).

Rankovic B, Kosanic M, Stanojkovic T, Vasiljevic P, Manojlovic N. Biological Activities of *Toninia candida* and *Usnea barbata* together with their norstictic acid and usnic acid constituents. International journal of molecular science. 2012; 13: 14707-14722.

Rowe RC, Sheskey PJ, Quinn ME. *Handbook of Pharmaceutical Excipients 6th editions.* London: Pharmaceutical Press; 2009.

Sangster J. LogKow Databank. Sangster Res Lab. Montreal, Quebec, Canada. 1993.

Sosnik A, Seremeta KP. Advantages and challenge of the spray-drying technology for the production of pure drug particles and drug-loaded polymeric carriers. Advances in Colloidal and Interface Science. 2015.

Savjani KT, Gajjar AK, Savjani JK. Drug solubility: importance and enhancement techniques. International Scholarly Research Network. 2012.

Shargel L, Yu ABC. Applied biopharmaceutics and pharmacokinetics (2th edition). New York: Appleton & Lange; 1988.

Singh A, Mooter G van den. 2015. Spray drying formulation of amorphous solid dispersions. *Adv.Drug Deliv. Rev.* 2015;XXX:XXX-XXX.

Song Y, Wang L, Yang P. Physicochemical characterization of felodipine-kollidon VA64 amorphous solid dispersions prepared by hot-melt extrusion. *J Pharm Sci.* 2013;102:1915–1923.

Tantishaiyakul T, Kaewnpparat N, Ingkatawornwong S. Properties of solid dieprsons of piroxicam in polyvinylpyrrolidone K-30. *International Journal of Pharmaceutics.* 1996; 143: 59-66.

Vijayakumar CS, Viswanathan S, Kannappa RM, Parvathavarthini S, Kundu AB, Sukumar E. Antiinflammatory activity of (β)-usnic acid. *Fitoterapia.* 2000;7:564–566.

Włodarski K, Tajber L, Sawicki W. Physicochemical properties of direct compression tablets with spray dried and ball milled solid dispersions of tadalafil in PVP-VA. *European Journal of Pharmaceutics and Biopharmaceutics.* 2016;109:14-23.

Zaini E, Lili F, Muthia F. Preparation of Efavirenz- PVP -30 Solid Dispersion by Spray Drying Technique. *Research Journal of Pharmaceutical, Biological and Chemical Sciences.* 2015; 927.