

DAFTAR PUSTAKA

Abdelrazek E.M., Elashmawi I.S. & Labeeb S., Chitosan Filler Effect on The Experimental Characterization, Spectroscopic, Investigation and Thermal Studies of PVA/PVP Blend Films, *Phys. B : Condens. Matter.* 2010;405(8)2021-2027.

Alebachew, T., Yismaw, G., Derabe, A., Sisay, Z. *Staphylococcus aureus* Burn Wound Infection among Patients Attending Yekatit 12 Hospital Burn Unit. *Ethiop. J. Sci.* 2017;24(4),209–212.

Araujo, A.A.S., De Melo M.G.D., Rabelo T.K., Nunes. P,S, Santos L. Review of The Biological Properties and Toxicity of Usnic Acid. *Natural Product Research: Formerly Natural Product Letters*; 2015.

Atiyeh, B.S., Hayek S.N. & Gunn S.W. New Technologies for Burn Wound Closure and Healing. *Burns.* 2005; 3(8),944–956.

Bergstrom, D. H., Waranis, R. P. & Rahman, M. S. *Capsules. Soft.* In R.C;2009.

Boateng, J. S., Matthews, K. H., Stevens, H. N. Eccleston, G. M. Wound Healing Dressings and Drug Delivery Systems: A Review. *J. Pharm.Sci.* 2008;97(8),2892-2923.

Bourtoom T. Plasticizer Effect on The Properties of Biodegradable Blend Film from Rice Starch-Chitosan. *Songklanakarin J. Sci. Technol.* 2008; 30, 149-165.

Brunicardi F.C., Anderson D., Dunn D.L. *Schwartz's Principles of Surgery 8th ed.* New York : McGrawHill Medical Publishing; 2005.

Bruno, M., Beatrice T., Bruno B., Elia R., Simona M., et al. 2013. (+)-Usnic Acid Enamines with Remarkable Cicatrizing Properties. *Bioorganic & Medicinal Chemistry* 21.2013;1834–1843.

Budavari, S. *The Merck Index*, 12 Ed. White House USA : Merck & Co. Inc

Carter, S.S. *Dispensing Pharmaceutical Students (12th Edition)*. London: Pittman Medical;1975

Chauhan B, Shimpi S, Paradkar A. Preparation and Evaluation of Glibenclamide Polyglycolized Glycerides Solid Dispersions with Silicon Dioxide by Spray Drying Technique. *Eur. J. Pharm. Sci.* 2005;26, 219-230.

Chiou WL., Riegelman S. Pharmaceutical Application of Solid Dispersion Systems. *J. Pharm Sci.* 1971;60(9),1281-1302.

Church, D., Sameer E., Owen R., Brent W., & Robert, L. Burn Wound Infection. *Clinical Microbiology Review*.2006;(4),403-434.

Cockbill, SME. *Dressing in Wound Management*. In J. Swarbrick (Ed.), Encyclopedia of Pharmaceutical Technology (Third edition.,Vol. 2). USA: Informa healthcare; 2007.

Contran R.S., Kumar V, Collins T. *Pathology Basic of Disease (6th ed)*. Philadelphia: WB Saunders Co; 1999.

Curd FH, Robertson A, Stephenson R. 40 Lichen acids. Part IV. Atranorin. *J Chem Soc.* 1933;0:130–3.

David J.L., Wolff K, Lowel A.G., Stephen L.K., Barbara A.G., Amy S.P. Fitzpatrick's *Dermatology in General Medicine (7th ed)*. New York : McGrawHill Medical Publishing; 1999.

Departemen Kesehatan Republik Indonesia. *Farmakope Indonesia* (Edisi Keempat). Jakarta; 1995.

Departemen Kesehatan Republik Indonesia. *Farmakope Indonesia* (Edisi Kelima). Jakarta; 2014.

Dhirendra, S. Lewis, N. Udupa, K. Atin, Solid Dispersions: A Review, *J.Pharm.Sci.* 2009;22,234–246.

Dorszynska, M.M., Wezgrzyn G. & Krzemimiriska B.G. Antibacterial Activity of Lichen Secondary Metabolite Usnic Acid is Primarily Caused by Inhibition of RNA and DNA Synthesis. *FEMS Microbiology Letters*. 2014; 353,57–62.

Douglas, Helen E., Jonathar A dunne., Jeremy M Rawlins. Management of burns. *Wound Management*. Volume 35, Issue 9, Pages 511–518.

Elo, H., Matikainen, J., Pelttari, E. Potent Activity Of The Lichen Antibiotic (+)-Usnic Acid Against Clinical Isolates Of Vancomycin-Resistant *Enterococci* And *Methicillin-Resistant Staphylococcus aureus*. *Naturwissenschaften*. 2007;94,465–468.

Evers, L.H., Bhavsar D., Mailander P. The Biology of Burn Injury. *Experimental Dermatology*. 2010;19(9),777–783.

Febriyenti, Azmin, N. & Baie, S. Mechanical Properties and Water Vapour Permeability of Film from Haruan (*Channa striatus*) and Fusidic Acid Spray for Wound Dressing and Wound Healing. *Pak. J.Pharm.Sci.* 2010;23(2),155-159.

Febriyenti, Fitria, N., Mohtar, N., Umar, S., Noviza, D., Rineldi, S., Yunirwanti & Bai, S. Honey Gel and Film for Burn Wound. *Int. J. Drug Dev.* 2014;6(1),01-06.

Felton, L. A., O Donnell, P. B. & McGinity, J. W. Mechanical Properties of Polymeric Films Prepared from Aqueous Dispersions. *Drugs Pharm. Sci.* 2008;176, 105.

Ford, J.L. The Current Status of Solid Dispersion. *Pharmaceutica Acta Helveticae*. 1985;61(3), 69-88.

Hauck M., Sascha-Rene J. Usnic Acid Controls The Acidity Tolerance of Lichen. *Environmental Pollution* 156(1), 115-222.

Hermans, M.H.E. A General Overview of Burn Care. *International Wound Journal*. 2005;2(3), 206–220.

Huang, Z., Junyan T., Jinlan R., Chongming L. & Guohua Z. Anti-Inflammatory Effects and Mechanisms of Usnic Acid, A Compound Firstly Isolated from Lichen *Parmelia Saxatilis*. *Journal of Medicinal Plant Research*. 2014;Vol. 8(4),197-207.

Jia Y.T., Jian G., Xiao-Hua G & Xin-Yuan S. Fabrication and Characterization of Poly (vinyl alcohol)/Chitosan Blend Nanofiber Produced by Electrospinning Method. 2007;67(3), 403-409.

Joseph, A., Taewon Lee., Carrie L. Moland, William S. Branham., et al. Effect Of (+)-Usnic Acid on Mitochondrial Functions as Measured by Mitochondria-Specific Oligonucleotide Microarray in Liver of B6C3F₁ Mice. *Mitochondrion*. 2009;9,149–158.

Khalidazia. Optimasi Jenis dan Konsentrasi *Plastisizer* pada Formulasi Membran Ekstrak Belut (*Monopterus Albus*. [Skripsi]. Padang : Universitas Andalas; 2016.

Khan, T. A., Peh, K. K. & Ch'ng, H. S. Mechanical, Bioadhesive Strength and Biological Evaluations of Chitosan Films for Wound Dressing. *J.Pharm. Pharmaceut. Sci.* 2000;3(3),303-311.

Kim H.Y & Lee J.S. Role of Molecular Weight of Atactic in the Structure and Properties of PVA Nanofabric by Electrospinning. *J Appl Polym Sci.* 2004;93(4),1638-1646).

Knop W. Chemisch-physiologische Untersuchung über die Flechten. *Justus Liebigs Ann Chem.* 2006;49:103–24.

Kumar, G.P., Prashanth, N., & Kumari. B. C. Fundamentals and Application of Lyophilization. *Journal of Advanced Pharmaceutical Research 2nd edition.* 2011;4,157-169.

Kumar, R., Sinha, V.R. Preparation and Optimization of Voriconazole Microemulsion for Ocular Delivery. *Colloid. Surf. B.* 2014;117, 82-88.

Kuncari, E.S., Iskandarsyah dan Praptiwi. Evaluasi, Uji Stabilitas Fisik dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin dari Perasan Herba Seledri. *Penelit. Kesehat.* 2014;42(4), 213-222.

Lachman, L., H. A. Lieberman & J. L. Koning. *Teori dan Praktek Farmasi Industri, Edisi ketiga.* Diterjemahkan oleh Siti Suyatmi, J. Kawira dan Iis Aisyah. Jakarta: Universitas Indonesia; 1944.

Lambers, H., Sara L. H., A. Bloem., H. Pronk, P. Finkel., Natural skin surface pH is on average below 5, which is beneficial for its resident flora. *International Journal of Cosmetic Science.* 2006;28(5).

Lauterwein, M., Oethinger, M., Belsner, K., Peters, T., Marre, R. In Vitro Activities of The Lichen Secondary Metabolites Vulpinic Acid, (+)-Usnic Acid, And (-)-Usnic Acid Agaists Aerobic and Anaerobic Microorganism. *Antimicrob. Agents Chemother.* 1995;39, 2541-2543.

Lewis, R.J., Sr (Ed.). *Hawley's Condensed Chemical Dictionary.* 12th ed. New York, NY: Van Nostrand Rheinhold Co;1993.

Macleod, G. S., Fell, J. T. & Collett, J. H. Studies on the Physical Properties of Mixed Pectin/Ethylcellulose Films Intended for Colonic Drug Delivery. *Int. J. Pharmaceut.* 1997;157(1),53-60.

Mapara, M., Btsy S.T & K. M. Bhat. Rabbit as an Animal Model for Experimental Research. *Dent Res J (Isfahan).* 2012;9(1), 111-118.

Martin A, Swarbrick J, Cammarata A. Farmasi Fisik (Edisi 3). Penerjemah: Yoshita. Jakarta: Universitas Indonesia; 2008.

Moenadjat, Y. Luka Bakar, *Penatalaksanaan Awal.* Jakarta : Fakultas Kedokteran Universitas Indonesia; 2001.

Moenadjat, Y. *Luka Bakar, Pengetahuan Klinis Praktis*. Jakarta : Fakultas Kedokteran Universitas Indonesia; 2003.

Mogal, S. Solid Dispersion Technique for Improving Solubility of Some Poorly Soluble Drugs. *Scholars Research Library Der Pharmacia Lettre*. 2012;(5),1574-1586.

Mulder, M. *Basic Principle of Membrane Technology*. London: Kluwer Academic Publishers; 1996.

Nireesha. G. R., L. Divya., C. Sowmya., N. Venkateshan., M. Nirajan Babu., & V. Lavakuma. *Lyophilization/Freeze Drying – An Review*. ISSN:2277-2782; 2013.

Nunes, P.S., Albuquerque-Junior R.L.C., Cavalcante D.R.R., Dantas M.D.M., Cardoso J.C., Collagen-Based Films Containing Liposome-Loaded Usnic Acid as Dressing for Dermal Burn Healing. *Journal of Biomedicine and Biotechnology*. Volume 2011;Article ID 761593, 9 pages

O'Neil, M. J. *The Merck Index, An Encyclopedia of Chemicals, Drugs, and Biologicals. 13th Edition*. Whitehouse Station, NJ: Merck and Co. Inc; 2001.

Pan SC, Li WW, Chung LC, Shyh JS, Haw YC. Deep Partial Thickness Burn Blister Fluid Promotes Neovascularization in The Early Stage of Burn Wound Healing. *Wound Repair and Regeneration*. 2009;18,311-8.

Pires, R.H., Lucarini, R., Mendes-Giannini., M.J. Effect of Usnic Acid on *Candida orthopsisilosis* and *C. parapsilosis*. *Antimicrob. Agents Chemother*. 2012;56,595-597.

Qu, L.J. Preparation and properties of Polyvinyl Alcohol/Polyvinilpirrolidon Blend Films. *Applied Mechanics and Materials*. 2011;44-47, 2381-2384.

Rankovic B., Kosanic M., Stanojkovic T., Vasiljevic P., & Manojlovic N. Biological Activities of *Toninia candida* and *Usnea barbata* Together with Their Norstictic Acid and Usnic Acid Constituents. *Int. J. Mol. Sci.* 2012;(13)14707-14722

Rowe, Raymond C., Paul J Sheskey, Marian E Quinn. *Handbook of Pharmaceutical Excipients (sixth edition)*. UK : Pharmaceutical Press and American Pharmacists Association; 2009.

Rupal, J., Kaushal, J., Mallikarjuna, S. C. & Dipti, P. Preparation and Evaluation of Topical Gel of Valdecoxib. *Int. J. Pharm. Sci. and Drug Research*. 2010;2(1),51-54.

Rismana, E. Pengembangan Formulasi Sediaan Wound Healing Menggunakan Bahan Aktif Kitosan dan Ekstrak Pegagan, BPPT, Jakarta; 2010.

Sadikoglu, Esin & Cemal Zehir. Investigating The Effects of Innovation and Employee Performance on The Relationship between Total Quality Management Practices and Firm Performance: An Empirical Study of Turkish Firms. *Int. J. Production Economics* 2010;127,13-26.

Sangster J. LogKow Databak. Sangster Res. Lab., Montreal, Quebec, Canada; 1993.

Sezer, A. D., Hatipoglu, F., Cevher, E., Ogurtan, Z., Bas, A. L. & Akbuga, J. Chitosan Film Containing Fucoidan as a Wound Dressing for Dermal Burn Healing: Preparation and In Vitro/In Vivo Evaluation. *AAPS PharmSciTech.* 2007;8(2), 94-101.

Sjamsuhidajat, R. & De Jong W. *Buku Ajar Ilmu Bedah.* Jakarta: EGC; 2005.

Sridhar, I., Doshi, A., Joshi, B., Wankhede, V., & Doshi, J. Solid Dispersion : An Approach to Enhance Solubility of Poorly Water Soluble Drug. *J.of Scientific and Innovative Research,* 2013;2(3), 685-694.

Stark, J. B., Walter, E. D., & Owens, H. S. Method of isolation of usnic acid from Ramalina reticulata. *Journal of the American Chemical Society,* 1950;72(4), 1819-1820.

Stashak, T. S., Farstvedt, E. & Othic, A Update on Wound Dressings: Indications and Best Use. *Clinical Techniques in Equine Practice.* 2004;3(2),148-163.

Struck MB, et al., Effect of a Short-term Fast on Ketamine-xylazine Anasthesia in Rats. *J Am Assoc Lab Anim Sci.* 2011.

Sujono T.A., Ully N.W.H, T.N. Saifullah S. Efek Gel Ekstrak Herba Pegagan (Centella asiatica L. Urban) dengan Gelling Agent Hidroksipropil Methylcellulose terhadap Penyembuhan Luka Bakar Pada Kulit Punggung Kelinci. *Biomedica.* 2014;6(2).

Tamri, P., Aliasghar H & Mehri G. B. Wound Healing Properties of Quince Seed Mucilage : In Vivo Evaluation in Rabbit Full-thickness Wound Model. *International Journal of Surgery.* 2004;(12), 843-847.

Teagarden, D.S. Baker, Practical Aspects of Lyophilization Using Non-Aqueous Co-Solvent Systems, *Eur. J. Pharm. Sci.* 2002;15,115–133.

Tran, Thao TD & Tran, Phuong HL. Perspectives on Strategies Using Swellable Polymers in Solid Dispersions for Controlled Drug Release. *Current pharmaceutical design.* 2017;23(11),1639-1648

U.S.P. *The United States Pharmacopeia, USP 32 The National Formulary, NF 25.* Rockville, MD: U.S. Pharmacopeial Convention, Inc; 2009.

U.S.P. *Transdermal Drug Delivery Systems-General Drug Release Standards, USP 23* The National Formulary, NF 18, Apparatus 5. Rockville, MD: U.S. Pharmacopeial Convention, Inc; 1995.

Vasanthavada, M., Tong, W. Q., Joshi, Y. & Kislalioglu, M. S. Phase Behavior of Amorphous Molecular Dispersion I : Determination of The Degree and Mechanism of Solid Solubility. *Pharmaceutical research.* 2004;21(9), 1598-1606.

Verma, P. R. P. & Iyer, S. S. Controlled Transdermal Delivery of Propranolol Using HPMC Matrices: Design and In-Vitro and In-Vivo Evaluation. *J. Pharm. and Pharmacol.*, 2000;52(2), 151-156.

Voight, R. *Buku Pelajaran Teknologi Farmasi edisi 5.* Diterjemahkan oleh Dr. Soendani Noerono. Yogyakarta : UGM Press; 1994.

Waard, W.L.J. Hinrichs, M.R. Visser, C. Bologna. H.W. Frijink, Unexpected Differences in Dissolution Behavior of Tablets Prepared from Solid Dispersions with A Surfactant Physically Mixed or Incorporated, *International Journal of Pharmaceutics*, 2008;349,66–73.

Wang, X., Michoel, A. & Van den Mooter, G. Solid State Characteristics of Ternary Solid Dispersions Composed of PVP VA64, Myrj 52 and Itraconazole. *Int J. of Pharmaceutics.* 2016;303(1),54-61

White, P.A.S., Rita C.M.O., Aldeidia P.O., Mairim R. S., Adriano A. S., Araujo. Antioxidant Activity and Mechanisms of Action of Natural Compounds Isolated from Lichens: A Systematic Review. *Molecules.* 2014;19,14496-14527.

Yilmaz M., Aysen O. T., Turgay T. & Merih K. The Antimicrobial Activity of Extracts of The Lichen *Cladonia foliacea* and Its (D)-Usnic Acid, Atranorin, and Fumarprotocetraric Acid Constituents. *Zeitschrift für Naturforschung C.* 2003;59,249–254.

Zaman,, Hadyar U., J.M.M. Islam, Mubarak A. Khan, Ruhul A. Khan. Physico-Mechanical Properties of Wound Dressing Material and Its Biomedical Application. *Journal of the Mechanical Behavior of Biomedicinal Materials.* 2011;(4), 1369-1375.