


SKRIPSI

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PEMBERIAN ASI
EKSKLUSIF PADA IBU YANG MEMILIKI BAYI USIA 6-12 BULAN DI
WILAYAH KERJA PUSKESMAS AIR DINGIN KOTA PADANG**



**FAKULTAS KEPERAWATAN
UNIVERSITAS ANDALAS
2018**

Program Studi S1 Keperawatan

Fakultas Keperawatan

Universitas Andalas

Juli, 2018

Nama : SITI HAMIDAH

BP : 1411312025



Angka kematian bayi di Indonesia masih cukup tinggi. Pemberian ASI secara eksklusif dapat menekan angka kematian bayi selama 6 bulan pertama kehidupan. Sementara angka pemberian ASI eksklusif di Indonesia masih rendah dibawah angka 80%. Penelitian ini bertujuan untuk melihat faktor-faktor yang berhubungan dengan pemberian ASI eksklusif di wilayah kerja Puskesmas Air Dingin Kota Padang. Jenis penelitian ini adalah penelitian kuantitatif, dengan pendekatan *cross sectional study*. Pengambilan data dilakukan pada bulan Februari sampai Juli 2018. Sampel dalam penelitian ini adalah ibu yang memiliki bayi usia 6-12 bulan yang berjumlah 164 orang diambil secara *purposive sampling*. Pengumpulan data dilakukan dengan menggunakan kuisioner. Data diolah dan dianalisa dengan tabel distribusi frekuensi kemudian diuji dengan uji *chi square*. Hasil penelitian didapatkan bahwa pemberian ASI eksklusif (39%) dan tidak ASI eksklusif (61%). Terdapat hubungan yang bermakna antara pendidikan dengan pemberian ASI eksklusif dengan nilai ($p = 0,029$) dan terdapat hubungan yang bermakna antara pekerjaan, pengetahuan, dukungan suami dan efikasi diri dengan pemberian ASI eksklusif dengan nilai ($p = 0,000$). Diharapkan Puskesmas dapat meningkatkan pelayanan kesehatan ibu dengan anak dengan mengikutsertakan peran keluarga supaya ibu sadar akan pentingnya pemberian ASI eksklusif.

Kata kunci : ASI eksklusif, pengetahuan, dukungan suami, efikasi

Daftar pustaka : 65 (2001-2017)

Study Program Undergraduate Nursing


Nursing Faculty

Andalas University

July, 2018

Name : SITI HAMIDAH

Registered number : 1411312025



The rate of infant mortality in Indonesia is still quite high. Breastfeeding exclusively can suppress the infant mortality during the first 6 months of life. Meanwhile, the rate of exclusive breastfeeding in Indonesia is still low, less than 80%. This study aimed to study the factors related to exclusive breastfeeding in the working area of Air Dingin Health Center, Padang city. This research was a quantitative research, with an approach of cross sectional study. The data were collected from February to July 2018. The samples of this study were mothers with infants 6-12 months old, which has the number of 164 people taken by purposive sampling. Data collection was done by using questionnaire. The data were processed and analyzed by frequency distribution table then tested by chi square test. The results showed that exclusive breast feeding fell into (39%) and not exclusive breastfeeding was (61%). There was a significant relationship between education and exclusive breastfeeding with values ($p = 0.029$) and there was a significant relationship between occupation, knowledge, husband support and self efficacy with exclusive breastfeeding with value ($p = 0.000$). It is expected that Puskesmas can improve maternal health services with children by involving the role of family so that the mother would be aware of the importance of exclusive breastfeeding.

Keywords: exclusive breastfeeding, knowledge, husband support, self-efficacy

Bibliography: 65 (2001-2017)