

DAFTAR PUSTAKA

- Aderinola O. A1., Binuomote R. 2012. Comparative study on the *in -vitro* digestibility of *Moringa oleifera*, *Gliricidia sepium* and *Blighia sapida*. International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 Impact Factor (2012): 3.358.
- Adrizal, P. H. Patterson, R. M. Hulet, and R. M. Bates. 2006. Growth and foliar nitrogen status of four plant species exposed to atmospheric ammonia. J. Environ.Sci. Health-B 41:1001-1018
- Adrizal, P. H. Patterson, R. M. Hulet, R. M. Bates, C.A.B Mayer, G.P. Martin, R.L. Shockley. 2008.n Vegetative buffer for emission from poultry farm. 2. Ammonia, dust and foliar nitrogen. Journal of Environmental and Health Part B (2008) 43; 96 – 103.
- Adrizal, P. H. Patterson, R. M. Hulet, R. M. Bates, D. A. Despot, E. F. Wheeler, P. A. Topper, D. A. Anderson, and J. R. Thompson. 2008. The potential for plants to trap emissions from farms with laying hens: 2. Ammonia and dust. J. Appl. Poult. Res. 17:398-411.
- Adrizal, P. Patterson, T. Cravener, and G. Hendricks. 2011. Egg yolk and serum antibody titers, and manure nutrients of broiler breeder hens immunized with uricase or urease. Poult. Sci. 90:2162-2168
- Ahn, J.H., B. M. Robertson, R. Elliot, R.C. Gutteridge and C.W. Ford. 1989. Quality assessment of tropical browse legumes: tannin content and protein degradation. Animal Feed Sci & Tech. 27: 147-157.
- Anitha K, C., Rajeshwari YB, Prasanna SB and Shilpa Shree J. 2013. Nutritive evaluation of azolla as livestock feed. Journal of Experimental Biology and Agricultural Sciences. November - 2016; Volume – 4(Issue-6) <http://www.jebas.org>. ISSN No. 2320 – 8694
- AOAC. 2005. Official Methods of Analysis of the Assosiation of Analytical Chemist Internasional. 18th edn. Assosiation of Official Analitycal Methods Chemists. Gathersburg. MD. USA.
- Arimby.C, Wahyu Lestari, Yelmida Azis. 2014.Pemanfaatan Azolla Pinnata R. Br Dalam Penyerapan Zn Dari Limbah Cair Pabrik Karet Sebagai Fitoremediator. Jom Fmipa Volume 1 No. 2 Oktober 2014.
- Arifin,Z. 1966. Azolla, Pembudidayaan dan Pemanfaatan pada Tanaman Padi. Penebar Swadaya, Jakarta.

- Astuti, W. 2001. Kecernaan *in vitro* dan *in sacco* kulit kayu yang mendapat perlakuan NaOH dan Urea. Skripsi. Fakultas Peternakan. Institut Pertanian Bogor. Bogor
- Ayers, G. P. and Grass J.L. 1980. Ammonia Gas Concentration Over the Southern Ocean. Nature 284: 539-540.
- Bacerra, M., T. R. Preston, and B. Ogle. 1995. Effect of replacing whole boiled soybeans with azolla in the diets of growing ducks. Livestock Res. Rur. Develop. 7:1-11.
- Bamhart, S. K. 1999. How Pasture Plants. Grow. <http://www.ars.usda.gov>.
- Benefield, Lary. D and Randall Clifford W. 1980. Biological Process Design for Waste Water Treatmen, Prentice-Hall Inc, Englewood Cliffs NJ 07632.
- Bilal., M. Q.2009. Effect of molasses and corn as silage additives on the characteristicsof mott dwarf elephant grass silage at different fermentationperiods. Pakistan Vet. J., 2009, 29(1): 19-23.
- Bittman, S., and R. Mikkelsen. 2009. Ammonia emissions from agricultural operations: livestock. Better Crops 93:28-31.
- Boyd, C.E. 1990. Water quality in ponds for aquaculture. Alabama Agricultural Experiment Station, Auburn University, Alabama. 482 p.
- Brasseur, G. P., J. J. Orlando, and J. S. Tyndall. 1999. Atmospheric chemistry and global change. Oxford University Press. New York, USA.
- Budiman, R. D. Soetrisno, S. P. S. Budhi and A. Indrianto. 2012. Morphological characteristics, productivity and quality ofthree napier grass (*Pennisetum purpureum* Schum) cultivarsharvested at different age. J. Indonesian Trop.Anim.Agric. 37(4) Desember 2012.
- Carlile, F.S. 1984. Ammonia in Poultry Houses: A literature review. World's Poult. Sci. J. 40:99-113.
- Chuzaemi, S. dan J.V. Bruchem. 1991 . Fisiologi Nutrisi Ruminansia. Universitas Brawijaya. Malang.
- Cicerone, R.J., 1987. Changes in stratospheric ozone. Science 237:35-42.
- Clavero, T. 1997. Tiller dynamic of dwarf elephant grass (*Pennisetum purpureum* cv.*Mott*) under defoliation.
<http://www.internationalgrasslands.org/files/ipublications/1997/2-22-031.pdf>

Cruz, J. L., P. R. Mosquim., C. R. Pelcari., W. L. Araújo., and F. M. Da Matta. 2004. Effects of nitrate nutrition on nitrogen metabolism in cassava. *Biologia Plantarum* 48: 67-72.

Dewi, I. R. 2007. Fiksasi N biologis pada ekosistem tropis. Makalah. Universitas Padjajaran, Bandung.

Diknakkeswan 2018. Mengenal Rumput Odot, Idola Baru Pakan Ternak. Disnakkeswan Kab. Probolinggo. <http://disnakkeswan.probolinggokab.go.id/2018/03/07/mengenal-rumput-odot-idola-baru-pakan-ternak/>

Donham, K. J., D. Cumro, S. Reynolds. 2002. Synergistic effects of dust and ammonia on the occupational health effects of poultry production workers. *J. Agromed.* 2:57-76.

Ella, A. S. Hardjosoewignya, T. R. Wiradaryadan dan M. Winugroho. 1997. Pengukuran produksi gas dari hasil proses fermentasi beberapa jenis leguminosa pakan. dalam : Prosiding Sem. Nas II-INMT Ciawi, Bogor.

Effendi H. 2003. Telaah Kualitas Air. Jogjakarta (ID): Kanisius.

Fahma SC. 2007. Pengaruh *Azolla pinnata* terhadap sifat kimia kualitas air di daerah hilir Sungai Bengawan Solo. Skripsi. Jurusan Biologi Fakultas Sains dan Teknologi Universitas Islam Negeri Malang .

Fardiaz, S. 1992. Polusi Air dan Udara. Yogyakarta: Penerbit Kanisius.

Faroughbakhch, P.R., A.C. Parra, A. R. Estrada, M. A. A., Vazquez, M. L.C. Avilla. 2012. Nutrient content and *in-vitro* dry matter digestibility of *Gliricidia sepium*. (Jacq) Walp And *Leuceane leucocephala* (Lam De Wit). *Journal of Animal and Veteriner Advance* 11(10):1708-1712, 2012.

Farquhar, G.D., Firth, P.M., Wetselaar, R., Weir, B., 1980. On the gaseous exchange of ammonia between leaves and the environment: Determination of the ammonia compensation point. *Plant Physiology* 66, 710–714.

Fasae, O. A, O.S. Sowande And A.A. Popoola. 2010. Evaluation of selected leaves of trees and foliage of shrubs as fodder in ruminant production. *J. Agric. Sci. Env.* 2010, 10(2):36-44. ISSN - 2277 – 2755 © UNAAB 2010.

- Fathul, F., & S. Wajizah. 2010. Penambahan mikromineral Mn dan Cu dalam ransum terhadap aktivitas biofermentasi rumen domba secara *in vitro*. JITV 15 (1) T : 9-15.
- Fikri , Z. 2013. Aquatic Plant treatment tanaman paku air *Azolla pinnata* terhadap penurunan kadar amoniak pada air limbah industri tahu di Kelurahan Kekalik Kecamatan Sekarbela Nusa Tenggara Barat. Media Bina Ilmiah. Volume 7, No. 4, Juli 2013 ISSN No. 1978-3787.
- Flores, J.A., J.E. Moore, and L.E. Sollesberg. 2005. Determinants of forage quality in Pensacola bahiagrass and Mott elephant grass. Journal of Animal Science, Dep Of Animal Science, Univ Of Florida, Vo. 71
- Galloway, J.N., and E. B. Cowling. 2002. Reactive nitrogen and the world: 200 years of change. Ambio 31:64-77.
- Gohl, B., 1981. Tropical feeds. FAO Animal Production and Health Series No. 12. Food and Agriculture Organisation of The United Nation, Rome, Italy. 529 pp.
- Guritno, B. dan Sitompul, S. M. 1995. Analisis Pertumbuhan Tanaman. UGM Press. Yogyakarta
- Gusrina. 2011. Manajemen Kualitas Air. <https://defishery.wordpress.com/2011/03/09/uu-perikanan/>. Diunduh 15 juli 2017.
- Hamdan,2016. Seleksi Rumput Tahan Cekaman Kekeringan dan Potensi Pengembangannya di Daerah Kering dengan Teknik Leisa. Tesis. IPB, Bogor.
- Hassan, S. 2012. Hijaun Makanan Ternak. IPB Press. Bogor.
- Harper, L.A., Giddens, J.E., Langdale, G.W., Sharpe, R.R., 1989. Environmental effects on nitrogen dynamics in soybean under conservation and clean tillage systems. Agronomy Journal 81, 623–631.
- Heddy, W, dkk. 1994. Pengantar Produksi Tanaman dan Penanganan Pasca Panen. Jakarta: PT. Raja Grafindo Persada
- Hughes, C.E. 1987. Biological considerations in designing a seed collection strategy for *Gliricidia septum*(Jacq) Walp. (Leguminosae). In: *Gliricidia septum*(Jacq) walp. Management and improvement. Proc. of a workshop, Turrialba, Costa Rica, NFTA Special Publication 87-01, p. 174-184
- Hungate, R.E. 1966. The Ruminant and It's Microbes. Agricultural Experimental Station, University of California. Academic Press. New York, San Francisco, London. p. 197

- Ibrahim, M.A. 1989. Respone of Dwarf elephant grass (*Pennisetum purpureum Schum* cv *Mott*) to different frequencies and intensities of grazing in the hummid zone at Guaples Costa Rica. Thesis Magister.Centro Agronomo Tropical de investigaciony Esenanza Tarialbu, Costa Rica.
- Indira and A. Ravi. 2014.Feeding Value of azolla (*Azolla pinnata*) in buffalo calves. International Journal of Food Agriculture and Veterinary Sciences ISSN: 2277-209X (Online) An Open Access Online International Journal Available at <http://www.cibtech.org/jfav.htm> 2014 Vol 4 (2) May- August, pp. 23 – 27.
- Inokuchi, R., and M. Okada. 2001. Physiological adaptations of glutamate dehydrogenase isozyme activities and other nitrogen-assimilating enzymes in the macroalga *Bryopsis maxima*. *Plant Science* 161:35–43
- Ismail, R. 2011. Fisiologi Pencernaan Ruminansia (Part4). <https://rismansmail2.wordpress.com/2011/06/07/fisiologi-pencernaan-ruminansia-part4/>. Diunduh tgl 25 Juni 2017.
- Jiwintarum, Y dan Z. Fikri 2013. Aquatic Plant Treatment Tanaman Paku Air Azolla Pinnata Terhadap Penurunan Kadar Nitrat Dan Nitrit Pada Air Limbah Industri Tahu Di Kelurahan Kekalik Kecamatan Sekarbela Nusa Tenggara Barat. Media Bina Ilmiah 7. Issn No. 1978-3787
- Juhaeti, T., Fauzia Syarif, Nuril Hidayat. 2005. Inventarisasi Tumbuhan Potensial Untuk Fitoremediasi Lahan dan Air Terdegradasi Penambangan Emas. Biodiversitas Vol. 6, No. 1, Januari 2005, hal. 31-33
- Juniarto. 2011.Pengaruh Konsentrasi Amoniak Di UdaraTerhadap Kesehatan Pekerja Dan Masyarakat(Studi Kasus: Peternakan Ayam Pt. IndocentralDesaSukataniCimanggisDepok. Tesis. Fakultas Ternik Univesitas Indonesia.
- Kaimuddin, B. Ibrahim, dan L. Tangko. 2008.Budidaya Padi Sawah Irigasi Dengan Aplikasi Azolla dan Ikan Nila. J. Agrivisor 7 (3) : 247-253, Mei - Agustus 2008.
- Kasno, A. 2009 Pupuk Anorganik dan Pengelolaannya. Balai Penelitian Tanah <http://balittanah.litbang.deptan.go.id>. Diunduh 5-2-2015.
- Kayva, K. 2014. Nutritional Evaluation Of Azolla(*Azolla Pinnata*) And Its Supplementary Effect On *In Vitro* Digestibility Of Crop Residues And Total Mixed Ration. Tesis. Department Of Animal NutritionVeterinary College, Bangalore Karnataka Veterinary, Animal And Fisheries Sciences University, Nandinagar, Bidar.

- Khatun, A. ; Ali, M. A. ; Dingle, J. G., 1999. Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid. Anim. Feed Sci. Technol., 81 (1/2): 43-46.
- Koerkamp, P. W. G. 1994. Review on emissions of ammonia from housing systems for laying hens in relation to sources, processes, building design and manure handling. J. Agric. Engng. Res. 59:73-87.
- Kordi, M. G. 2010. Budidaya Ikan Lele Di Kolam Terpal. Lily Publisher. Yogyakarta.
- Krupa., S. F. 2001. Effects of atmospheric ammonia (NH₃) on terrestrial vegetation; a review. Environmental Pollution 124 (2003) 179–221
- Lasamadi, R. D., S. S. Malalantang, Rustandi dan S. D. Anis. 2013. Pertumbuhan dan perkembangan rumput gajah dwarf (*Pennisetum Purpureum* Cv. Mott) yang diberi pupuk organik hasil fermentasi EM4. Jurnal Zootek (Zootek Journal), Vol.32, No. 5 : 158–171 (Januari 2013).
- Lee I.R. 1990. Forest Hydrology. Columbia. University Press New York, New York.
- Leomo S, Sutariati, Agustina G A K. 2012. Uji kombinasi pupuk organik dan aorganik dalam pola leisa terhadap pertumbuhan dan hasil tanaman Sorgum Lokal pada Lahan Marginal. *J. Agroteknos.* 2(3):166-174.
- Leng, R.A. 1980. Principle and Practice of Feeding Tropical Crop and By Product to Ruminants. Department of Biochemistry and Nutrition University of New England. Armidale
- Leng, R. A. 1991. Application of Biotechnology to Nutrition of Animals in Developing Countries. FAO and Agriculture Organization on United Nation. Rome.
- Little, E. C. S. 1979. Little Handbook of Utilization of Aquatic Plants: A Review of World Literature. FAO Fisheries Technical Paper No. 187. Kerikeri, Bay of Islands. New Zealand.
- Liyanage, M de S. 1998. Fixation and Effect of Pruning on *Gliricidia Sepium* and *Leucaena Leucocephala*. INIS Respiratory Research. Volume 29.
- Loveless, A.R. 1991. *Prinsip-Prinsip Biologi Tumbuhan Untuk Daerah Tropik* I. Gramedia Pustaka Utama: Jakarta.

Lounglawan., P, Wassana Lounglawan and Wisitiporn Suksombat. 2014. Effect of Cutting Interval and Cutting Height on Yield and Chemical Composition of King Napier grass (*Pennisetum purpureum x Pennisetum americanum*). APCBEE Procedia 8 (2014) 27 – 31

Lumpkin., T.A. and D.L. Plucknett. 1982. Azolla as green manure: Use and Management in Crop Production. West View Press Inc. Colorado.

Mahida, U.N. 1981. Water Pollution and Disspossal of Waste Water on Land. McGraw Hill. Publishing Company Limited. New York.

Mahyudin, P., D. A . Little and J.B. Lorry. 1988. Drying treatment drastically affects feed evaluation and feed quality wiwh certain tropical forage species. Anim Feed Sci & Tech. 22:68-78.

Maniagasi, R., Sipriana S. Tumembouw dan Yoppy Mundeng. 2013. Analisis kualitas fisika kimia air di areal budidaya ikan danau Tondano Provinsi Sulawesi Utara. Budidaya Perairan Mei 2013 Vol. 1 No. 2: 29-37. Budidaya Perairan Mei 2013 Vol. 1 No. 2: 29-37

Mastika,I.M., A.W. Puger, I.K.M. Budiasa dan M. Nuriyasa. 2012. Peran pepohonan dalam peningkatan produksi ternak ruminansia: Pendekatan Ilmiah. Jurnal Pastura. Volume 1 Nomor 2 Tahun 2012.

Maya Sari Ni W.,I. W. Diarani, Made Trigunasi. 2017. Meningkatkan kualitas air irigasi dengan menggunakan tanaman kayu apu (*Pistia stratiotes l*) dan tanaman azolla (*Azolla sp.*) di Subak Sembung, Peguyangan, Denpasar. E-Jurnal Agroekoteknologi Tropika ISSN: 2301-6515 Vol. 6, No. 1, Januari 2017.

Mays, L.W. (Editor in Chief) 1996. Water Resources Handbook. McGraw-Hill. New York. p: 8.27-8.28.

Menkee, K.H. and Steingass., H. 1988. Estimation of the energetic feed value obtain from chemical analysis and in vitro gas production using rumen fluid. Anim. Res. Develop.28: 7-55.

Mertens DR. 2007. Digestibility and Intake. In: Bernes FR, Nelson CJ, Moore KJ, Collins MK (Eds.). Forages: The Science of Grassland Agriculture. Ames Iowa and Oxford. Blackwell Publishing. P. 487-507.

Metcalf and I.N.C. Eddy. 1991. Wastewater Engineering: Treatment, Disposal, Reuse. 3rd ed. (Revised by: G. Tchobanoglous and F.L. Burton). McGraw-Hill,Inc. New York, Singapore. 1334 p.

Middleton, C. H. 1981. The role of legume in legume-grass pasture in the wet tropics. Trop. Grassl. 15 (2) : 119-120

- Moun, S. G., W. Seltzer.,and T. M. Goldhaft, 1969. A simple method of determining concentration of ammonia in animal quates. Poultry. Sci. 48: 347-348.
- Motazedian, T. and S. H. Sharow, 1986. Defoliation Effect on Forage Dry Matter Production of a Perennial Ryegrass-sub clover Pasture. Agron. J. 78: 581-584.
- Muslihat, L. 2003. Teknik percobaan takaran pupuk kandang pada pembibitan abaca. Buletin Teknik Pertanian. 8 : 37-39.
- Natalia, H., D. Nista, S. Hindrawati. 2009. Keunggulan Gamal sebagai Pakan Ternak. Balai Pembibitan Ternak Unggul sembawa. Palembang.
- NRC (National Research Council). 1994. Nutrient Requirements of Poultry. Ninth Revised Edition.National Academy Press, Washington, D. C.
- NRC (National Research Council). 2003. Air Emission: Air Emissions from Animal Feeding Operations: Current Knowledge, Future Needs. The National Academy Press. Washington, DC., USA.
- Nitis, I. M. 2007. Gamal di Lahan Kering. Penerbit Buku Arti. Arti Foundation Denpasar Bali. Cetakan Pertama.
- Nurdjianto, 2000. Kimia Lingkungan. Yayasan Peduli Lingkungan. Pati.
- Nurmansyah, Wahyu, S. Widodo., dan Adhiaksa Noegraha. 2009. Aplikasi Azolla Sebagai Upaya Mitigasi Gas Metan Pada Lahan Padi Sawah Beririgasi. IPB. Bogor.
- Oladapo, A. A., E. A. Iyayi, and T. O. Alalade. 2007. The nutritive value of azolla (*Azolla pinnata*) meal in diets for growing pullets and subsequent effect on laying performance. J. Poult. Sci. 44:273-277.
- Parashuramulu, S., P. S. Swain, and Nagalakhsmi. 2013. Protein fractination and in vitro digestibility of Azolla in ruminants. Online Journal of Animal and Research. Volume 3. Issue 3. 129-132 (2013).
- Patterson, P. H., and E. S. Lorenz. 1996. Manure nutrient production from commercial White Leghorn hens. J. Appl. Poult. Res. 5:260–268.
- Patterson, P. H. and Adrizal.2005. Management strategies to reduce air emissions: emphasis—dustand ammonia.J. Appl. Poult. Res. 14:638–650.

P.H. Patterson, Adrizal, R.M. Hulet, R.M. Bates, C.A.B. Myers, G.P. Martin, R. Shockey, and M. van der Grinten 2006. Plant Foliar Nitrogen and Temperature on Commercial Poultry Farms in Pennsylvania. Workshop on Agricultural Air Quality. Juni 2006. USA

Patterson, P., A. Adrizal, C. Angel, and A. Markant. 2008. Low protein, hydroxy- and keto-amino acid analog supplemented diets for broiler chickens: 2. Manure nitrogen. Poult. Sci. 87(Suppl. 1): -- (Abstr.).

Pedraza, R. M. 1998. Use of *in vitro* gas production technique to assess the contribution of both soluble and insoluble fractions on the nutritive value of forages. Thesis. University of Aberdeen. Scotland.

Polakitan , D dan A. Kairupan. 2010. Pertumbuhan dan produktivitas rumput gajah dwarf (*Pennisetum Purpureum* Cv. Mott) pada umur potong berbeda. Seminar Regional Inovasi Teknologi Pertanian, Mendukung Program Pembangunan Pertanian Propinsi Sulawesi Utara.

PP. No. 82 Tahun 2001, Tentang Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air.

Preston, T.R and Leng, R.A. 1987. Matching Ruminant Production System with Available Resources in the Tropicals and Sub-tropics. Penambul Books, Armidale.

Quebral, N.C.1989. Introduction to Azolla and Its Use: *In Azolla: Its Culture, Management and Utilization in The Philippines*. National Azolla Action Program (Los Banos: UPLB).

Ravindra, K, Tripathi P., Chaudhary U.B., Tripathi M.K. 2015. Nutrient composition, *In vitro* methane production and digestibility of azolla (*Azolla microphylla*) with rumen liquor of goat. Indian Journal of Small Ruminants. Year : 2015, Volume : 21, Issue : 1. Article DOI : [10.5958/0973-9718.2015.00035.5](https://doi.org/10.5958/0973-9718.2015.00035.5)

Razif, M. 2001. Pengolahan Air Minum.. Institut Teknologi Sepuluh Nopember. Surabaya

Risminandar. 1989. Mendayagunakan Tanaman Rumput. Penerbit Sinar Baru Bandung.

Rohde, L., Johansson, S. 1996. Ammonia emission and nutrient utilization from urine using different techniques for application. JTI-Rapport, Landbruk & Industri Nr. 217. Jordbrukskstekniska Institutet, Uppsala, pp.107.

- Roemantyo, H.S. 1993. Pendayagunaan Tanaman Pakan pada Lahan Kritis. Prosea. Bogor.
- Salisbury FB dan Ross CW. 1991. Fisiologi Tumbuhan Jilid 2. Biokimia Tumbuhan. (Penterjemah: Diah R. Lukmana dan Sumaryono). . ITB Press. Bandung.
- Sanginga N and Van Hove C.1989. Amino acid composition of azolla as affected by strain and population. Plant & Soil 117:263-267. DOI: 10.1007/BF02220720.-2626
- Santos, R.J.C. dos , Mário de A Lira, Adriana Guim, Mércia. V. Ferreira dos Santos, J. C. B. Dubeux Junior., Alexandre C, and de Leão de Mello. 2013. Elephant grass clones for silage production.. Agric. Sci v.70, n.1, p.6-11, January/February 2013.
- SAS Institute. 2008. JMP 8 for Windows. SAS Institute Inc. Cary, NC, USA.
- Simon, A.J. and J.L. Stewart. 1998. *Gliricidia sepium* A multi Purpose Forage Tree Legume (<http://www.fao.org>). Acces date: October, 14. 2009.
- Sajimin, I. P. Kompiang, Supriyatni dan N. P. Suratmini. 2001. Penggunaan biofertilizer untuk peningkatan produktifitas hijauan pakan rumput gajah (*Pennisetum purpureum* cv afrika) pada lahan marginal di Subang Jawa Barat. Media Peternakan, 24 (2) : 46 - 50.
- Sarwara, Ricard R. Corsia.,Kerry A Kinneya.,Joel A Banksa. 2005. Measurement of ammonia emission from oak and pine forests and development of a non industrial ammonia emission inventory in Texas. The University of Texas at Austin. USA.
- Satter L. D & Slyter L L. 1974. Effect of ammonia concentration on rumen microbial protein Production in vitro. Brit. J. Nuts'. 32:199-208, 1974. [Nutrition Institute. Agricultural Research Service, US Department of Agriculture.Beltsville.
- Schjoerring JK, Husted S, Mack G, Nielsen HH, Finnemann J, Mattsson M. Physiological regulation of plant-atmosphere ammonia exchange. Plant and Soil. 2000;221:95–102.
- Setiawan, H. 1996. Amonia sumber pencemaran yang meresahkan dalam: Infovet (Informasi Dunia Kesehatan Hewan) Edisi 037. Agustus Hal 12.
- Sibitti, E. N, 1985. Dry matter production and nutritive value indigofera hirsuta in Uganda East Africa.
- Siregar, S.B. 1996. Pakan Ternak Ruminansia. Penebar Swadaya. Jakarta.

- Smith, O. B and M. F. J. Van Houter. 2000. The Feeding Value of *Gliricidia sepium*. A Review. World Animal Review. 62: 57 – 68.
- Sollembberger, L.E., G.M. Prince, W.R. Ocumpaugh, W.W. Hanna, C.S. Jones, S.C. Shank and R.S. Kalmbacher. 1988. Mott dwarf elephant grass: a highly quality forage for the subtropics and tropics. Univ. Flo. Agric. Exp.Stn. Circ.5-356.
- Sommer, S.G., Friis, E., Bak, A.B., Schjørring, J.K., 1997. Ammonia emission from pig slurry applied with trail hoses or broadcast to winter wheat: Effects of crop developmental stage, microclimate, and leaf ammonia absorption. J. Environ. Qual. 26, 1153–1160.
- Solihat, K. 2013. Budidaya Rumput odot. <http://epaper.pikiran-rakyat.com/index.php/component/flippingbook/book/1713-rabu-17-juli-2013/61-juli.html>
- Sudirman. 2013. Evaluasi Pakan Tropis. Dari Konsep ke Aplikasi. Penerbit Renika Cipta. Jakarta.
- Subagyo I,dan Kusmartono 1988. Ilmu Kultur Padangan. Malang: Nuffic, Fakultas Peternakan Universitas Brawijaya.
- Sugandi, D., U. Kusnadi, M. Sabrani, M. E. Siregar, dan D. Muslih. 1992. Budidaya beberapa jenis tanaman pakan di lahan kering Batumarta. Ilmu dan Peternakan 5 (2):87-91.
- Sukanten, I. W. S. Uchida, I.M. Nittis, K. Lana, and S. Putra. Chemical composition and nutritive value of *Gliricida sepium* provenances in dry land farming area in Bali, Indonesia. AJAS 1995 Vol 8 (No. 3) 231-239.
- Sumarsono, 2006. Peran tanaman pakan dalam intervensi pertanian berwawasan lingkungan. Makalah Utama disajikan dalam Silaturahmi Ilmiah Internal Fakultas Peternakan Universitas Diponegoro .Semarang, 29 Maret 2006.
- Suryati, T dan Budhi Priyanto. 2003. Eliminasi logam berat kadmium dalam air limbah menggunakan tanaman air. J.Tek.Ling, P3TL-BPPT.4(3): 143-147.
- Sukanten, I. W. S. Uchida, I.M. Nittis, K. Lana, S. Putra. chemical composition and nutritive value of *Gliricida sepium* provenances in dry land farming area in Bali, Indonesia. AJAS 1995 Vol 8 (No. 3) 231-239.
- Supradata. 2005. Pengolahan Limbah Domestik Menggunakan Tanaman Hias *Cyperus Alternifolius* L. Dalam Sistem Lahan Basah Buatan Aliran Bawah Permukaan (Ssf-Wetlands). Tesis. Ilmu Lingkungan. Universitas Diponegoro. Semarang.

Sutardi.T,. 1997. Peluang dan Tantangan Pengembangan Ilmu-Ilmu Nutrisi. Orasi Ilmiah Guru Besar Tetap Ilmu Nutrisi Ternak. Fakultas Peternakan IPB Bogor 4 Januari 1997.

Sutardi, T. 1980. Landasan Ilmu Nutrisi. Departeman Makanan Ternak. Fakultas Peternakan IPB.

Syarifuddin, NA. 2006. Nilai Gizi Rumput Gajah Sebelum dan Setelah Enzilase Pada Berbagai Umur Pemotongan. Produksi Ternak, Fakultas Pertanian UNLAM, Lampung.

Tangahu, V.B., S. R.S.Abdullah, H.Basri, M. Idris, N. Anuar, and M.Mukhlisin., 2011. A Review on Heavy Metals (As, Pb, and Hg) Uptake by Plants through Phytoremediation. International Journal of Chemical Engineering, Volume 2011, Articel ID 939161. 31 page. Hindawi Publishing Corporation.

Tilley, J.M.A and Terry, R.A. 1963. A two stage technique of in vitro digestibility of forages. Journal of the British Grassland Society,18: 104-111.

Uribarri, L., A. Ferrer, and A. Collina. 2005. Leaf protein from ammonia treasted dwarf elephant grass (*Pennisetum purpureum* Schum cv Mott). Journal of Applied Biochemistry and Biotechnology. Humana Press Inc. Vo. 122, No. 1-3, p: 721-730.

US-ESPA. 2005. In 2005 – April revesed EPA Report National Emissions Inventory (NEI) Air Pollutiont emissions trend data 1970 – 2002. Triangel Park NC. USA.

Van Hove, L.W.A., Adema, E.H., Vredenberg, W.J., 1987. The uptake of atmospheric ammonia by leaves. In: Mathy, P. (Ed.), Air Pollution and Ecosystems, Proc. Int. Symp., Grenoble, France, 18– 22 May 1987. Reidel, Dordrecht, pp. 734–742.

Van Hove, L.W.A., Vredenberg, W.J., Adema, E.H., 1990. The effect of wind velocity, air temperature and humidity on NH₃ and SO₂ transfer into bean leaves (*Phaseolus vulgaris* L.). Atmospheric Environment Part A—General Topics 24, 1263–1270.

Van Soest, P.J. 1994 . Nutriotinal Ecology of the Ruminant : Ruminant Metabolism, Nutrional Strategies the Cellulolytic Fermentation and the Chemistry of Forages and Plant Fibers. Cornell University O & B Books Inc. USA.

Wardhana, W. A. 2004. Dampak Pencemaran Lingkungan (Edisi Revisi). Andi Offset, Yogyakarta

- Watthes, C. M., R. Sneath, V. R., Philips. 2004. Particulate emissions from intensively housed livestock: sources and effects. Pages: -- in: Proceedings of Engineering the Future. AgEng 2004, Leuven, Belgium.
- Whitehead DC. 2000. Nutrient Elements in Grassland. Reading: Cabi Publishing.
- Widiawati. Y., M. Winugroho , E. Teleni And A. Thalib. 2007. Fermentation Kinetics (*In Vitro*) Of *Leucaena Leucocephala*, *Gliricidia Sepium* And *Calliandra Callothyrsus* Leaves (3) The Pattern Of Gas Production, Organic Matter Degradation, pH, NH₃ andVFA Concentration; Estimated CH₄ and Microbial Biomass Production. *JITV Vol. 12 No.3 Th. 2007*
- Winata, N. A. S. H., Karno Dan Sutarno. 2012. Pertumbuhan dan Produksi Hijauan Gamal (*Gliricidia Sepium*) dengan Berbagai Dosis Pupuk Organik Cair. Animal Agriculture Journal, Vol. 1. No. 1, 2012, P 797 – 807.
- Winter, W.P.de and Amoroso, V.B. 2003. 15(2): Cryptogams: Ferns and fern allies p.64-69. Plant resources of South-East Asia. Leiden : Backhuys Publishers.
- Wong, C. C. And M.A. Mohd. Sharudin. 1986. Forage Productivity Of Three Fodder Shrubs In Malaysia. MARDI Res. Bull. (1956) 14(2), (178-188).
- Witariadi,N.M., I K. M. Budiasa ,E. Puspani ,I G. L. O. Cakra. 2012 . Pengaruh Tepung Daun Gamal Dan Daun Kelor Dalam Urea Cassava Blok (Ucb) Terhadap Kecernaan, Kadar Vfa, Dan Nh₃ In-Vitro. Majalah Ilmiah Peternakan, [S.l.], v. 13, n. 1, sep. 2012. ISSN 0853-8999. Available at: <<https://ojs.unud.ac.id/index.php/mip/article/view/1740>
- Xin Zhang, Ai-Jun Lin, Fang-Jie Zhao, Guo-Zhong Xu, Gui-Lan Duan, Yong-Guan Zhu , 2005. Arsenic accumulation by the aquatic fern *Azolla*: Comparison of arsenate uptake, speciation and efflux by *A. caroliniana*. *Environmental Pollution, Volume 156, Issue 3, December 2008, Pages 1149-1155*
- Yassin, M., M. A. Malik., M. S. Nazir. 2003. Effect of Diffeent spatial Arrangements on Fotage Yiled, Yield Componens and Quality of Mott Elephengrass. Pakistan Journal of Agronomy 2(1):52-58.
- Yin, Z.-H., W. Kaiser, U. Heber, and J. A. Raven, 1998. Effects of gaseous ammonia on intracellular pH values in leaves of C3- and C4-plants. *Atmosp. Environ. 32:539-544.*

Yulianti, D. , K. Winarno, W. Mudyantini. Pemanfaatan Limbah Cair Pabrik Karet PTPN IX Kebun Batu Jamus Karanganyar Hasil Fitoremediasi Dengan *Azolla Microphylla* Kaulf Untuk Pertumbuhan Tanaman Padi (*Oryza Sativa* Linn.). B I O S Mart ISSN; 1411-321xVolume 7, Nomor 2 Oktober 2005Halaman: 125-130

Zailan, M. Z, H. Yaakub, S. Jusoh. 2016. Yield and nutritive value of four Napier (*Pennisetum purpureum*) cultivars at different harvesting ages. Agriculture And Biology Journal Of North America ISSN Print: 2151-7517, ISSN Online: 2151-7525, doi:10.5251/abjna.2016.7.5.213.219 © 2016, ScienceHuβ, <http://www.scihub.org/ABJNA> 213.

