

DAFTAR PUSTAKA

ACS (American Cancer Society). Cancer Facts & Figures 2016. Atlanta: American Cancer Society; 2016.

ACS (American Cancer Society). Chemotherapy. Diakses tanggal 12 Februari 2018 dari <https://www.cancer.org/treatment/treatments-and-side-effects/treatment-types/chemotherapy.html>.

Agustini DD, Surahman E, Abdullah R. Kualitas hidup pasien kanker payudara dengan terapi kombinasi *Fluorouracil*, *Doxorubicin*, dan *Cyclofosfamide*. Jurnal Farmasi Klinik Indonesia. 2015;4(3):175–185.

Ariani, S. Stop! Kanker. Yogyakarta: Istana Media; 2015.

Avis NE, Crawford S, Manuel J. Quality of life among younger women with breast cancer. *Journal of Clinical Oncology*. 2005;23(15):3322–3330.

Ballatori E, Roila F. Impact of nausea and vomiting on quality of life in cancer patients during chemotherapy. *Health and Quality of Life Outcomes*. 2003. Diakses pada tanggal 30 Desember 2017 di <http://www.hqlo.com/content/1/1/46>.

Bottomley A. The cancer patient and quality of life. *The Oncologist*. 2002;7:120–125.

Bower JE, Ganz PA, Desmond KA, Rowland JH, Meyerowitz BE, Belin TR. Fatigue in breast cancer survivors: occurrence, correlates, and impact on quality of life. *Journal of Clinical Oncology*. 2000;18(4):743–753.

Cantarero-Villanueva I, Fernandez-Lao C, Fernandez-De-Las-Penas C, Diaz-Rodriguez L, Sanchez-Cantalejo E, Arroyo-Morales M. Association among musculoskeletal impairments, depression body image and fatigue in breast cancer survivors within the first year after treatment. *European Journal of Cancer Care*. 2011;20:632–639.

Cardoso F, Bedard PL, Winer EP, Pagan O, Senkus-Konefka E, Fallowfield LJ, Kyriakides LJ, Kyriakides S, Costa A, Cufer T, Albain KS. International guidelines for management of metastatic breast cancer: Combination vs Sequential Single-Agent Chemotherapy. *Journal National Cancer Institute*. 2009;101:1174–1181.

Chean DC, Zang WK, Lim M, Zulkefle N. Health Related Quality of Life (HRQoL) among breast cancer patients receiving chemotherapy in Hospital Melaka: Single Centre Experience. *Asian Pacific Journal of Cancer Prevention*. 2016;17(12):5121–5126.

Cohen L, De Moor CA, Eisenberg P. Chemotherapy-induced nausea and vomiting-incidence and impact on patient quality of life at community oncology settings. *Support Care Cancer*. 2007;15:497–503.

Dahlan, Sopiudin. *Statistik untuk Kedokteran dan Kesehatan. Deskriptif, Bivariat dan Multivariat Dilengkapi dengan Menggunakan SPSS*. Jakarta: Salemba Medika; 2013.

Dear RF, McGeechan K, Jenkins MC, Alexandra B, Tattersall MHN, Wilcken N. Combination versus sequential single agent chemotherapy for metastatic breast cancer. 2013.

Dehkordi A, Heydarnejad MS, Fateh D. Quality of life in cancer patients undergoing chemotherapy. *Oman Medical Journal*. 2009;24(3):204–207.

Dipiro JT, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM. *Pharmacotherapy a Pathophysiologic Approach (6th Edition)*. New York: McGraw-Hill; 2005.

Dipiro JT, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM. *Pharmacotherapy a Pathophysiologic Approach (7th Edition)*. New York: McGraw-Hill; 2008.

Elfindri, Hasnita E, Abidin Z, Machmud R, Elmiyasna. *Metodologi Penelitian Kesehatan*. Jakarta: Baduouse Media Jakarta; 2011.

Fayers PM, Aaronson NK, Bjordal K, Groenvold M, Curran D, Bottomley A. *The EORTC QLQ-C30 Scoring Manual(3rd ed)*. Brussels: European Organisation for Research and Treatment of Cancer; 2001.

Firmansyah R, Khambri D, Rofinda ZD. Kejadian demam neutropenia pada pasien kanker payudara yang mendapat kemoterapi. *MKA*. 2015;38(1):12–19.

Gavric Z, Kostic Z. Assesment of quality of life of women with breast cancer. *Glob J Health Sci*. 2016;8(9):52–92.

Gilman A, Goodman LS. *Goodman & Gilman Dasar Farmakologi Terapi (10th edition)*. Jakarta: Penerbit Buku Kedokteran EGC.

Goodwin PJ, Ennis M, Bordeleau LJ, Pritchard KI, Trudeau ME, Koo J, Hood N. Health-Related Quality of Life and psychosocial status in breast cancer prognosis: analysis of multiple variables. *Journal of Clinical Oncology*. 2014; 22(20): 4184 – 4192.

Graells-Sans A, Serral G, Puigpinos-Riera R. Social inequalities in quality of life in a cohort of women diagnosed with breast cancer in Barcelona (DAMA cohort). *Cancer Epidemiology*. 2018;54:38–47.

Grimison P, Stockler MR. Quality of life and adjuvant systemic therapy for early-stage breast cancer. *Expert Rev. Anticancer Ther.* 2007;7(8):1123–1134.

Hassan MSU, Ansari J, Spooner D, Hussain SA. Chemotherapy for breast cancer (Review). *Oncology Reports.* 2010;24:1121–1131.

Handayani L, Suharmiati, Ayuningtyas A. Menaklukan Kanker Serviks dan kanker Payudara dengan 3 Terapi Alami. Jakarta: AgroMedia Pustaka; 2012.

Heydarnejad MS, Hassanpour DA, Solati DK. Factors affecting quality of life in cancer patients undergoing chemotherapy. *African Health Sciences.* 2011;11(2):266–270.

Hopwood P, Haviland J, Mills J, Sumo G, Bliss JM. The impact of age and clinical factors on quality of life in early breast cancer: An analysis of 2208 women recruited to the UK START Trial. *The Breast.* 2007;16:241–251.

Husni M, Romadoni S, Rukiyati D. Hubungan dukungan keluarga dengan kualitas hidup pasien kanker payudara di instalasi rawat inap bedah RSUP DR. Mohammad Hoesin Palembang tahun 2012. *Jurnal Keperawatan Sriwijaya.* 2015; 2(2):77–83.

Joensuu H, Holli K, Heikkinen M, Suonio E, Aro AR, Hietanen P, Huovinen R. Combination chemotherapy versus single-agent therapy as first-and second-line treatment in metastatic breast cancer: a prospective randomized trial. 1998; 16(12):3720–30.

Katzung, Bertram G. *Farmakologi Dasar dan Klinik* (10th Edition). Jakarta: Penerbit Buku Kedokteran EGC; 2007.

Keen A, Lennan E. *Women's Cancers.* United Kingdom: Blackwell Publishing Ltd; 2011.

Kementerian Kesehatan RI. *Data dan Informasi Kesehatan.* Jakarta: Kemenkes RI; 2013.

Kementerian Kesehatan RI. *Panduan Penatalaksanaan Kanker Payudara.* Jakarta Selatan: Kemenkes RI; 2015.

Kementerian Kesehatan RI. *Pusat Data dan Informasi (InfoDATIN) Kementrian Kesehatan RI.* Jakarta Selatan: Kemenkes RI; 2015.

Kumar V, Abbas AK, Fausto N. *Robbin & Cotran Pathologic Basis of Disease* (7th Edition). United States of America: Elsevier Inc; 2005.

Leuven E, Plug E, Ronning M. Education and cancer risk. *Labour Economics.* 2016;43:106–121.

Likun Z, Xiang J, Yi B, Xin D, Tao ZL. A systematic review and meta-analysis of intravenous palonosetron in the prevention of chemotherapy-induced nausea and vomiting in adults. *The Oncologist*. 2011;16:207–216.

Manhart A & Koch U. Psychological comorbidity and health-related quality of life and its association with awareness, utilization, and need for psychosocial support in a cancer register-based sample of long-term breast cancer survivors. *Journal of Psychosomatic Research*. 2008;64:383–391.

Mardiana, Lina. *Kanker pada Wanita Pencegahan dan Pengobatan dengan Tanaman Obat*. Jakarta: Penebar Swadaya; 2007.

Martins MP. *Cognitive Decline Among Breast Cancer Patients*. Portugal: Institute of Public Health University of Porto; 2015.

Mauri D, Pavlidis N, Ioannidis JP. Neoadjuvant versus adjuvant systemic treatment in breast cancer: a meta-analysis. *Journal of the National Cancer Institute*. 2005;97(3):188–94.

Mols F, Vingerhoets AJ, Coebergh JW, Van De Poll-Franse LV. Quality of life among long-term breast cancer survivors: a systematic review. *Eur J Cancer*. 2005;41,2613–9.

Montazeri A, Harirchi I, Vahdani M, Khaleghi F, Jarvandi S, Ebrahimi M, Hahi-Mahmood M. The EORTC breast cancer-specific quality of life questionnaire (*EORTC QLQ-BR23*): translation and validation study of the Iranian version. *Qual Life Res*. 2000;9:177–184.

NCI (National Cancer Institute). Breast Cancer. Diakses tanggal 10 Januari 2018 dari <https://www.cancer.gov/types/breast/hp>.

NCI (National Cancer Institute). What You Need to Know About Breast Cancer. U.S.: Department of Health and Human Services National Institutes of Health; 2012.

NCI (National Cancer Institute). Chemotherapy. Diakses tanggal 12 Februari 2018 dari www.cancer.gov/about-cancer/treatment/types/chemotherapy

Perwitasari DA. Pengukuran kualitas hidup pasien kanker sebelum dan sesudah kemoterapi dengan *EORTC QLQ-C30* di RSUP Dr. Sardjito Yogyakarta. *Majalah Farmasi Indonesia*. 2009;20(2):68–72.

Perwitasari DA, Atthobari J, Dwiprahasto I, Hakimi M, Gelderblom H, Putter H, Nortier JWR, Guchelaar H, Kaptein AA. Translation and validation of EORTC QLQ-C30 into Indonesian version for cancer patients in Indonesia. *Jpn J Clin Oncol*. 2011;41(4):519–529.

Peterson SJ, Bredow TS. Middle Range Theories: Application to Nursing Research. America: United States; 2009.

Peto R, Davies C, Godwin J, Gray R, Pan HC, Clarke M, Cutter D. Comparisons between different polychemotherapy regimens for early breast cancer: meta-analyses of long-term outcome among 100,000 women in 123 randomised trials. 2012; 379(9814):432–44.

Putra, SR. Buku Lengkap Kanker Payudara. Yogyakarta: Laksana; 2015.

Putri, OC. Gambaran Kualitas Hidup Pasien Kanker Payudara di Poliklinik Bedah RSUP Dr. M. Djamil Padang Tahun 2017. [Skripsi]. Padang: Universitas Andalas; 2017.

Russo F, Linsalata M, Clemente C. The effects of fluorouracil, epirubicin, and cyclophosphamide (fec60) on the intestinal barrier function and gut peptides in breast cancer patients: an observational study. BMC Cancer. 2013.

Sanders JB, Loftin A, Seda JS, Ehlenbeck C. Psychosocial distress affecting patients with carcinoma in situ compared to patients with early invasive breast cancer. Clinical Journal of Oncology Nursing; 2014: 18(6).

Sastrosudarmo, W. Kanker The Silent Killer. Jakarta: Garda Media; 2012.

Savitri, A. Kupas Tuntas Kanker Payudara, Leher Rahim dan Rahim. Yogyakarta: Pustaka Baru Press; 2015.

Scott NW, Fayers PM, Aaronson NK, Bottomley A, Graeff A, Groenvold M, Gundy C, Koller M, Petersen MA, Sprangers MAG. EORTC QLQ C-30 Reference Value. Belgium: Quality of Life Department; 2008.

Skevington SM, Lotfy M, O’Connell KA. The World Health Organization’s WHOQOL-BREF quality of life assessment: Psychometric properties and results of the international field trial A Report from the WHOQOL Group. Quality of Life Research. 2004;13:299–310.

Sharma R, Tobin P, Clarke SJ. Management of chemotherapy-induced nausea, vomiting, oral mucositis, and diarrhoea. Lancet Oncol. 2005;6:93–102.

Shinta N, Surarso B. Terapi mual muntah pasca kemoterapi. Jurnal THT. 2016; 9(2):74–83.

Sunyoto, D. Statistik untuk Paramedis. Bandung: Penerbit Alfabeta; 2013.

T.R., Sekar. Wanita & Penyakit Autoimmune Selama Hidupnya. Yogyakarta: SIKLUS; 2011.

Tim CancerHelps. Stop Kanker. Jakarta: AgroMedia Pustaka; 2010.

Walters SJ. Quality of Life Outcomes in Clinical Trials and Health-Care Evaluation: A Practical Guide to Analysis and Interpretation. United Kingdom: John Wiley & Sons, Ltd, 2009.

Wan C, Meng Q, Yang Z, Tu X, Feng C, Tang X, Zhang C. Validation of the simplified Chinese version of EORTC QLQ-C30 from the measurements of five types of inpatients with cancer. *Annals of Oncology*. 2008;19:2053–2060.

Watters JM, Yau JC, O’rourke K, Tomiak E, Gertler SZ. Functional status is well maintained in older women during adjuvant chemotherapy for breast cancer. *Ann Oncol*. 2003;14:1744–1750.

Wells B, Dipiro J, Schwinghammer T, Dipiro C. *Pharmacotherapy Handbook* (9th edition). New York: McGraw-Hill; 2014.

WHO (World Health Organization). *WHOQOL Measuring Quality of Life*. Geneva: WHO; 1997.

WHO (World Health Organization). *Cancer: Breast Cancer*. Diakses tanggal 6 januari 2018 dari <http://www.who.int/cancer/prevention/diagnosis-screening/breast-cancer/en/>.

Wulandari N, Bahar H, Ismail CS. Gambaran kualitas hidup pada penderita kanker payudara di Rumah Sakit Umum Bahteramas Provinsi Sulawesi Tenggara tahun 2017. *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*. 2017;2(6).

