

DAFTAR PUSTAKA

- Al-thani RF, Al-meri HA. Study of Some Lichens of Qatar. 2011;1(3):41–6.
- Arunrattiyakorn P, Suwannasai N, Aree T, Kanokmedhakul S, Ito H, Kanzaki H. Biotransformation of α -mangostin by *Colletotrichum* sp. MT02 and *Phomopsis euphorbiae* K12. *J Mol Catal B Enzym*. 2014;102:174–9.
- Atun Sri. Metode Isolasi dan Identifikasi Struktur Senyawa Organik Bahan Alam. *Jurnal Konservasi Cagar Budaya Borobudur*. 2014; 8(2): 53-61
- Balouiri M, Sadiki M, Ibensouda SK. Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis* *Journal of Pharmaceutical Analysis*. 2016;71-79
- Basir D dan Eliza. Spektroskopi Resonansi Magnetik Inti Karbon (^{13}C NMR) dari Etil, Asam, dan 2-Metoksi-4-Formil) Fenil P-Metoksisinamat. *Jurnal Penelitian Sains*. 1999:1-7
- Bi Y, Bi X, Zhao Q, Chen Y, Xie J. Four Novel Dihydroisocoumarin (3 , 4-Dihydro-1 H -2-benzopyran-1-one) Glucosides from the Fungus *Cephalosporium* sp. AL03. Research on biologically active metabolites. 2004;87:2890–5.
- Burton HS, Abraham EP. Isolation of antibiotics from a species of *Cephalosporium*. *Cephalosporins P1,P2,P3,P4 and P5*. *Biochem J*. 1951; 50(2):168–74.
- Crittenden PD, Porter N. Lichen-forming fungi : potential sources of novel metabolites. 1991;409–14.
- Davis WW, Stout TR. Disc Plate Methods of Microbiological Antibiotic Assay: *Microbiology*. 1971; 22(4): 659-665.
- Departemen Kesehatan Republik Indonesia. Parameter Standar Umum Ekstrak Tumbuhan Obat Edisi I. Jakarta: Dirjen Pengawasan Obat dan Makanan Direktorat Pengawasan Obat Tradisional. 2000.
- Gandjar IG, Rohman A. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar; 2007
- Govindachari TR, PS Kalyanarawan, N Muthukumaraswamy dan B.R Pai. Xanthenes Of *Garcinia Mangostana* Linn. *Ind. J. Chem*. 1971
- Gritter, R. J., Bobbit. M & Schwarting, A.E. *Introduction to Chromatography*. *Journal of Chemical Education*. Diterjemahkan oleh K. Padmawinata. Bandung: Penerbit ITB. 1991
- Gutierrez-orocho F, Failla ML. Biological Activities and Bioavailability of Mangosteen Xanthenes: A Critical Review of the Current Evidence. 2013;3163–

83.

Hale ME. Growth in The Lichen. New York and London :Academic Press; 1973.

He L, Zhu C, Yuan Y, Xu Z, Qiu S. Specific glycosylated metabolites of α -mangostin by *Cunninghamella blakesleana*. *Phytochem Lett*. 2014;9(1):175–8.

Hegazy MEF, Mohamed TA, ElShamy AI, Mohamed AEHH, Mahalel UA, Reda EH. Microbial biotransformation as a tool for drug development based on natural products from mevalonic acid pathway. *Journal of Advanced Research*. 2015: 17–33.

Huneck S. The significance of lichens and their metabolites. *Naturwissenschaften*. 1999; 86: 559-570.

Honda NK, Pavan FR, Coelho RG, Leite SRDA, Micheletti AC, Lopes TIB. Phytomedicine Antimycobacterial activity of lichen substances. *Phytomedicine*. 2010;17(5):328–32.

Huang X-Z, Zhu Y, Guan X-L, Tian K, Guo J-M, Wang H-B, et al. A Novel Antioxidant Isobenzofuranone Derivative from Fungus *Cephalosporium* sp.AL031. *Molecules*. 2012 Apr 5;17(4):4219–24.

Ibrahim MY, Hashim NM, Mariod AA, Mohan S, Abdulla MA, Abdelwahab SI, et al. α -Mangostin from *Garcinia mangostana* Linn: An updated review of its pharmacological properties. *Arab J Chem*. 2016 May;9(3):317–29.

Ismed F, Hartati SRI, Mulyadi R, Putra HE, Vidian NP. Isolasi senyawa depside-depsodone dari lichen sumatera (*Stereocaulon halei*) dan uji aktivitas antimikroba serta antituberkulosis. *Jurnal Ilmu Kefarmasian Indonesia*. 2016;14(1):49–56.

Ji X, Avula B, Khan IA. Quantitative and qualitative determination of six xanthenes in *Garcinia mangostana* L. by LC-PDA and LC-ESI-MS. *J Pharm Biomed Anal*. 2007;43(4):1270–6.

Kang MK dan Rhe YH. Caboxymetyl cellulases active and stable at alkaline pH from alkalophilic *Cephalosporium* sp. RYM-202. *Biotechnology Letters*. 1995.17-5.

Kimura T dan Tsuchiya K. Characteristics of protease production by *Cephalosporium* sp. *Applied And Environmental Microbiology*. 1982. 43-3

Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. *Nature Protocols*. 2010.5(3):479-487

Kusmiyanti, Agustini NW. Uji aktivitas senyawa antibakteri dari mikroalga *porphyridium cruentum*. *Biodiversitas*. 2007: 8(1):48-53.

Li L, Brunner I, Han A-R, Hamburger M, Kinghorn AD, Frye R, et al. Pharmacokinetics of α -mangostin in rats after intravenous and oral application.

Mol Nutr Food Res. 2011 May;55(S1):S67–74.

Lu H, Zou WX, Meng JC, Hu J, Tan RX. New bioactive metabolites produced by *Colletotrichum* sp., an endophytic fungus in *Artemisia annua*. Plant Sci. 2000;151(1):67–73.

Mahabusarakam W, Proudfoot J, Taylor W, Croft K. Inhibition of lipoprotein oxidation by prenylated xanthenes derived from mangostin. Free Radic Res . 2000 Jan 7;33(5):643–59.

Malaysia Biodiversity Information System (MyBIS). *Stereocaulon halei*. Diakses 10 Maret 2018. <https://www.mybis.gov.my/one/>.

Molen KMV, Raja A, Elimat TE, Oberlies NH. 2013. Evaluation of culture media for the production of secondary metabolites in a natural products screening program. AMB Express. 2013; 3(71).

National Center Of Biotechnology Information (NCBI). *Cephalosporium* sp. Diakses 10 Maret 2018. <http://www.ncbi.nih.gov>

Negi HR. Lichens: A Valuable Bioresource for enviromental monitoring and sustainable development. General article: Resonance. 2003

Oasis FJ, Lavenia P, Rifa N, Oktavia M, Amenike DW. Laporan Akhir Program Kreativitas Mahasiswa : Isolasi Metabolit Sekunder Dari Mycobiont Lichen Sumatera *Stereocaulon Halei* Dan Aktivitas Terhadap Antibakteri. 2017

Obolskiy D, Pischel I, Siriwatanametanon N, Heinrich M. *Garcinia mangostana* L : A Phytochemical and Pharmacological Review. 2009;1065(January):1047–65.

Parijadi AAR, Putri SP, Ridwani S, Dwivany FM, Fukusaki E. Metabolic profiling of *Garcinia mangostana* (mangosteen) based on ripening stages. J Biosci Bioeng. 2017;xx(xx):1–7.

Patra S. Biotransformation Of Caffeine To Value Added Products in. 2007.

Pratiwi ST. Mikrobiologi Farmasi. Jakarta :Erlangga. 2008.

Pedraza-Chaverri J, Cárdenas-Rodríguez N, Orozco-Ibarra M, Pérez-Rojas JM. Medicinal properties of mangosteen (*Garcinia mangostana*). Food Chem Toxicol. 2008 Oct;46(10):3227–39.

Pisano MA, Oleniacz WS, Mason RT, Fleischman AI, Vaccaro SE, Catalano GR. Enzyme Production by Species of *Cephalosporium*. APPL Microbiology. 1962.11-114

Pitson SM, Seviour RJ, dan McDougall BM. Production of β -glucan degrading enzymes by *Acremonium* and *Cephalosporium* species. Mycology Reseach. 1997.101-2.

Putri IP. Effectivity Of Xanthone Of Mangosteen (*Garcinia mangostana* L.) Rind As Anticancer. Artikel Review J Majority. 2015

Septiana E. Potensi lichen sebagai sumber bahan obat: Suatu Kajian Pustaka. Jurnal Biologi. 2011. 1410 5292: 1

Silverstein RM, Webster FX, Kiemle DJ. Spectrometric identification of organic compounds seventh edition. New York America. 2005

Stierle A, Strobel G, Stierle D. Taxol and taxane production by taxomyces andreanae, an endophytic fungus of pacific yew. Science. 1993. 260: 214-215.

Sudhakar T, Dash SK, Rao RR, Srinivaan R, Zacharia S, Atmanand NA, Subramaniam BR, Nayak S. Do endophytic fungi possess pathway genes for plant secondary metabolites?. Scientific Correspondence. 2013.104-2.

Suhartati, T. Dasar-dasar spektrofotometri Uv-Vis dan spektrometri massa untuk penentuan struktur senyawa organik, Anugrah Utama Raharja.2013

Thermoscientific. Oxoid Antimicrobial Susceptibility Disks. microbiology@thermoscientific.com.2016

Tjitrosoepomo, G. Morfologi Tumbuhan. Gajah Mada University Press. Yogyakarta.1994

Wang Y, Dai C. Endophytes: a potential resource for biosynthesis , biotransformation , and biodegradation. 2011;207–15.

Wardani E, Wahyudi P, Tantari D. Uji aktivitas antibakteri ekstrak etanol 70% dan n-Heksan jamur shitake (*Lentinula edodes* (Berk.) Pegler) terhadap *Escherichia coli* dan *Staphylococcus aureus*. Farmasi Sains. 2011; 1 (3).

WHO. Top 10 Causes of Death. www.who.int/mediacentre/factsheets/fs310/en/ diakses 10 Maret 2018. 2011.

Wu J, Ma T, Wang Z, Xu W, Yang X, Luo J, et al. catalysed by horseradish peroxidase exhibited cytotoxicity against hepatoblastoma cells in vitro. J Funct Foods. 2017;28:205–14.

Yurnaliza. Lichens (Karakterisasi, Klasifikasi dan Kegunaan). USU Digitalis Library. Medan; 2002.

Zhao J, Zhou L, Wang J, Shan T, Zhong L, Liu X, Gao X. Endophytic fungi for producing bioactive compounds originally from their host plants.Technology and Education Topic in Applied Microbiology and Microbial Biotechnology. 2010.