

Daftar Pustaka

- [1] K, Dieter. U, Ulrike. & S, Dieter. 2001. *Bacterial synthesized cellulose – artificial blood vessels formicrosurgery*. Progress in Polymer Science.
- [2] M, Charissa. 2016. *Pembuatan Plastik Biodegradable Dari Tepung Maizena, Tapioka, Dan Kitosan*. Yayasan Widya Bhakti SMA Santa Angela : Bandung
- [3] Ma, X., Chang, P. R., Yang, J., & Yu, J. 2009. Preparation and properties of glycerol plasticized-pea starch zinc oxide bionanocomposite. *Carbonhidrate Polymers* , 75. 472-478.
- [4] B, Moghaddam. Abdolmajid. N, Tayebe . & K, Mahmood. 2009. Synthesis of ZnO nanoparticles and electrodeposition of Polupyrrole/ZnO nanocomposite film. *Int J Eelectrochem Sci* , 4, 247-257.
- [5] W. D. Callister, *Materials Science and Engineering: An Introduction*. New York: John Willey & Sons Inc, 2007.
- [6] W. F. Smith. 1996. *Priciples of Materials Science and Engineering, 2nd Edition*. Singapore: Mc Graw-Hill.
- [7] M. P. Septa. 2012. *Pembuatan Biokomposit Edible Film Dari Gelatin / Bacterial Cellulose Microcrystal (BCMC) : Variasi Konsentrasi Matriks, Filler dan Waktu Sonifikasi*. Universitas Indonesia.
- [8] <http://materialsworld.utep.edu/Modules/Composite> [26 Oktober 2017]
- [9] <http://digilib.unila.ac.id/14779/8/Tinjauan%20Pustaka.pdf> [14 Oktober 2017]

- [10] S, Andy. 2012. *Pengaruh Persentase Volume Sekam Padi Sebagai Pengganti Pasir Terhadap Sifat Mekanik Bata Ringan Foam*. Tugas Akhir, Jurusan Teknik Mesin, Fakultas Teknik, Universitas Andalas: Padang.
- [11] G, F. Ronald. 1994. *Principles of Composite Material Mechanis, International Edition*. McGraw-Hill Inc : New York
- [12] A. Riyanto. 2013. *Pengaruh Waktu Pengempaan Pembuatan Papan Partikel Dari Serat Tandan Kosong Kelapa Sawit Dengan Perekat Urea Formadehyde Terhadap Kekuatan Tarik Papan Partikel*. Universitas Andalas, 2013.
- [13] M, Iguchi. S, Yamanaka, & A, Budhiono. 2000. *Review Bacterial cellulosea masterpiece of nature's arts, Journal of Materials Science*.
- [14] N, Soykeabkaew. C, Sian, & S, Gea. . 2009. *Allcellulose nanocomposites by surface selectivedissolution of bacterial cellulose*. 16:435–444.
- [15] A, Hairul. L, Vincent. & H, Dian. *Preparation of Nano-Sized Particle Bacterial Cellulose Using Ultrasonication and Their Characterization*.
- [16] <http://repository.usu.ac.id/bitstream/123456789/44340/4/Chapter%20II.pdf>
[28 September 2017].
- [17] B, Hun., & Y, Seoung. 2013. *Crosslinked potato starch-based blend films using ascorbic acid as a plasticizer Crosslinked potato starch-based blend films using ascorbic acid as a plasticizer*.

[18] <https://indonesian.alibaba.com/product-detail/polyvinyl-alcohol-pva-2488-powder-cas-no-9002-89-6-60460050911.html> [6 April 2018]

[19] B, Azmi. 2017. *Pengaruh Perlakuan Ultrasonic Probe Pati Sagu Gelatin Dengan Penambahan Polyvinyl Alcohol (PVA) Dan Suspensi Tandan Kosong Kelapa Sawit Terhadap Sifat Mekanik Dan Morfologi Permukaan Biopolimer*. Universitas Andalas : Padang.

[20] <https://kosar.co/files/images/pva-2488-signed-1448968748> [6 April 2018]

[21] T, Shangwen. *Effect of Nano-SiO₂ on The Performance of Starch Polyvinyl Alcohol Blend Films*.

[22] J, Yu Tao, Y, You. & T, Tian. *Effect of Pore Size and porosity on the biomechanical Properties and Cytocompatibility of porous NiTi Alloys*.

