

## DAFTAR PUSTAKA

Abbott FS, Anari MR. Chemistry and biotransformation. In: Loscher W. Milestones in Drug Therapy. Valproate. Basel: Birkhauser Verlag. 1999 ;47–75.

Abdel-Dayem MA, Ahmed A, Elmarakby, Abdel-Aziz AA, Chelsey P, Shehta AS, and El-Mowafy AM. Valproate-Induced Liver Injury: Modulation by the Omega-3 Fatty Acid DHA Proposes a Novel Anticonvulsant Regimen. 2014; 14(2): 85–94.

Almatsier S. Prinsip Dasar Ilmu Gizi. Jakarta. Gramedia Pustaka Utama. 2010.

Aldrich S. <https://www.sigmaaldrich.com/life-science/nutrition-research/learning-center/plant-profiler/propolis.html>.2010. (diakses tanggal 23 Juli 2018)

Bankova V. Recent Trends and Important Developments in Propolis Research. E CAM. 2005.

Bendich A. Physiological Role of Antioxidants in the Immune System. Human Nutrition Research, Hoffmann-LaRoche Inc., Nutley, NJ 07110. 1992.

Bergmeyer HU, Bergmeyer J, Graßl M. 1983. Methods of Enzymatic Analysis Vol 2. Weinheim: Verlag Chemie.

Bhadoria M, Nirala SK, and Shukla S. Duration-Dependent Hepatoprotective Effects of Propolis Extract Against Carbon Tetrachloride Induced Acute Liver Damage In Rats. Advances in Therapy. 2007;24(5):1136–1145.

Bjorge SM, Baillie TA. Inhibition of medium-chain fatty acid beta-oxidation in vitro by valproic acid and its unsaturated metabolite, 2-n-propyl-4-pentenoic acid. Biochem. Biophys. Res. Commun. 1985. 132:245–252

Bonvehi JS, Gutie´rrez AL. Antioxidant activity and total phenolics of propolis from the basque country ( Northeastern Spain ). J Am Oil Chem Soc. 2011 ;11:327-336.

Borrelli F, Maffia P, Pinto L, Ianaro A, Russo A, Capasso F, Ialenti A. 2002. Phytochemical compounds involved in the anti-inflammatory effect of propolis extract. *Fitoterapia* 73(1):53–63. Cadenas

Bufalo MC and Sforcin JM, “Te modulatory effects of caffeic ´ acid on human monocytes and its involvement in propolis action,” *Journal of Pharmacy and Pharmacology*, 2015;67(5):740–745.

Burt AD, Day CP. *Pathophysiology of the liver*. New York: Churchill Livingstone. 2002.

Cadenas E, Packer L. Expanded Caffeic Acid and Related Antioxidant Compound: Biochemical and Cellular Effects. *Handbook of Antioxidants*. Second edition. California : Marcel Dekker. 2002.

Chandrasoma P dan Taylor CR. *Ringkasan Patologi Anatomi Edisi II*. Ahli bahasa: Roem Soedoko, Dewi Asih Mahnani. Jakarta: Buku Kedokteran EGC. 2005

Cinthy E, Ivan S. Pradipta RA,. *Penggunaan Obat Penginduksi Kerusakan Hati pada Pasien Rawat Inap Penyakit Hati*. Departemen Farmakologi dan Farmasi Klinik, Fakultas Farmasi Universitas Padjadjaran. 2012.

Crawford JM. Hati dan Saluran Empedu. Dalam: Robbins S. L., Vinay K., Ramzy S. C. Robbins Buku Ajar Patologi. 2007. Volume 2, Edisi 7. Alih Bahasa: Pendit B. U. Jakarta: EGC.

Depkes RI, *Pharmaceutical Care untuk Penyakit Hati*, Departemen Kesehatan RI, Jakarta. 2007.

Ditjen Bina Kefarmasian dan Alat Kesehatan. Pharmaceutical Care untuk Penyakit Hati. Departemen Kesehatan RI : Jakarta. 2007.

Dota KFD, Consolaro MEL, Sydzinski TIE, and Bruschi ML, "Antifungal activity of brazilian propolis microparticles against yeasts isolated from vulvovaginal candidiasis," Evidence-Based Complementary and Alternative Medicine. 2011.

Eroschenko VP. Atlas Histologi diFiore dengan Korelasi Fungsional Edisi 11. Jakarta: EGC. 2010.

Fabris S, Bertelle M, Astafyeva O. "Antioxidant properties and chemical composition relationship of europeans and Brazilians propolis," Pharmacology & Pharmacy, 2013; 4(1):46–51, 2013.

Federer WY, Experimental Design, Theory and Application. New York: Mac. Millan.1963.

Franz JB. Sehat dengan Terapi Lebah (Apitherapy). PT. Elex Media Komputindo, Jakarta. 2008.

Funakoshi-Tago M, Okamoto K, Izumi R. "Antiinflammatory activity of flavonoids in Nepalese propolis is attributed to inhibition of the IL-33 signaling pathway," International Immunopharmacology, 2015; 25, (1):189–198

Ganong WF. Buku Ajar Fisiologi Kedokteran. Jakarta : EGC. 2008.

Geckil H, Ates B, Durmaz G, Erdogan S, Yilmaz I. Antioxidant, free radical scavenging and metal chelating characteristics of propolis. American Journal of Biochemistry and Biotechnology. 2005; I:27-31.

Gheldof N, Wang XH, Engeseth NJ. Identification and Quantification of Antioxidant Components of Honeys from Various Floral Sources. *Journal Agric Food Chem.* 2002;50: 5870–5877.

Gidal BE, and Garnett WR. Epilepsy, in *Pharmacotherapy: A Pathophysiology Approach*, Dipiro JT, et al (eds) McGraw Hill, New York. 2005. 1023-1048.

Gómez-Caravaca AM, Gómez-Romero M, Arráez-Román D, Segura-Carretero A, & Fernández-Gutiérrez A. Advances in the analysis of phenolic compounds in products derived from bees. *Journal of Pharmaceutical and Biomedical Analysis*, 41(4), 1220-1234. 2006.

Hariyatmi. Kemampuan vitamin E sebagai antioksidan terhadap radikal bebas pada lanjut usia. *J MIPA.* 2004. 14:52-60.

Hasan A E Z. Potensi Propolis Lebah Madu *Trigona* spp. Sebagai Bahan Antibakteri. Seminar Nasional HKI, Bogor. 2006

Huang XJ, Choi YK, Im HS, Yarimaga, Yoon E, Kim HS. Aspartate aminotransferase (ast/got) and alanine aminotransferase (alt/gpt) detection techniques. *J. Sensors.* 2006:756-782

Isabel M., *et al*, Assessment of drug-induced liver injury in clinical practice Assessment of drug-induced liver injury in clinical practice, Agencia Española del Medicamento and from the Fondo de Investigación Sanitaria. 2008.

Junqueira L.C & Carneiro. *Histologi Dasar : teks dan atlas.* Edisi 10. Jakarta : EGC. 2007.

Jurima-Romet M, Abbott FS, Tang W, Huang HS., Whitehouse LW. Cytotoxicity of unsaturated metabolites of valproic acid and protection by vitamins C and E in glutathione-depleted rat hepatocytes. *Toxicology.* 1996

Kesterson JW, Granneman GR, Machinist JM. The hepatotoxicity of valproic acid and its metabolites in rats. I. Toxicologic, biochemical and histopathologic studies. *Hepatology* .1984

Kingsley E, Gray P, Tolman KG, Tweedale R. The toxicity of metabolites of sodium valproate in cultured hepatocytes. *J. Clin. Pharmacol.* 1983; 23:178–185

Knodell RG. Formulation and application of a numerical scoring system for assessing histological activity in asymptomatic chronic active hepatitis. *Hepatology*. 1981;1(5):431-5

Kolankaya D, Selmanoğlu G, Sorkuna K, Salih B. Protective effects of Turkish propolis on alcohol-induced serum lipid changes and liver injury in male rats. *Food Chemistry*. 2002 ;78(2):213-217.

Koolman, J. Atlas Berwarna dan Teks Biokimia. Penerbit Hipokrates. Jakarta. 2001

Krell, R. Value Added Products From Beekeeping: Bee glue. United Nations Rome: FAO Agricultural Services. 1996.

Krisnansari D, Sulisty H, Ati VRB. Efek propolis terhadap fungsi dan perlemakan hati tikus putih (*rattus norvegicus*) model hiperkolesterolemia. *Penel Gizi Makan*, 2014 ;37 (1): 77-85

Kujovich JL. Hemostatic Defects in End Stage Liver Disease., *Crit Care Clin* 2005. 21; 563– 587

Kuntz E, Kuntz H-D. *Hepatology, Principles and Practice*. Edisi ke-2. Wetzlar: Springer Medizin Verlag Heidelberg. 2006.

Lacy, Charles F., *Drug Information Handbook*, American Pharmacists Association. 2009.

Loomba R, Sirlin CB, Schwimmer JB, Lavine JE. Advances in pediatric nonalcoholic fatty liver disease. *Hepatology*. 2009.

Lotfy M. Biological activity of bee propolis in health and disease. *Asian Pacific Journal of Cancer Prevention*. 2006;7:2-31.

Lu CF, Lin CH, Lin CC. Antioxidative Natural Product Protect Against Econazole-Induced Liver Injuries. *Toxicology*. 2004.

Lu CF. *Toksikologi Dasar: Asas, Organ Sasaran dan Penilaian Risiko*, Edisi. 2. Jakarta: UI Press. 1995.

Mantovani, "Bactericidal activity of ethanolic extracts of propolis against *Staphylococcus aureus* isolated from mastitic cows," *World Journal of Microbiology and Biotechnology*, 2012 ; 28(2):485–491.

Mehta N. Drug Induced Hepatotoxicity. [http:// emedicine. medscape. com /article /169814-overview](http://emedicine.medscape.com/article/169814-overview). 2010 (diakses tanggal 13 february 2018)

Mihai, CM., Mărghitaş LA, Dezmirean DS, & Bărnuțiu L. Correlation between polyphenolic profile and antioxidant activity of propolis from Transylvania. *Scientific Papers Animal Science and Biotechnologies*, 2011; 44(2):100-103.

Mot AC, Damian G, Sarbu C, Silaghi-Dumitrescu R. Redox Reactivity in Propolis: Direct Detection of Free Radicals in Basic Medium and Interaction With Hemoglobin. *Redox Report*, 2009;14(6):267-274.

Nakajima Y, Shimazawa M, Mishima S, Hara H. Neuroprotective Effects of Brazilian Green Propolis and Its Main Constituents Against Oxygen-Glucose Deprivation Stress, With A Gene-Expression Analysis. *Phytother. Res*, 2009: 23, 1431–1438

Nirala SK and Bhadauria M. Propolis Reverses Acetaminophen Induced Acute Hepatorenal Alterations: A Biochemical And Histopathological Approach. Archives of Pharmaceutical Research,2008; 31(4): 451–461.

Paulsen F dan Waschke J. *Sobotta, Atlas Anatomi Manusia Ed. 23*, Jakarta. EGC. 2012.

Perhimpunan Peneliti Hati Indonesia. Hepatitis Imbas Obat (HIO)/Drug Induced Liver Injury (DILI). Jakarta : PPHI. 2013

Perucca E., Pharmacological and therapeutic properties of valproate: a summary after 35 years of clinical experience. CNS Drugs, 2002;16:695- 714.

Pessayre D, Berson A, Fromenty B. Mitochondria in steatohepatitis. Semin Liver Dis. 2001;21:57–69

Ponchaut S, van Hoof F, Veitch K. (1992). In vitro effects of valproate and valproate metabolites on mitochondrial oxidations. Relevance to CoA sequestration to the observed inhibitions. Biochem. Pharmacol. 43:2435–2442

Price SA. & Wilson LM. Pathophysiology Clinical Concepts Of Disease Processes. Jakarta : Penerbit Buku Kedokteran EGC. 1995.

Putz R, Pabst R. Atlas anatomi manusia sobotta jilid 2, edisi ke-22. Jakarta: EGC. 2007

Ramadan A, Soliman G, Mahmoud SS, Nofal SM, & Abdel-rahman RF. Hepatoprotective and hepatotherapeutic effects of propolis against d-galactosamine/lipopolysaccharide-induced liver damage in rats. International Journal of Pharmacy and Pharmaceutical Sciences, 7(2). 2015.

Reuben A, Koch DG, Lee WM. Drug-induced acute liver failure: results of a U.S.multicenter, prospective study. *Hepatology*, 2010; 52: 2065–2076.

Robbins dan Kumar. *Buku Ajar Patologi 1*, Edisi 4. Jakarta. EGC, 1995.

Robbins. *Buku Ajar Patologi Vol. 2*. Penerbit Buku Kedokteran EGC: Jakarta. 2007.

Sacher RA. *Widmann's clinical interpretation of laboratory test*, 11/E. Diterjemahkan oleh: Brahm U. Pendit & DewiWulandari, EGC, Jakarta. 2004.

Sawicka D, Car H, Borawska MH, and Niklinski J, "The anti- cancer activity of propolis," *Folia Histochemica et Cytobiological*, 2012;50(1), :25–37.

Seidel V, Peyfoon E, Watson DG, and Fearnley J, "Comparative study of the antibacterial activity of propolis from different geographical and climatic zones," *Phytotherapy Research*, 2008;22 (9):1256–1263.

Seo KW, Park M, Song YJ, Kim SJ, and Yoon KR. The Protective Effects of Propolis On Hepatic Injury and Its Mechanism. *Phytotherapy Research*, 2003 ;17(3): 250–253.

Sherlock S, Dooley J. *Diseases of the liver and biliary system*. United State of America: Blackwell publishing. 2002.

Shukla S, Bhadauria M, and Jadon A. 2004. Effect Of Propolis Extract On Acute Carbon Tetrachloride Induced Hepatotoxicity. *Indian Journal of Experimental Biology*, 2004;42(10):993– 997

Siregar, Hotnida CH, Asnath MF, Octaviany Y. *Propolis : Madu Multikhasiat*. Bogor: Penebar Swadaya.2011.

Sloane E. *Anatomi dan fisiologi untuk Pemula*. Jakarta: EGC. 2004.



Smith BJB dan Mangkoewidjojo S. Pemeliharaan Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis. Universitas Indonesia. Jakarta.1998. 228 – 233

Sodikin, Muhammad. Biokimia Darah. Widyamedika. Jakarta. 2002

Soemohardjo, Soewignjo. 1983. Tes Faal hati : Dasar-dasar teoritik dan pemakaian dalam klinik. Bandung : Penerbit Alumni.

Sonderup MW. Drug induced liver injury: drug-induced liver injury is a significant cause of liver disease, including chronic liver disease. Continuing Medical Education, 2011, 29(6): 2442–2446

Sonderup, M.W. Drug Induced Liver Injury is a Significant Cause of Liver Disease, Including Chronic Liver, Drug Induced Liver Injuries, 2006;29(6).

Spiller HA, Krenzelok EP, Klein-Schwartz W, Winter ML, Webe JA, Sollee DR, et al. Multicenter case series of valproic acid ingestion: serum concentrations and toxicity. J Toxicol Clin Toxicol. 2000;38(7):755–760.

Sugimoto YT, Tarumi Y, Kaneko. Effect of Bee glue Extract On DGalactosamine-Induced Hepatic Injury In Rats. Biological and Pharmaceutical Bulletin,1999 vol. 22(11), 1237–1239.

Suranto, Adji. Dasyatnya Propolis Menggempur Penyakit. Jakarta: Agro Media Pustaka. 2010.

Tajiri K, Shimizu Y. Practical guidelines for diagnosis and early management of drug-induced liver injury. World Journal of Gastroenterology. 2008. 14(44): 6774–6785.

Thapa BR, dan Walia A. Liver function test and their interpretation, indian journal of pediatric, 2007;74:663-671

Trisnowati D. Efek Pemberian Jus Buah Jambu Biji Merah (*Psidium guajava* Linn) terhadap Kerusakan Sel Hati yang Dipapari dengan Minyak Goreng Bekas: Skripsi. Fakultas Kedokteran, Universitas Negeri Surakarta. 2009.

Umniyah, Ifa Nailil. Pengaruh Pemberian Teh Hijau (*Camelia sinensis* (L) Kuntze) terhadap kadar transaminase pada hepar mencit (*Mus musculus*) Diabetes. Skripsi Tidak Dipublikasikan. Malang: UIN. 2007

Veronica S. Efek “bee glue” sebagai hepatoprotektor Kerusakan hati mencit yang diinduksi Karbon tetraklorida ( $CCL_4$ ). Padang: Fakultas Farmasi UNAND. 2016.

Viuda-Martos, Ruiz-Navajas MY, Fernández-López J, & Pérez-Álvarez JA. . Functional properties of honey, propolis, and royal jelly. *Journal of food science*, 2008. 73(9), R117-R124.

Volpi N, Gianluca Bergonzini B. Analysis of flavonoids from propolis by on-line HPLC–electrospray mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, 2006 ;42(3):354-361

Wai CT. Presentation of drug-induced liver injury in Singapore. *Singapore Medical Journal*, 2006, 47(2): 116.

Wulan AD. Efek Hepatoprotektor Propolis Terhadap Kerusakan Sel Hepar Mencit (*Mus musculus*) yang diinduksi Parasetamol. Surakarta: Fakultas Kedokteran UNS. 2011.

Zimmerman HJ. *Detection Toxicology of The Liver: Chemical Hepatic Injury and Its Detection*. New York: Raven Press.1978.