

DAFTAR PUSTAKA

- Anand, S. dan Reddy J. 2009. Biocontrol potential of against plant pathogens. *Int J Agric Sci.*1: 30-39.
- Arabia, W., L. Arabia., L. Adour dan A. Amrane. 2013. Chitin Extraction from Crustacean Shells Using Biological Methods. *Food Technol. Biotechnol.*51(1) 12–25 (2013).
- Arif, A R., Ischaidar, Natsir, H., dan Dali, S. 2013. Isolasi Kitin dari Limbah Udang Putih (*Penaeus merguensis*) Secara Enzimatis. *Seminar Nasional Kimia 2013*.
- Agrios, G.N. 1996. *Plant pathology 3rd edition*.Departement of Plant Pathology. Florida.
- Agrios, G.N. 2005. *Plant Pathology 5th edition*. Academic Press. California.
- Alexopoulos, C.J. dan C.W. Mims. 1979. *Introductory Mycology 3rd Edition*. John Wiley and Sons. New York.
- Budiani, A., Santoso, D.A., Susanti, I. Mawardi S., danSiswanto. 2004. Ekspresi β - 1,3 Glukanase dan Kitinase pada Tanaman Kopi Arabika (*Coffea Arabica* L.) Tahan dan Rentan Karat Daun.*Jurnal Menara Perkebunan*. 72 (2): 57-71.
- Brink, B. 2013. *Urease Test Protocols*. ASM Microbe Library Press. Washington. D.C.
- Capuccino, J. G. dan Sherman, N. 2005. *Microbiology: A Laboratory Manual* (7th Ed). The Benjamin Cummings Publishing Company inc. San Fransisco.
- Cappuccino, J. G. and C. Welsh. 2017. *Microbiology: a Laboratory Manual*. 11th Ed. Pearson Education, Inc. Edinburgh Gate Harlow, England.
- Chasanah, E., Ilmi, M., dan Mangunwardoyo, W. 2009. Isolasi bakteri kitinolitik dari limbah pengolahan udang. *Jurnal Pasca Panen dan Bioteknologi Kelautan dan Perikanan*. (1).
- De Cal A, Garcia-Lepe R dan Melgarejo P. 2000. Induced resistance by *Penicillium oxalicum* against *F. oxysporum* f.sp.lycopersici: Histological studies of infected and induced tomato stem. *Phytopathology*. 90: 260-268.
- Dewi, I. M. 2008. Isolasi Bakteri dan Uji Aktifitas Kitinase Termofilik Kasar dari Sumber Air Panas Tinggi Raja, Simalungun, Sumatera Utara. *Tesis* .Sekolah Pasca sarjana Universitas Sumatera Utara. Medan.

- Donderski, W. dan M.S, Brzezinska.2003. The Utilization of N-acetyloglucosamine and chitin as sources of carbon and nitrogen by planktonic and benthic bacteria in Lake Jeziorak. *Polish Journal of Enviromental Studies*. 12 (6):685-692.
- El-Katatany, M.H., W. Somitsch., K.H. Robra., M.S. El-Katatny& G.M. Gilbitz. 2000. Production of Chitinase and β 1,3 - glucanase by *Trichodermaharzianum*for Control of the Phytopathogenic Fungus *Sclerotiumrolfsii*. *Food Technol Biotechnol*. 38: 173–180.
- El-Tarabily KA, Soliman MH, Nassar AH, Al-Hassani HA, Sivasithamparam K, McKenna F, danHardy GE. 2000. Biological control of *Sclerotinia minor* using a chitinolytic bacterium and actinomycetes. *Plant Pathol*. 49:573-583.
- Famararzi, M.A., M. Fazeli, M.T. Yazdi, S. Adrangi, K.J. Al-Ahmadi, N. Tasharrofi, dan F.A. Mohseni. 2009. Optimization of Cultural Condition for Production Chitinase by Soil Isolate of *Massiliatimonae*. *Biotechnol*. 8(1):93 – 99.
- Fakamizo, T., Honda, Y., Toyoda, H., Ouchi, S. &Goto, S. 1996. Chitinous component of cell wall of *Fusarium oxysporum*, its structure deduced from chitosanase digestion..*Biosci Biotech Biochem*60: 1705-1708.
- Fast, A.W., and Laster . 1992. Marine Shrimp Culture: Principles And Practices. *J(Edt) 23*. Amsterdam, London, New-York: Elsevier, *Development inAquaculture and Fisheries Sciences*.Vol.23: 167-171.
- Ferniah, R.S., S. Purwantisari& S. Pujiyanto. 2003. *Uji Potensi Bakteri Kitinolitik Sebagai Pengendali Hayati Patogen Kapang Penyebab Penyakit Tanaman Kentang (Solanum tuberosum)*. Fakultas Matematika Dan Ilmu Pengetahuan Alam .Universitas Diponegoro. Semarang.
- Focher, B., Naggi, A., Tarri, G., Cosami, A. and Terbojevich, M. 1992. Structural Differences Between Chitin Polymorphs and Their Precipitates from Solution Evidence from CP-MAS 13 C-NMR, FT-IR and FT-Raman Spectroscopy. *Charbohidrat Polymer*. 17 (2) : 97 – 102.
- Frändberg, E. 1997.Antifungal Compounds of Chitinolytic Bacteria from Grain Ecosystems. *Doctor's dissertation*. ISSN 1401-6249, ISBN 91- 576-5275-9.
- Gohel V, Singh A, Vimal M, Ashwini P, danChhatparHS . 2006.Bioprospecting and antifungal potential of chitinolytic microorganisms. *Afr J Biotechnol*. 5(2):54–72.
- Gooday GW. 1990. The ecology of chitin degradation advance. *Microbiol Ecol*11: 387-430.

- Gooday, G.W. 1994. *Physiology of Microbial Degradation of Chitin and Chitosan. Biochemistry of Microbial Degradation.* Kluwer Academic Publication.Netherlands. p: 279-312.
- Haliza, W dan M. T. Suhartono.2012. Karakteristik Kitinase dari Mikrobia. *Buletin Teknologi Pasca Panen Pertanian*.Vol 8 (1), 2012.
- Haran S, Schickler H, Oppenheim A, dan Chet. 1995. New components of the chitinolytic system of *Trichoderma reesei*. *Nucleic Acid Res.*99:447–450.
- Hemraj, V., Dikshadan Avneet. 2013. A Review on commonly used Biochemical Test For Bacteria. *Innovore. Journal of Life Science.* 1 (10).Hal.1-7.
- Herdyastuti, N., J.T. Raharjo, Mudasir & S. Matsjeh. 2009. Kitinase dan Mikroorganisme Kitinolitik: Isolasi, Karakterisasi dan Manfaatnya. *Indo JChem.* 9(1): 37-38.
- Hsu, S.C. dan Lockwood, J.L. 1975. Powdered Chitin Agar as a Selective Medium for Enumeration of *Actinomycetes* in Water and Soil. *American Society for Microbiology*.Vol. 29, No. 3.422-426.
- Hunter, Cevera J.C., Fonda, M.E., and Belt, A. 1986. Isolation of cultures. In Demain, A.L. and Solomon, N.A. (eds). *Manual of Industrial Microbiology and Biotechnology*. American Society of Microbiology, Washington, D.C. p. 3-23.
- Huda, M. 2010. Pengendalian Layu *Fusarium* pada Tanaman Pisang (*Musa paradisiaca* L.) Secara Kultur Teknis dan Hayati. *Skripsi*. Institut Pertanian Bogor. Bogor.
- Kordi, K.M.G.H. 2010. *Budidaya Udang Laut*. Lily Publisher. Yogyakarta.
- Kuddus S.M. dan Ahmad R.I.Z., 2013, Isolation of novel chitinolytic bacteria and production optimization of extracellular chitinase, *Journal of Genetic Engineering and Biotechnology*, 11(1): 39–46.
- Lay, B.W. 1994. *Analisis Mikroba di Laboratorium*. Rajawali Pers. Jakarta.
- Leboffe, Michel J, dan Burton E. Pierce. 2011. *A Photographic. Atlas Microbiology Laboratory 4th Ed.* 2011. Morton Publishing Company. Englewood, CO.
- Mawarda, P.C, Triana dan Nasrudin. 2011. Fungsionalisasi Limbah Cangkang Udang Untuk Meningkatkan Kandungan Kalsium Susu Kedelai Sebagai Penambah Gizi Masyarakat. *Skripsi*. Institut Pertanian Bogor. Bogor.
- Matsumoto, Y., Saucedo-Castaneda, G., Revah, S., dan Shirai K. 2006. *Process Biochemistry.* 39:6, 665-671.

- Nagur, S. K. 1999. Identifikasi Bakteri Pengurai Serasah Daun pada Kawasan Mangrove di Bungus Teluk Kabung Padang. *Skripsi*. Universitas Andalas. Padang.
- Nasran, S., F. Ariyani, dan N. Indriati. 2003. Produksi kitinase dan kitin deasetilase dari *Vibrio harveyi*. *Jurnal Penelitian Perikanan Indonesia*. 9(5): 33--38.
- Nasution, Z., Tazwir, dan Zilda, D.S. 2004. Potensi, pemanfaatan dan nilai ekonomi limbah udang dan rajungan di provinsi Lampung. *Warta Penelitian Perikanan Indonesia*. 10(7): 2-5.
- Nugraheni, E.S. 2010. Karakterisasi Biologi Isolat-Isolat *Fusarium* sp. Pada Tanaman Cabai Merah (*Capsicum annum* L.) Asal Boyolali. *Skripsi*. Universitas Sebelas Maret. Surakarta.
- Nugroho, B. 2013. Efektivitas *Fusarium oxysporum* f.sp.*cepae* Avirulen Dalam Mengendalikan Penyakit Layu Fusarium Pada Cabai. *Agri Sains*. 2 (7): 65-75.
- Patil, R.S., V. Ghormade and M.V. Deshpande. 2000. Chitinolytic enzymes: An exploration. *Enzyme and Microbial Technology*. 26: 473-483.
- Park, S.H., J. Lee dan H.K. Lee. 2000. Purification and characterization of chitinase from a marine bacterium, *Vibrio* sp. 98CJ11027. *The Journal of Microbiology*. 38(4): 224—229.
- Pleban, S, L. Chermin, dan I. Chet. 1997. Chitinolytic activity of an endophytic starin of *Bacillus cereus*. *Lett. Appl. Microbiol*. 25: 284-288I.
- Pujiyanto, S., Kusdiyantini, E. dan Hadi, M. 2008. Isolasi dan Seleksi Bakteri Kitinolitik Isolat Lokal yang Berpotensi untuk Mengendalikan Larva Nyamuk *Aedes aegypti* L. *Jurnal Biodiversitas*. 9 (1): 5-8.
- Rahayuniati, R.F., dan Mugiastuti, E. 2009. Pengendalian Penyakit Layu Fusarium Tomat: Aplikasi Abu Bahan Organik dan Jamur Antagonis. *Jurnal Pembangunan Pedesaan*. 9 (1).
- Samson, A. R. dan E. S. van Reenen Hoekstra. 1988. Introduction to Food Borne Fungi. *Centralbureau Voor Schimmelcultures*. Baarn. Delpt.
- Saputra, W. 2009. Isolasi, Seleksi dan Identifikasi bakteri kitinolitik asal air laut Sumatera Barat. *Skripsi*. Universitas Andalas. Padang.
- Setia, I. N, dan Suharjo. 2015. Diversitas dan Uji Potensi Bakteri Kitinolitik dari Limbah Udang. *Jurnal Biotropika* . Vol. 3 No. 2 .

- Shahidi, F dan R. Abuzaytoun. 2005. Chitin, Chitosan, and Co-products: Chemistry, Production, Applications, and Health Effects. *Advances in Food and Nutrition Research*.49: 93- 35.
- Singh, P.P., Shin, Y.C., Park, C.S. dan Chung, Y.R. 1999. Biological control of *Fusarium*wilt of cucumber by chitinolytic bacteria. *Phytopathology* 89: 92-99.
- Skidmore AM and CH Dickinson. 1976. Colony interactions and hyphal interference between *Septoria nodurum*and phylloplane fungi. *Transactions of the British Mycological Society* 66, 57-64.
- Suryanto, D., Munir, E. dan Yunarliza. 2005. Eksplorasi Bakteri Kitinolitik: Keragaman Gen Penyandi Kitinase pada Berbagai Jenis Bakteri dan Pemanfaatannya. *Laporan Hasil Penelitian Hibah Bersaing Perguruan Tinggi*. Universitas Sumatra Utara.
- Suryanto, D., E. Munir. 2006. Potensi Pemanfaatan Isolat Kitinolitik Lokal untuk Pengendalian Hayati Jamur. *Prosiding Seminar Hasil Penelitian* : 15-25. FMIPA USU. Medan.
- Suryanto, D., S. Patonah & E. Munir. 2010. Control of *Fusarium* Wilt of Chili With Chitinolytic Bacteria. *Hayati J Biosci* 17 (1) : 5-8.
- Suryanto, D., N. Irawatidan E. Munir. 2011. Isolation and Characterization of Chitinolytic Bacteria and Their Potential to Inhibit Plant Pathogenic Fungi. *Microbiol Indones*.5(2): 144-148.
- Stivil, A. L., Nichadain, S. N., Moore, J. A., dan Kirchman, D.L. 1997. Chitin Degradation Proteins Produced By The Marine Bacterium *Vibrio Harveyii* Growing On Different Of Chitin. *Enviromental Microbiology*. Vol.63: 408-413.
- Synowiecki J and Al-Khateeb N.A., 2003, Production, Properties, and Some New Applications od Chitin and Its Derivatives. *Critical Reviews in Food Science and Nutrition*. 43(2): 145-171 (2003)
- Takeda, m.k.; d.l. rahayu and i. Aswandy 2000. Prawns and Crabs. In: *Field Guide to Lombok Island*. (K. Matsura, O.K. Sumadhiharga and K.Tsukamoto, eds). Ocean Research Institute. University of Tokyo. Tokyo: 54-96.
- Tito, I. Mentari. 2014. Isolasi dan Identifikasi Bakteri Kitinolitik yang Terdapat Pada Cangkang Lobster Air Tawar (*Cherax quadricarinatus*). *Skripsi*. Universitas Airlangga.
- Toro.V. dan K. Soegiarto.1979.*Biologi Udang. Dalam: UDANG*. Biologi,Potensi, Budidaya, Produksi dan Udang Sebagai Bahan Makanan di Indonesia.

Soegiarto, V. Toro dan K.A. Soegiarto, (eds). *Proyek Penelitian Potensi Sumber Daya Ekonomi*. Lembaga Oseanologi Nasional-LIPI.Jakarta: 3-44.

Udomsilp J, Piyo A, Khang-Khun P, Thobunluepop P. 2009. Antifungal properties of essential oils from Thai medical plants against rice pathogenic fungi. *J Food Ag-Ind*24-30.

Ulrike K. dan Elkin, B., 2000, *Isolation of Native Fungal and Bacterial Antagonists Against Plant Diseases*.

Verena, S. 2008. Chitinases of Filamentous Fungi: A Large Group of Diverse Proteins with Multiple physiological Functions. *Fungal Biology Reviews*. 22:1, 36-42.

Wijaya, S. 2002. Isolasi Kitinase dari Scleroderma Columnaredan Thricoderma Harzianum. *Jurnal Ilmu Dasar*. 3: 30-35.

Yurnalisa.2001. Kajian peran aktinomisetes kitinolitik dalam pengendalian jamur patogen *Fusarium oxysporums* kalaaboratorium. *Tesis*. UGM. Yogyakarta.

Yurnalisa.2002. *Senyawa Kitin dan Kajian Aktivitas Enzim Mikrobial Pendegradasinya*. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Sumatera Utara. Medan.

